

CHEMCO DSD-X
DISINFECTANT SANITIZER
DEODORIZER

Active Ingredients:

n-Alkyl (60% C ₁₄ , 30% C ₁₆ , 5% C ₁₂ , 5% C ₁₈) dimethyl benzyl ammonium chlorides	5%
n-Alkyl (68% C ₁₂ , 32% C ₁₄) dimethyl ethylbenzyl ammonium chlorides	5%

Inert Ingredients:	90%
	100%

CHEMCO DSD-X is a concentrate and should be diluted before using.

NET CONTENTS: 1 GALLON

EPA Reg. No. 8957-9

EPA Est. No. 8957-OK-1

DANGER

KEEP OUT OF REACH OF CHILDREN.

(See other precautionary and first aid statements on left side panel.)

CHEMCO PRODUCTS, INC.

P. O. BOX 9248

TULSA, OKLAHOMA 74107

USE DIRECTIONS:

Household

For sanitizing and disinfecting floors, walls and inanimate hard surfaces. For Schools, Homes, Locker Rooms, Garbage Pails, Sink Tops, Corridors, Classrooms, Offices and Shower Stalls. Apply solution with mop or cloth. Sanitize with 1 ounce CHEMCO DSD-X to 4 gallons of water. Disinfect with 3 ounces CHEMCO DSD-X to 5 gallons of water. Kills Staphylococcus aureus and Salmonella choleraesuis. For heavily soiled or contaminated areas, a pre-cleaning step is recommended.

Hospitals

For floors, walls and other hard surfaces. In Nursing Homes, Institutions, as well as Sink Tops, Garbage Pails, Telephones and Restrooms, use CHEMCO DSD-X at 3½ ounces per 5 gallons of water. Apply with cloth, mop, or sponge. At this level CHEMCO DSD-X will be effective against Pseudomonas aeruainosa PRD-10. For heavily soiled or contaminated areas, a pre-cleaning step is recommended.

Food Processing Equipment

For sanitization of previously cleaned food processing equipment and food utensils dilute 1 ounce CHEMCO DSD-X per 4 gallons of water to provide 200 ppm of active quaternaries. At this level, **No Potable Water Rinse** is required.

Daries

To sanitize dairy equipment such as tanks, lines, pails and milk cans, first clean and rinse the equipment thoroughly. Then apply sanitizing solution containing 1 ounce CHEMCO DSD-X to 4 gallons of water (200 ppm). At this level, **No Potable Water Rinse** is required. Follow recommendations of local Health Board.

Restaurant and Bar Rinse


Dishes, glassware, silverware, cooking utensils, wash with soap or synthetic detergent; rinse thoroughly and immerse in a sanitizing solution containing 1 ounce CHEMCO DSD-X to 4 gallons of water. **No Terminal Potable Water Rinse Required.**

This product when used on environmental, inanimate, hard surfaces at 3½ ounces per 5 gallons of water is effective against Influenza A₂, Herpes Simplex, Adenovirus type 2, and Vaccinia Viruses.

WARRANTY

to be reliable. The use of this product being beyond the control of the manufacturer, no guarantee, expressed or implied, is made as to the effects of such or the results to be obtained if not assume all responsibility, including injury or damage, resulting from its mis-use as such, or, in combination with other materials. Statements concerning the use of these products are not ability to infringement arising out of any such use is assumed.

- 32 oz.
- 30 oz.
- 28 oz.
- 26 oz.
- 24 oz.
- 22 oz.
- 20 oz.
- 18 oz.
- 16 oz.
- 14 oz.
- 12 oz.
- 10 oz.
- 8 oz.
- 6 oz.
- 4 oz.
- 2 oz.



USE DIRECTIONS

CLEANING SOLUTION AND DISINFECTION: (500 ppm active ingredient) Use at 2 ounces of **SANITRINE** per gallon of water, and apply this solution with a cloth or mop to the area to be cleaned. At this concentration, **SANITRINE** is effective on environmental surfaces against the pathogenic fungus *Trichophyton interdigitale*, which is the common cause of athlete's foot.

SANITRINE is a cleaner, disinfectant, and sanitizer designed for general household and light industrial cleaning. For use on walls, floors, and similar inanimate hard surfaces. When used as directed, **SANITRINE** will also deodorize those areas which generally are hard to keep fresh smelling, such as garbage pails, sink tops, and bathroom areas which are prone to odors caused by the growth of some microorganisms. Effective against *Staphylococcus aureus* and *Salmonella choleraesuis* at 2 ounces per gallon.

General disinfection and deodorizing is also achieved at this use concentration in addition to its cleansing action.

PHENOL COEFFICIENTS:

GUARANTEED	MINIMUM
<i>S. aureus</i>	20.5
<i>S. typhosa</i>	13.0

Rinse empty container thoroughly with water and discard it.

NOTICE

Neither the manufacturer nor the seller makes any warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use of this material when such use is contrary to label instructions. Read and follow the label directions carefully.

© Applied Biochemists, Inc. 1974

Sanitrine™

Pat. Pending
E.P.A. Reg. No. 8959-16-AA

Cleaner for TILE, similar hard surfaces

Fungicide
(helps prevent athlete's foot)
Disinfectant, Deodorant

ACTIVE INGREDIENTS:

- n-Alkyl (60% C₁₄, 30% C₁₆, 5% C₁₂, 5% C₁₈) dimethyl benzyl ammonium chlorides 1.6%
- n-Alkyl (68% C₁₂, 32% C₁₄) dimethyl ethylbenzyl ammonium chlorides . . 1.6%
- Sodium Carbonate . . . 3.0%
- Tetrasodium ethylene-diamine tetraacetate . . 1.0%

INERT INGREDIENTS 92.8%
100.0%

DANGER - KEEP OUT OF REACH OF CHILDREN.
SEE RIGHT SIDE PANEL FOR ADDITIONAL PRECAUTIONARY AND FIRST AID STATEMENTS.

NET CONTENTS: 1 QUART (32 FL. OZ.)

Manufactured by:
Applied Biochemists Inc
Mequon, Wis. 53092

E.P.A. Est. No. 8959-WI-1

SANITRINE is a cleaner, deodorizer, fungicide, and disinfectant designed for general household use and pool areas. For use on pool walls, floors, sun decks, sunning areas, locker room floors, shower stalls, and walkways; swimming pool equipment and furniture. **SANITRINE** at use dilution is noncorrosive to inanimate hard surfaces.

SANITRINE is especially designed to clean heavily contaminated areas and remove organic matter. When **SANITRINE** is used as directed will aid in controlling and/or preventing the development of unsightly slime conditions which are unsightly and produce foul odors.

DANGER

KEEP OUT OF REACH OF CHILDREN. May cause eye damage. Causes skin irritation. Do not get in eyes, on skin, or on clothing. Protect eyes and skin when handling concentrate. Harmful if swallowed. Avoid contamination of food.

FIRST AID

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash all contaminated clothing before reuse. If swallowed, drink milk, egg whites, gelatine solution, or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician.

ACCEPTED

MAR 10 1975

UNDER THE FEDERAL INSECTICIDE FUNGICIDE AND RODENTICIDE ACT FOR ECONOMIC POISON REGISTERED UNDER NO. 8959-16

1002-024B 12/74