		DIRECTIONS FOR USE: It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. APPLICATION AND DOSAGE RATES: For maximum effectiveness, pools containing a heavy growth of algae should be cleaned prior to starting the use of POOLTRINE. Pools having visible algae growth should be treated with 32 oz. per 10,000 gailons of pool water. Then about 24 hours later, the algae debris should be removed by standard cleaning procedures, including brushing loose algae spots, vacuuming the pool, and backwashing the filter.
POOLTRINE®	40Z.	For treatment of a freshly cleaned and filled pool, add initially 18 oz. per 10,000 gallons of pool water. To maintain pools free of visible algae growth, they should be treated with 6 oz. per 10,000 gallons of pool water every week after the initial treatment. Dilute POOLTRINE with at least nine parts water before applying. Pour required amount of POOLTRINE into a plastic watering can and fill with water. Maintaining constant pool circulation, sprinkle solution around the edge of the pool.
	40Z.	POOLTRINE is compatible with other chemicals commonly used to treat swimming pools and it is effective in both acid and alkaline pH ranges. It can be used in pools treated with chlorine chemicals, and its use mayreduce the amount of these chemicals normally required.
		IMPORTANT NOTE: Always apply chemicals separately. Never combine them.
ACTIVE INGREDIENTS: Poly [oxyethylene (dimethyliminic) ethylene		PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION: POOLTRINE may cause skin damage. Harmful if swallowed. Do not get on skin, eyes or clothing.
(dimethyliminio) ethylene dichloride)	40Z.	FIRST AID
TOTAL		
POOLTRINE contains 2.67 lbs. of active ingredient per gallon and weighs 8.9 lbs. per gallon.	407	If in Eyes: Hold eyelids open and rinse slowly with water for 15-20 minutes. Remove contact lenses if present after 5 minutes then continue rinsing eye. Call poison control center or doctor for treatment advice. If Swallowed: Call a poison control center immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or a doctor. Do not give anything by mouth to an unconscious
	40Z. person. If Inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice. If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or	
with the second s	1.07	doctor, or going for treatment.
KEEP OUT OF REACH OF CHILDREN	40Z.	
CAUTION		ENVIRONMENTAL HAZARDS
See other precautions and first aid on back panel.		
		PESTICIDE STORAGE Store in original container in a cool, dry place. Keep container closed when not in use.
		CONTAINER DISPOSAL:
Net Contents: 32 FL. OZ. (946 ml.)	40Z.	Do not reuse empty container. Rinse thoroughly, wrap container and put in trash collection.
		EPA REG. NO.: 8959-26 EPA EST. NO.: 42291-GA-1
ACCEPTED JUN 27 2002	`	EPA REG. NO.: 8959-26 EPA EST. NO: 42291-GA-1 APPLIED BIOCHEMISTS 1400 Bluegrass Lakes Parkway Alpharetta, GA 30004
Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the		
pesticide, registered under		
EPA. Reg. No. 8959-26		

-

. •