	United States Environmental Protection Agency Washington, DC 20460	<input type="checkbox"/> Registration <input type="checkbox"/> Amendment <input checked="" type="checkbox"/> Other	OPP Identifier Number 224984
--	---	--	--

Application for Pesticide - Section I

1. Company/Product Number Applied Biochemists #8959-5108	2. EPA Product Manager Theresa Stowe	3. Proposed Classification <input type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) Clearigate	PM# 22	
5. Name and Address of Applicant (Include ZIP Code) Applied Biochemist 6120 West Douglas Ave. Milwaukee, WI 53218 <input type="checkbox"/> Check if this is a new address		6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____

Section - II

<input type="checkbox"/> Amendment - Explain below. <input type="checkbox"/> Resubmission in response to Agency letter dated _____ <input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____ <input type="checkbox"/> "Me Too" Application. <input type="checkbox"/> Other - Explain below.
--	---

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

Oversight in the Statement of Practical Treatment/First Aid/If swallowed: Omitted was the sentence: Do not induce vomiting or give anything by mouth to an unconscious person.


NOTIFICATION


AUG 15 1997

Section - III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input checked="" type="checkbox"/> Yes* <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		<input checked="" type="checkbox"/> Metal <input checked="" type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify) _____	
* Certification must be submitted		If "Yes" Unit Packaging wgt. _____ No. per container _____	If "Yes" Package wgt. _____ No. per container _____		
3. Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container 1 gal. _____ 5 ga. _____ 30 ga. _____ 55 ga. _____		5. Location of Label Directions <input checked="" type="checkbox"/> On Label <input type="checkbox"/> On Labeling accompanying product	
6. Manner in Which Label is Affixed to Product <input checked="" type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled <input type="checkbox"/> Other _____					

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name Marianne Radtke	Title Regulatory Affairs Mgr.	Telephone No. (Include Area Code) 414 464-8450 Ext. 328
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		6. Date Application Received (Stamped) AUG 15 1997
2. Signature 	3. Title Regulatory Affairs Mgr.	
4. Typed Name Marianne Radtke	5. Date 8/4/97	



EPA Est. No. 41760-CA-1

1-800-558-5106

3 3 3 3 3
 3 3
 3
 3 3 3 3 3
 3
 3 3
 3 3 3 3 3
 3 3 3 3 3

DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH
PRECAUTIONARY STATEMENTS AND DIRECTIONS
AND WITH APPLICABLE STATE AND FEDERAL REGULATIONS.

GENERAL GUIDELINES:

CLEARIGATE is a chelated copper formulation containing an emulsified surfactant / penetrant for highly effective control of coarse (thick cell-walled) filamentous algae, muscilaginous (colonial) planktonic algae, Chara and a variety of emergent, floating and submerged, aquatic plants. Vegetation controlled includes: Cladophora, Pithophora, Lyngbya, Microcystis, Hydrilla, pondweeds, water milfoil, naiad and other species having a sensitivity to copper absorption in conjunction with a penetrant.


FOR OPTIMUM EFFECTIVENESS:

Apply **CLEARIGATE** early in the day under bright or sunny conditions when water temperatures are at least 60 °F (15.5°C).

Apply when growth first begins to appear or create a nuisance.

Apply in a manner which will ensure even distribution of product within treatment area.

Repeat application, as needed, if regrowth begins to appear and seasonal control is desired. Allow one to two weeks between consecutive treatments.



PRECAUTIONARY STATEMENTS **HAZARDS TO HUMANS AND DOMESTIC ANIMALS** **DANGER**

CORROSIVE, causes skin burns and irreversible eye damage. May be fatal if absorbed through skin. Harmful if swallowed or inhaled. Do not get in eyes, on skin, or on clothing. Wear coveralls over long sleeved shirt and long pants, socks, chemical resistant footwear and rubber gloves. Avoid breathing dust or spray mist. Wash thoroughly with soap and water after handling and before eating, drinking, or using tobacco. Remove contaminated clothing and wash before reuse.

ENVIRONMENTAL HAZARDS

Fish toxicity is dependent upon harshness of water. May be toxic to trout and other species of fish in soft water. Do not use in waters containing trout, kol, goldfish or other sensitive species if the carbonate hardness of the water is less than 50 ppm.

Avoid contact with drift to desirable plants or crops as injury may result. Clean out application equipment after each operation. Do not apply under conditions of high wind or wave action.

Treatment of dense weed growth and algae blooms in static ponds and lakes can result in oxygen loss from decomposition of dead vegetation. This loss can cause fish suffocation. Therefore, treat only 1/4 to 1/2 of the dense growth at a time and wait one to two weeks between treatments.

Some states may require permits for application of this product to public water. Check with local authorities.

PHYSICAL/CHEMICAL HAZARDS

Do not use or store near heat or open flame.

STORAGE AND DISPOSAL


PROHIBITIONS: Do not contaminate water, food or feed by storage or disposal.

STORAGE: Keep pesticide in original container. Do not store in a manner where cross-contamination with other pesticides, fertilizers, food or feed could occur. Store at temperatures above 32°F(0°C) away from heat or flame.

In the event of spillage during handling or storage, absorb with sand, clay or other inert material and dispose of absorbent in accordance with the pesticide disposal instructions listed below. For help with spill, leak, fire or exposure involving this material, call Chemtrec (1-800-424-9300).

PESTICIDE DISPOSAL: This product is acutely hazardous. Improper disposal of excess pesticide spray mixture or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Do not reuse container. Incinerate, burn or puncture and dispose of in a sanitary landfill, or dispose of by other procedures allowed by State and local authorities. If burned, stay out of smoke.



STATIC WATER TREATMENT SURFACE SPRAY/INJECTION APPLICATION

For effective control, proper chemical concentration contact should be maintained for a minimum of three hours. Application rates in the chart below are based upon static or minimum flow situations in lakes, ponds, reservoirs and inactive irrigation conveyance systems or drainage systems. Where significant inflow occurs (greater than 10% of total water volume in 24 hours), it is recommended that flow be stopped for 24 hours during and following treatment. If this is not possible, treat inflowing water in accordance with Flowing Water Treatment instructions.

AQUATIC VEGETATION TYPE OR SPECIES	DOSAGE	RATES	DILUTION	TREATMENT COMMENTS
	PPM COPPER	GALLONS PER ACRE FOOT	% SPRAY SOLUTION V/V	
ALGAE				
Planktonic	0.1 - 0.5	0.9 - 4.4	1.5% - 5%	Apply lower dosage rates on light infestations. Use higher rates on heavy blooms and where algae masses are clumped and accumulated.
Filamentous	0.2 - 0.6	1.8 - 5.3	5% - 10%	Apply lower dosage rate on early season, light infestations or treatment of regrowth. Apply higher rates on surface mats and coarse species such as Pithophora, Cladophora, & Lyngbya.
Chara/Nitella	0.4 - 0.8	3.6 - 7.1	10% - 15%	Apply lower dosage on new infestations or early season growth. Apply higher rates on older, established calcified plants. Apply as close to top of plant growth as possible.
SUBMERSED PLANTS				
Egeria densa (Brazilian Elodea)	0.6 - 1.0	5.4 - 8.7	10% - 20%	Apply lower dose on early season, low density growth.
Elodea canadensis	0.8 - 1.0	7.1 - 8.7	10% - 20%	Apply higher rates in thicker stands of plants.
Hydrilla verticillata	0.4 - 1.0	3.6 - 8.7	10% - 20%	Product should be applied as close to the top of plants as possible.
Myriophyllum spp. (Water Milfoil)	0.8 - 1.0	7.1 - 8.7	10% - 20%	Underwater injection is recommended when plants are more than one foot below water surface.
Najas spp. (Naiad)	0.5 - 1.0	4.4 - 8.7	10% - 20%	
Potamogeton spp. (Pondweeds)	0.5 - 1.0	4.4 - 8.7	10% - 20%	
FLOATING PLANTS		GALLONS PER SURFACE ACRE		
Lemna spp. (Duckweed)	--	4.4 - 8.7	20% - 25%	Apply lower rates to shallow (less than 1 ft.) infestations. Use higher rates for large infestations in deeper water (1 ft. or greater) use a fine spray and wet plants thoroughly.
Eichornia crassipes (Water Hyacinth)	--	4.4 - 8.7	20% - 25%	Do not disturb with motor wake or paddles after treatment.

Select dosage rate based upon species/type of plants being controlled. Choose a dilution which will allow evenly application throughout the intended treatment area with the type of equipment being used. Avoid drift by using coarse spray droplets, applying close to the water surface and/or injecting solution below the water surface through submersed hoses for treatment of submersed growth.

ulation.

5. For ditches, canals and laterals determine the number of drip/metering application sites required (based upon turnover time) by referring to the chart below:

TURNOVER TIME (Hrs)	NUMBER OF DRIP/METERING SITES
Less than 4.5	1
4.6 - 7.5	2
7.6 - 10.5	3
10.6 - 13.5	4
13.6 - 16.5	5
Etc.	

Sewage treatment ponds and other sites where water is stored for a calculated retention time and are fed by a single input source will require a single dripper/metering system. Inflowing water should be treated at the appropriate dosage rate from the chart in #4 for the duration of the entire turnover time calculated in #3.

6. Calculate distance between drip/metering sites by using the following formula:

$$\frac{\text{Canal/Ditch/Lateral Length (ft)}}{\text{No. of Drip/Metering Sites}} = \text{Distance Between Drip/Metering Systems (ft)}$$

7. Calculate amount of CLEARIGATE required per drip/metering site by using the following formula:

$$\frac{\text{Total CLEARIGATE Required (qts)}}{\text{No. of Drip/Metering Sites}} = \text{CLEARIGATE Required Per Site (qts.)}$$

8. Calculate drip/metering duration per site by using the following formula:

$$\frac{\text{CLEARIGATE Required Per Site (qts)}}{\text{Dosage Rate (qt/CFS/hr)} \times \text{Flow Rate (CFS)}} = \text{Drip/Metering Duration (hrs) Per Site}$$

9. Calculate drip/metering rate by using the following formula to convert to oz./min. or ml/min.

$$\text{Flow Rate (CFS)} \times \text{Drip Rate (qt/CFS/hr)} \times 0.533 = \text{Drip Rate (oz/min)}$$

* NOTE: 0.533 is a constant used to convert qt/hr to oz/min.

$$\text{METRIC CONVERSION: Drip Rate (oz/min)} \times 29.57 = \text{Drip Rate (ml/min)}$$

Calibrate drip system, metering pump or similar dosage device to establish output rate determined in Step No. 9. This can be done using a watch with a second hand and a calibrated measuring cup, graduated cylinder or similar vessel.

If possible, calibrate all drip/metering devices prior to beginning actual treatment. Turn them on as simultaneously as possible, beginning with the device furthest upstream.

Begin with only the amount of product required at each site or record your start-up time and shut down drip/metering systems after the drip/metering duration time period determined in Step No. 8.

Remove containers from application sites following treatment. Triple rinse application equipment. Dispose of empty containers in accordance with container disposal instructions on this label. Partially used containers should be resealed with original closures and stored in accordance with storage instructions on this label.

