

UNDER THE FEDERAL INSECTICIDE ACT
FUNGICIDE ACT AND RELATED ACTS
FOR ECONOMIC POISON REGISTERED
UNDER NO. 8977-3

CONTINENTAL

FORMALDEHYDE SOLUTION

37% by weight



**POISON
DANGER**



KEEP OUT OF REACH OF CHILDREN

CAUSES IRRITATION OF SKIN, EYES, AND MUCOUS MEMBRANES. AVOID CONTACT. AVOID BREATHING OF VAPOR. USE WITH ADEQUATE VENTILATION. HARMFUL OR FATAL IF SWALLOWED.

ANTIDOTE

IF SWALLOWED: Give a tablespoonfull of table salt in a glass of warm water and repeat until vomit fluid clear. Give milk or white of egg beaten with water.

IN CASE OF CONTACT: Immediately flush skin or eyes with plenty of water for at least 15 minutes; for eyes get medical attention at once. **CALL A PHYSICIAN.**

ACTIVE INGREDIENT: FORMALDEHYDE 37%
INERT INGREDIENTS: 63%

TOTAL: 100%

CONTAINS METHANOL. DANGER. Methanol may cause blindness. Harmful or fatal if swallowed. Vapor harmful. Avoid breathing spray mist or vapor. Avoid contact with skin.

DIRECTIONS FOR DISINFECTING:

COMBS AND BRUSHES: Dilute 1 part of formaldehyde solution with 9 parts of water. Keep tools submerged in solution for 20 minutes.

SCISSORS & RAZORS: Dilute 2 parts of formaldehyde solution with 5 parts of water and add 1 part of glycerine. Keep tools submerged in solution for 10 minutes.

DO NOT REUSE CONTAINER. DESTROY WHEN EMPTY.

DISTRIBUTED BY:

CONTINENTAL COSMETIC COMPANY, CHICAGO, ILL. 60608
EPA REG. NO. 8977-3 CONTENTS: 1 PINT