

8997-9

6-21-1968

1/2

ACCEPTED
JUN 21 1968
89979

MCPP-TECH

Active Ingredients: 2-(2-Methyl-4-chlorophenoxy) Propionic Acid 95%
Inert Ingredients: 5%

CAUTION - KEEP OUT OF REACH OF CHILDREN

PRECAUTION

AVOID CONTACT WITH EYES, skin, or clothing. In case of contact, wash exposed areas with plenty of water to prevent irritation.
AVOID BREATHING, DUST OR SPRAY MIST since inhalation may prove harmful. Use a dust mask over nose and throat while handling dry form.

FOR MANUFACTURING PURPOSES ONLY

Net weight:

DISTRIBUTED BY:

**SHEPARD CHEMICAL INDUSTRIES, INC.
NEW YORK, N.Y. 10022**

USDA REG. NO.

(Left Panel)

(Front Panel)

(Right Panel)

WARNING: Avoid any contamination of feed or foodstuffs.
CAUTION: Keep away from humans, domestic animals, and pets. Cowley's Rat and Mouse Bait contains diphacinone as the active ingredient which is an anticoagulant chemical. If taken by humans, domestic animals, or pets, it may reduce the clotting ability of the blood and serious hemorrhage may result. If baits are eaten, give a tablespoonful of salt in a glass of warm water and repeat until vomit fluid is clear. Call a physician at once.

NOTE TO PHYSICIANS: When humans have been known to have ingested Cowley's Rat and Mouse Bait, blood transfusions combined with intravenous injections and oral doses of Vitamin K are indicated as in the case of hemorrhage caused by overdoses of diphacinone.

Mfg. for
 S. L. Cowley & Sons Mfg. Co.
 Hugo, Oklahoma
 U.S.D.A. Reg. No.

**COWLEY'S RAT
 AND MOUSE BAIT
 With Diphacinone**

**Kills Rats and Mice
 Anti-coagulant
 For Rodent Control
 Contents 6 oz. (*)**

**CAUTION: KEEP OUT OF REACH
 OF CHILDREN
 See side panel for other
 directions.**

Active Ingredients:
 Sodium salt of diphacinone*
 0.0015%
 (2-diphenylacetyl-1,3-
 indandione)

Inert Ingredients:
 99.9985%
 *Diphacinone-Mfg. By Nease
 Chemical Company under U.S.
 Patent No. 2,672,483
 For Rodenticide Use Only

S. L. Cowley & Sons Mfg. Co.
 Hugo, Oklahoma

(*) Also anticipate trade sizes
 of 8 oz. and 1 pint.

DIRECTIONS: Place bait in locations where rats and mice feed, water or travel. Bait placements along walls, in corners, and in concealed locations where rats and mice feed are desirable. Place baits in locations not accessible to children, pets, and domestic animals, or in tamper-proof containers. Contaminated or spilled baits should be replaced promptly.

FOR RAT CONTROL: Place a one pint liquid dispenser per location as the minimum amount of COWLEY'S Rat and Mouse Bait. Maintain an uninterrupted supply of bait in the stations for approximately 10 days. Bait should be placed in locations not accessible to children, pets and domestic animals.

FOR MOUSE CONTROL: A one pint liquid dispenser should be placed at 8-10 foot intervals. An uninterrupted supply of bait should be maintained for at least 15 days. Bait should be placed in locations not accessible to children, pets, and domestic animals.

ACCEPTED
 JUN 21 1968
 UNDER THE FEDERAL INSECTICIDE
 AND RODENTICIDE ACT