

RECEIVED
JAN 31 1974
U.S. DEPT. OF AGRICULTURE
WASHINGTON, D.C. 20250

SWC POOL CLEAR

LIQUID CHLORINE for.....
SWIMMING POOL
BACTERIA AND ALGAE CONTROL

CAUTION
KEEP OUT OF REACH OF CHILDREN.
MAY BE HARMFUL IF SWALLOWED.
May cause severe skin and eye irritation.

SEE FIRST AID AND OTHER REQUIRED STATEMENTS
ON SIDE PANELS • READ STATEMENTS CAREFULLY

ACTIVE INGREDIENT
SODIUM HYPOCHLORITE..12% BY WT.
INERT INGREDIENTS . . .88% BY WT.

NET ONE FL. GALLON

EPA REG. NO. 9009-3

CAUTION—Harmful if swallowed
DO NOT GET IN EYES, ON SKIN
OR ON CLOTHING

FIRST AID

INTERNAL — If swallowed, drink raw egg white, milk or gruel. Follow with emetic milk of pwd. mustard in a glass of warm water. **CALL A PHYSICIAN.**

EXTERNAL — Immediately flush with plenty of cold water. For eyes, flood with water and get medical attention.

IMPORTANT

Keep away from sunlight, heat, and other materials. Store in a cool place. Keep in UPRIGHT POSITION. Rinse empty container thoroughly with water and discard it.

Degrades with age. Use a test kit and increase dosage as necessary to obtain required level of available chlorine.

Buyer assumes all risk of use, storage or handling of this material not in strict accordance with directions given herewith or established safe practices.

SWIMMING POOL DOSAGE

For each 10,000 gallons of pool water, add 1/2 ounce of this product. For example, for a 20,000 gallon pool, add 1 ounce. For a 30,000 gallon pool, add 1 1/2 ounces. For a 40,000 gallon pool, add 2 ounces. For a 50,000 gallon pool, add 2 1/2 ounces. For a 60,000 gallon pool, add 3 ounces. For a 70,000 gallon pool, add 3 1/2 ounces. For a 80,000 gallon pool, add 4 ounces. For a 90,000 gallon pool, add 4 1/2 ounces. For a 100,000 gallon pool, add 5 ounces. For a 110,000 gallon pool, add 5 1/2 ounces. For a 120,000 gallon pool, add 6 ounces. For a 130,000 gallon pool, add 6 1/2 ounces. For a 140,000 gallon pool, add 7 ounces. For a 150,000 gallon pool, add 7 1/2 ounces. For a 160,000 gallon pool, add 8 ounces. For a 170,000 gallon pool, add 8 1/2 ounces. For a 180,000 gallon pool, add 9 ounces. For a 190,000 gallon pool, add 9 1/2 ounces. For a 200,000 gallon pool, add 10 ounces.



LIQUID CHLORINE for.....

BACTERIA AND ALGAE CONTROL

NOTE: Also test for ph of pool water and maintain at 7.2 to 7.6.

PLANT AND OFFICE AT PLOVER, WISCONSIN 54467

PHONE: 715/344-4861 STEVENS POINT, WISCONSIN

EPA EST. NO. 9009-WI 1


ACTIVE INGREDIENT
SODIUM HYPOCHLORITE 12% BY WT
INERT INGREDIENTS 88% BY WT

NET ONE FL. GALLON

EPA REG. NO. 9009-1

LIQUID CHLORINE for.....

BACTERIA AND ALGAE CONTROL



ACTIVE INGREDIENT
SODIUM HYPOCHLORITE 12% BY WT
INERT INGREDIENTS 88% BY WT

NET ONE FL. GALLON

EPA REG. NO. 9009-3

It is recommended that you keep a test kit on hand to determine the level of available chlorine in your solution. Consult your physician for more information.

Keep away from sunlight, heat, and other materials. Store in a cool place. Keep in UPRIGHT POSITION. Rinse empty container thoroughly with water and discard it.

IMPORTANT

Keep away from sunlight, heat, and other materials. Store in a cool place. Keep in UPRIGHT POSITION. Rinse empty container thoroughly with water and discard it.

Degrades with age. Use a test kit and increase dosage as necessary to obtain required level of available chlorine.

Do not use in areas where children or pets are present. Do not use in areas where food is stored or prepared.