

9009-12

6-22-2001

1/6

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

JUN 22 2001

OnLine Packaging, Incorporated  
4311 Plover Road  
Plover, WI 54467

Attention: Roger D. Teske  
President

Subject: So White Pool Clear  
EPA Registration Number 9009-12  
Your Amendment Dated May 17, 2001

The amendment referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, to revise your First Aid Statement in accordance with PR Notice 2001-1 is acceptable provided that you make the labeling changes listed below before you release the product for shipment bearing the amended label.

Under the "Direction for Use" Statement, the dosages must be identical to the Sodium/Calcium Hypochlorite Reregistration Guidance Package.

- Under Swimming Pool Water Disinfection, change "80 to 100" ppm to read "50 to 100" ppm.
- Under Winterizing Pools, change "4 oz." to read "3 oz."
- Under SPAS, Hot-Tubs, change "7.2 and 7.6" to read "7.2 and 7.8".


A stamped copy is enclosed for your records. Submit one copy of the final printed label before you release the product for shipment bearing the amended label.

CONCURRENCES							
SYMBOL							
SURNAME							
DATE							

2/6

If you have any questions regarding this letter, please contact Delores Williams at (703) 308-6372.

Sincerely,



Robert S. Brennis  
Product Manager 32  
Regulatory Management Branch II  
Antimicrobials Division (7510C)

## DIRECTIONS FOR USE

It is in violation of federal law to use this product in a manner inconsistent with its labeling. **NOTE:** This product degrades with age. Use a chlorine test kit and increase dosage, as necessary, to obtain the required level of available chlorine.

### SWIMMING POOL WATER DISINFECTION

For a new pool or spring start-up, superchlorinate with 52 to 104 oz. of this product for each 10,000 gallons of water to yield 5 to 10 ppm available chlorine by weight. Check the level of available chlorine with a test kit. Adjust and maintain pool water pH to between 7.2 and 7.6. Adjust and maintain the alkalinity of the pool to between 80 to 100 ppm.

To maintain the pool, add manually or by a feeder device 11 oz. of this product for each 10,000 gallons of water to yield an available chlorine residual between 0.6 to 1.0 ppm by weight. Stabilized pools should maintain a residual of 1.0 to 1.5 ppm available chlorine. Test the pH, available chlorine residual and alkalinity of water frequently with appropriate test kits. Frequency of water treatment will depend upon temperature and number of swimmers.

Every 7 days, or as necessary, superchlorinate the pool with 52 to 104 oz. of this product for each 10,000 gallons of water to yield 5 to 10 ppm available chlorine by weight. Check the level of available chlorine with a test kit. Do not re-enter the pool until the chlorine residual is between 1.0 and 3.0 ppm.

At the end of the swimming pool season or when water is to be drained from the pool, chlorine must be allowed to dissipate from treated pool water before discharge. Do not chlorinate the pool within 24 hours prior to discharge.

**WINTERIZING POOLS** - While water is still clear & clean, apply 4 oz. of this product per 1000 gals., while filter is running, to obtain a 3ppm available chlorine residual, as determined by a suitable test kit. Cover pool, prepare heater, filter and heater components for winter by following manufacturers' instructions.

### SPAS, HOT-TUBS

Apply 5 oz. of this product per 1000 gallons of water to obtain a free available chlorine concentration <sup>of</sup> 5 ppm, as determined by a suitable chlorine test kit. Adjust and maintain pool water pH to between 7.2 and 7.6. Some oils, lotions, fragrances, cleaners, etc. may cause foaming or cloudy water as well as reduce the efficiency of the product.


To maintain the water, apply 5 oz. of this product per 1000 gallons of water over the surface to maintain a chlorine concentration of 5 ppm.

After each use, shock treat with 8 oz. of this product per 500 gallons of water to control odor and algae. During extended periods of disuse, add 3 oz. of this product daily per 1000 gallons of water to maintain a 3 ppm chlorine concentration.

### STORAGE AND DISPOSAL

Store this product in a cool dry area, away from direct sunlight and heat to avoid deterioration. In case of spill, flood areas with large quantities of water. Product or rinsates that cannot be used should be diluted with water before disposal in a sanitary sewer. Do not reuse container but place in trash collection.

Do not contaminate food or feed by storage, disposal or cleaning of equipment.



3/10

4/6

**So White**  
BRAND

# POOLCLEAR

For Swimming Pools

Chemical for

**Liquid Chlorinating**

**Bacteria and Algae Control**

**DANGER: Keep out of reach of children**

INGREDIENTS... 12.5%  
... 37.5%  
AVAILABLE CHLORINE 15%  
EPA REG. NO. 9009-12 EPA EST. (9009-W-1)

## DIRECTIONS FOR USE

It is in violation of federal law to use this product in a manner inconsistent with its labeling. **NOTE:** This product degrades with age. Use a chlorine test kit and increase dosage, as necessary, to obtain the required level of available chlorine.

### SWIMMING POOL WATER DISINFECTION

For a new pool or spring start-up, superchlorinate with 52 to 104 oz. of this product for each 10,000 gallons of water to yield 5\* to 10 ppm available chlorine by weight. Check the level of available chlorine with a test kit. Adjust and maintain pool water pH to between 7.2 and 7.6 Adjust and maintain the alkalinity of the pool to between 80 to 100 ppm.

To maintain the pool, add manually or by a feeder device 11 oz. of this product for each 10,000 gallons of water to yield an available chlorine residual between 0.6 to 1.0 ppm by weight. Stabilized pools should maintain a residual of 1.0 to 1.5 ppm available chlorine. Test the pH, available chlorine residual and alkalinity of water frequently with appropriate test kits. Frequency of water treatment will depend upon temperature and number of swimmers.

Every 7 days, or as necessary, superchlorinate the pool with 52 to 104 oz. of this product for each 10,000 gallons of water to yield 5 to 10 ppm available chlorine by weight. Check the level of available chlorine with a test kit. Do not re-enter the pool until the chlorine residual is between 1.0 and 3.0 ppm.

At the end of the swimming pool season or when water is to be drained from the pool, chlorine must be allowed to dissipate from treated pool water before discharge. Do not chlorinate the pool within 24 hours prior to discharge.

**WINTERIZING POOLS** - While water is still clear & clean, apply 4 oz. of this product per 1000 gals., while filter is running, to obtain a 3ppm available chlorine residual, as determined by a suitable test kit. Cover pool, prepare heater, filter and heater components for winter by following manufacturers' instructions.

### SPAS, HOT-TUBS

Apply 5 oz. of this product per 1000 gallons of water to obtain a free available chlorine concentration <sup>97</sup> 5 ppm, as determined by a suitable chlorine test kit. Adjust and maintain pool water pH to between 7.2 and 7.6. Some oils, lotions, fragrances, cleaners, etc. may cause foaming or cloudy water as well as reduce the efficiency of the product.

To maintain the water, apply 5 oz. of this product per 1000 gallons of water over the surface to maintain a chlorine concentration of 5 ppm.


After each use, shock treat with 8 oz. of this product per 500 gallons of water to control odor and algae.

During extended periods of disuse, add 3 oz. of this product daily per 1000 gallons of water to maintain a 3 ppm chlorine concentration.

### STORAGE AND DISPOSAL

Store this product in a cool dry area, away from direct sunlight and heat to avoid deterioration. In case of spill, flood areas with large quantities of water. Product or rinsates that cannot be used should be diluted with water before disposal in a sanitary sewer. Do not reuse container but place in trash collection.

Do not contaminate food or feed by storage, disposal or cleaning of equipment.



0 00000 00000 ?

5/10

6/6

ACCEPTED  
with COMMENTS  
in EPA Letter Dated:

JUN 22 2001

Under the Federal Insecticide,  
Fungicide, and Rodenticide Act as  
amended, and the Federal  
Registration Act of 1947,  
registered under FIFRA.

9009-12

4  
25

100-48-03