KILLS Rats. ACCEPTE COMPLETS

Kills Mice Too

EFFECTIVE WHERE OTHER BAITS FAIL

UNDER THE FEDERAL IN SECTION FUNGICIUM - IT RODENT CIDE ACT FOR ECHANNIC POISON BIGHETERED UNDER NO. 90 .33 -


Seasoned To A Rat's Taste

the questions we are most often asked to answer:

- Q. Left alone for one year, how many young will one pair of rats produce?
- A. Approximately eighty (80).
- Q. How much feed will one (1) rat eat in a year?
- A. Approximately \$2.00 worth.

HOW TO ESTIMATE THE NUMBER OF RATS

	Number of Rats	Approx. Amount Bait
Rat signs, none seen	100	3 lbs.
Rats seen, night only	500-1,000	10 to 15 lbs.
Rats seen, day time	1 000 5 000	15 to 35 lbs.



Always insist on the Rat Bait with the Special Lure found only in the J. W. Lawton Formula

DIRECTIONS

SET ALL BAITS AT GROUND OR FLOOR LEVEL

RATS: Suggested Use: Set out in close containers with clean hands at least 8 to 10 baits of 4 ounces or man around or in each building in ant me ways next to walls. PROTECT PETS AND CHILDREN. Incred amount of bait daily until na about each building THE AROUND. Constant and continued feed ing is what kills.

FOR FAST RESULTS

IF BAIT SHOULD BICOME DAMP GE MOLDY, REPLACE WITH FRESH SAIT.

MICE: 1/4 to 1/2 ounce of bait ghould be placed at 8-12 foot intervals. Balt should be placed in locations rist accessible to children, pets, and domestic animals, or in tamper-proof bait boxes. An uninterrupted supply of bait should be maintained for at least 15 days.

*Prolin (Warfarin plus an Antibac**terial**) is a T.M. of the Wisconsin Alumpi Re search Foundation.

THIS BAIT CONTAINS THE EXCLUSIVE J. W. LAWTON FORMULA

المصورة والمالية والمتواجد الألواد

्र क्षेत्रक सम्बद्धाः । विकास

Kills Mice Too EFFECTIVE WHERE OTHER BAITS FAIL

ACCEPTE.

July-9-1769

FUNGICION - 1 ROBENT CIDE ACT
FOR ECCHOMIC POISON ELGISTERED
UNDER NO 50 33.

Keady to Use

are the quest ons we are must often about 11, answer

- Quiceft is newfortione year townmark yours, we one pair of rats produce?
- A Auproximate, eight, (80
- On How much feed will one of that has vess?
- A Approximate + \$2.00 worth

	Number of Rats	Approx. Amount Bait
	100	3 .bs
	+ 5.1.600	· · 15 abs
Water of the state	100 100	15 · , 35 bs



DIRECTIONS


SET ALL BAITS AT GROUND OR FLOOR LEVEL

Suggested Use: Set out in clean containers with clean hands at least 8 to 10 baits of 4 ounces or more around or in each building in rat runways next to walls. PROTECT FROM PETS AND CHILDREN. Increase the amount of bait daily until no more Blitz is eaten. Then leave two baits about each building THE YEAR AROUND. Constant and continued feeding is what kills.

FOR FAST RESULTS IF BAIT SHOULD BECOME DAMP OR MOLDY, REPLACE WITH FRESH BAIT.

1/4 to 1/2 ounce of bait should be placed at 8-12 foot intervals. Bait hould be placed in locations not accessible to children, pets, and domestic animals, or in tamper-proof bait boxes. An uninterrupted supply of bait should be maintained for at least 15 days.

Prolin (Warfarin plus an Antibacterial) is a T.M. of the V sconsin Alumni Research Foundation.





GUARANTEED

NO BAIT SHYNESS WITH

10 5 D.A Reg. No. 9033-1

POUNDS



BLITZ RAT BAIT contains as its active ngredient an anticoagulant chemical which if taken accidentally by humans or animals may result in serious blood hemorrhages. In case baits are acci dentally eaten by a human, give a table spoonful of salt in a glass of water to induce vomiting and continue until vomit is clear. Call a physician at once Note to Physician: Treat patient as for

an overdose of Dicumarol. Antidote: - Use Vitamin K.

0 D.A.R. A. N. 403-1

POUNDS



AN IMPROVED

PRODUCT

KEEP OUT OF REACH OF CHILDREN SEE SIDE PANEL FOR ADDITIONAL CAUTIONS REQUIRED

Active Ingredients: Warfarin (3/ acetonylbenzyl) 4 hydroxycoumarin) Quinoxalinylsulfanilamide (Sulfaquinoxaline) Iriert Ingredients: Cereal Base

.025% .025% 99.950%

100.000%

MANUFACTURED BY

BLITZ PRODUCTS CO.

Box 525

Mitchell, So. Dakota 57301

TOTAL

ngredient an anticoagulant chemical which if taken accidentally by humans or animals may result in serious blood hemorrhages. In case baits are accidentally eaten by a human, give a table-spoonful of salt in a glass of water to induce vomiting and continue until vomit is clear. Call a physician at once.

Note to Physician: Treat patient as for an overdose of Dicumarol.

Antidote: - - Use Vitamin K.

Due to the unprecedented success of BLITZ RAT BAIT there are appearing on the market substitutes claiming to be the same formula, etc. WHY ACCEPT substitutes when you can always get the real BLITZ?