



Ener-Jet NP 45

**CLEANER—DISINFECTANT—DEODORIZER—
FUNGICIDE**

Designed for Hospital and Institutional use

ACTIVE INGREDIENTS:

n-Alkyl (60% C ₁₄ , 30% C ₁₆ , 5% C ₁₂ , 5% C ₁₈) dimethyl benzyl ammonium chlorides	2.25%
n-Alkyl (68% C ₁₂ , 32% C ₁₄) dimethyl ethylbenzyl ammonium chlorides	2.25%
Sodium Carbonate	3.00%
Tetrasodium ethylenediamine tetraacetate	1.00%

INERT INGREDIENTS:	91.50%
	100.00%

PHENOL COEFFICIENTS:

Guaranteed	Minimum
S. aureus	42
S. typhosa	27

WARNING: Keep Out of Reach of Children. See side panel for additional precautionary statements.

NET CONTENTS: 1 GALLON

EPA Reg. No. 9046-6

CONSAN PACIFIC INC., P. O. Box 208, Whittier, Calif. 90608

USE DIRECTIONS

Use at 2 ounces per gallon. This product will be effective against *Pseudomonas aeruginosa* PRD-10 at this level. This has been substantiated by the AOAC Ure Dilution Confirmation test. At this level, the product is fungicidal against pathogenic fungi.

For best results, use ENER-JET NP 45 with a cloth or mop and apply to walls, floors, and other hard surfaces.

If used for sanitization of food equipment or food contact items, limit the level of active quaternary to 200 ppm (2.8 ounces per 5 gallons). For heavy soil or organic matter, a precleaning step is recommended.

Rinse empty container thoroughly with water and discard.

ENER-JET NP 45 is a cleaner, disinfectant, and sanitizer, designed for institutional use, such as Hospitals, Nursing Homes, and Institutions where housekeeping will be of prime importance in controlling the hazard of cross-infection from environmental surfaces. ENER-JET NP 45 can provide the assurance you need in this area, when used as directed. For use on floors, walls, sink tops, garbage pails, telephones, rest rooms, bed pans and operating rooms. Effective against *Staphylococcus aureus*, *Salmonella choleraesuis* and *Pseudomonas aeruginosa*. Also effective against pathogenic fungi, *Trichophyton interdigitale*.

This produce when used on environmental inanimate hard surfaces at 2 ounces per gallon of water, is effective against Influenza A₂ (flu virus), Herpes Simplex (cold sores, fever blisters), Adenovirus type 2 (acute respiratory disease), and Vaccinia viruses (smallpox).

When used for sanitization of food processing equipment and food contact items, limit active quaternary to 200 ppm. At this level, No Potable Water Rinse is required.

WARNING: Keep Out of Reach of Children. Causes eye and skin irritation. Do not get in eyes, on skin or on clothing. Harmful if swallowed. Avoid contamination of food.

FIRST AID: In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash all contaminated clothing before reuse. If swallowed, drink milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water. Call a physician.

Ener-Jet Slimicide

CONCENTRATED SLIMICIDE FOR INDUSTRIAL RE-CIRCULATING WATER COOLING SYSTEMS.

*Helps keep water systems clear and free of visible
algal slimes.*

ACTIVE INGREDIENTS:

n-Alkyl (60% C₁₂, 30% C₁₀, 5% C₁₂, 5% C₁₈) dimethyl
benzyl ammonium chlorides 5%

n-Alkyl (68% C₁₂, 32% C₁₄) dimethyl ethylbenzyl
ammonium chlorides 5%

INERT INGREDIENTS:

ACCEPTED
JULY 6, 1973
UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND ROENTGENIC DECT
FOR ECONOMIC POISON REGISTER
NO. 9046-8

90%

100%

DANGER: Keep Out of Reach of Children. See right
side panel for additional precautionary and
first aid statements.

NET CONTENTS: 1 GALLON

EPA Reg. No. 9046-8

CONSAN PACIFIC INC., P.O. Box 208, Whittier, Calif. 90608

DIRECTIONS FOR USE

Apply ENER-JET SLIMICIDE when the system is in jeopardy of becoming affected or after cleaning system whose efficiency is already impaired.

Initial Dose: 1-2 gallons ENER-JET SLIMICIDE to each 5,000 gallons of water contained in the system (20-40 ppm active quaternaries). Repeat until control is evident.

Periodic Dose: When system is in control, add 1-3 quarts ENER-JET SLIMICIDE to each 5,000 gallons of water (5-15 ppm active quaternaries) contained in the system every 7 days or sooner should visible growth appear. Apply ENER-JET SLIMICIDE at a point in the system where uniform mixing will take place.

For best results, clean heavily contaminated systems before treatment with this product. If soap or anionic detergent is used, rinse thoroughly before charging with ENER-JET SLIMICIDE. Do not be alarmed with the sudden appearance of organic debris in the system during the first week of operation. This is normal and is a good indication that ENER-JET SLIMICIDE has effectively penetrated and dislodged dead organic material which tenaciously adheres to metal and wooden surfaces as living matter. This debris should be removed from the system to avoid clogging of screens and pipes.

When ENER-JET SLIMICIDE is used as directed, it will aid in controlling and/or preventing the development of unsanitary slime conditions which are unsightly, produce foul odors and which are often the cause of equipment breakdown.

ENER-JET SLIMICIDE is compatible with virtually all corrosion inhibition additives, but should not be used in the presence of soap or other anionic detergents. ENER-JET SLIMICIDE at use dilution is non-corrosive to inanimate hard surfaces.

DANGER: Keep out of Reach of Children. Corrosive. Causes severe eye and skin damage. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed. Avoid contamination of food.

FIRST AID: In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.

If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

NOTE TO PHYSICIAN—Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

FISH AND OR WILDLIFE PRECAUTIONS

This product is toxic to fish. Treated effluent should not be discharged where it will drain into lakes, streams, ponds or public waters. Apply this product only as specified on this label.

RINSE EMPTY CONTAINER THOROUGHLY WITH WATER AND DISCARD.