

# Vipsan

## DISINFECTANT — SANITIZER — DEODORIZER

### ACTIVE INGREDIENTS:

n-Alkyl (60% C<sub>14</sub>, 30% C<sub>16</sub>, 5% C<sub>12</sub>, 5% C<sub>18</sub>) dimethyl  
benzyl ammonium chlorides 10%

n-Alkyl (68% C<sub>12</sub>, 32% C<sub>14</sub>) dimethyl ethylbenzyl  
ammonium chlorides 10%

INERT INGREDIENTS: 80%

100%

VIPSAN is a concentrate and must be diluted before using.

**DANGER:** Keep Out of Reach of Children. See side  
panel for additional precautions and First  
Aid.

NET CONTENTS: 1 GALLON

EPA Reg. No. 9046-5

CONSAN PACIFIC INC., P. O. Box 208, Whittier, Calif. 90608

### DIRECTIONS FOR USE

**USES:** All surfaces should be cleaned before using VIPSAN. Use VIPSAN for sanitizing or disinfecting floors, walls, sink tops, garbage pails, and similar inanimate hard surfaces in schools, locker rooms, corridors, classrooms and offices. Apply solution with mop or cloth. Sanitize with 1/2 ounce VIPSAN to 4 gallons of water. Disinfect with 1 1/2 ounces VIPSAN to 5 gallons of water. Helps to kill many germs such as *Staphylococcus aureus* and *Salmonella choleraesuis*.

**HOSPITAL:** All surfaces should be cleaned before using VIPSAN on floors, walls, sink tops, garbage pails, telephones, and other similar hard surfaces. In Nurses' Homes, Institutions and Restrooms use VIPSAN at 1 1/4 ounces to 5 gallons of water. At this level VIPSAN will be effective against *Pseudomonas aeruginosa* PRD-10.

**FOOD PROCESSING EQUIPMENT:** To sanitize Food Processing Equipment and for utensils, first clean and rinse the equipment thoroughly. Dilute 1/2 ounce VIPSAN per 4 gallons of water to provide 200 ppm of active quaternary. At this level, No Potable Water Rinse is required. Follow recommendations of local Health Board.

**DAIRIES:** To sanitize dairy equipment, first clean and rinse the equipment thoroughly. Then apply sanitizing solution containing 1/2 ounce VIPSAN to 4 gallons of water (200 ppm). At this level No Potable Water Rinse is required. Follow recommendations of local Health Board.

**RESTAURANT AND BAR RINSE:** For dishes, glassware, silverware, cooking utensils, wash with soap or synthetic detergent; rinse thoroughly and immerse in a sanitizing solution of 1/2 ounce VIPSAN to 4 gallons of water.

**COLD DISINFECTION:** For disinfection of previously cleaned surgical instruments, barber tools and dental equipment, simply submerge instruments in solution containing 3/4 ounce VIPSAN per gallon of water. A submersion time of at least 10 minutes is necessary.

**DANGER:** Keep Out of Reach of Children. Corrosive. Causes eye damage and severe skin irritation. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed. Avoid contamination of food.

**FIRST AID:** In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.

If swallowed, drink promptly a large quantity of milk, egg white, gelatin solution or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

**NOTE TO PHYSICIAN:** Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsions may be needed.

Rinse empty container thoroughly with water and discard it.

This product when used on environmental inanimate hard surfaces at 1 1/2 ounces per 3 gallons of water, is effective against Influenza A<sub>2</sub> (flu virus), Herpes Simplex (cold sores, fever blisters), Adenovirus type 2 (acute respiratory disease), and Vaccinia viruses (smallpox).