# Ener-Jet 10% Solution

## DISINFECTANT — DEODORIZER — SANITIZER

### **ACTIVE INGREDIENTS:**

n-Alkyl (60% C <sub>14</sub> , 30% C <sub>16</sub> , 5% C <sub>12</sub> , 5% C <sub>18</sub> ) dimethyl benzyl ammonium chlorides	5%
n-Alkyl (68% C <sub>12</sub> , 32% C <sub>14</sub> ) dimethyl ethylbenzyl ammonium chlorides	5%
INERT INGREDIENTS:	90%
	100%

ENER-JET 10% SOLUTION is a concentrate and should be diluted before using.

DANGER: Keep Out of Reach of Children. See First Aid statement and other precautions on side panel.

**NET CONTENTS: 1 GALLON** 

EPA Reg. No. 9046-19

CONSAN PACIFIC INC., P. O. Box 208, Whittier, Calif. 90608

## USE DIRECTIONS

HOUSEHOLD

For sanitizing and disinfecting floors, walls, and inanimate hard surfaces. For Schools Homes, Locker Rooms, Garbage Pails, Sink Tops, Corridors, Classrooms, Office Apply solution with mop or cloth. Sanitize with 1 ounce ENER-JET 10% SOLUTION to 4 gallons of water. Disinfect with 3 ounces ENER-JET 10% SOLUTION to 5 gallons of water. Kills Staphylococcus aureus and Salmonella choleraesuis.

#### HOSPITALS

For floors, walls, and other hard surfaces. In Nursing Homes, Institutions, as well Sink Tops, Garbage Pails, Telephones and Restrooms, use ENER-JET 10% SOLUTION at 3½ ounces per 5 gallons of water. At this leval ENER-JET 10% SOLUTION will be effective against Pseudomonas aeruginosa PRD-10.

FOOD PROCESSING EQUIPMENT

For sanitization of food processing equipment and food utensils dilute I ounce ENER-JET 10% SOLUTION per 4 gallons of water to provide 200 ppm of active quaternary. At this level, No Potable Water Rinse is required.

DAIRIES

To sanitize dairy equipment, first clean and rinse the equipment thoroughly. There apply sanitizing solution containing I ounce ENER-JET 10% SOLUTION to 4 gallons of water (200 ppm). At this level, No Potable Water Rinse is required. Follow recommendations of local Health Board.

COLD DISINFECTION

For disinfection of previously cleaned surgical instruments, barber tools and dental equipment, simply submerge instruments into solution containing 1½ ouce ENER-JET 10% SOLUTION per gallon of water.

RESTAURANT AND BAR RINSE

Dishes, glassware, silverware, cooking utensils, wash with soap or synthetic detergent; rinse thoroughly and immerse in a sanitizing solution containing I ounce ENER-JET 10% SOLUTION to 4 gallons of water. No Terminal Potable Water Rinse Required at this level.

DANGER: Keep Out of Reach of Children. Corrosive. Causes eye damage and skin irritation. Do not get in eyes, on skin or on clothing. Protect eyes and skin when handling. Harmful if swallowed. Avoid contamination

of foca.

D: In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.

If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Call a physician immediately.

NOTE TO Probable mucosal damage may contraindicate the use of gastric lavage. PHYSICIAN: Measures against circulatory shock, respiratory depression and con

vulsion may be needed.

Rinse empty container thoroughly with water and discard.

This product when used on environmental inanimate hard surfaces at  $3\frac{1}{2}$  ounces per 5 gallons of water, is effective against Influenza  $A_2$  (flu virus), Herpes

# Ener-Jet CD 45

## CLEANER—DISINFECTANT—DECDORIZER

## Designed for Hospital and Institutional Use

ACTIVE INGREDIENTS:	
n-Alkyl (60% $C_{14}$ , 30% $C_{16}$ , 5% $C_{12}$ , 5% $C_{18}$ ) dimethyl benzyl ammonium chlorides	2.25%
n-Alkyl' (68% C <sub>12</sub> , 32% C <sub>14</sub> ) dimethyl ethylbenzyl ammonium chlorides	2.25%
Sodium Carbonate	
INERT INGREDIENTS:	
	100.00%
PHENOL COEFFICIENTS:	
Guaranteed	Minimum
S. aureus	
S. typhosa	27

DANGER: Keep Out of Reach of Children. See side panel for additional precautionary and First Aid statements.

**NET CONTENTS: 1 GALLON** 

EPA Reg. No. 9046-21

CONSAN PACIFIC INC., P. O. Box 208, Whittier, Calif. 90608

## **USE DIRECTIONS**

#### DISINFECTION

Use at 2 ounces per gallon. This product will be effective against Pseudomonas aeruginosa PRD-10 at this level. This has been substantiated by the AOAC Use Dilution Confirmation Test. At this level, the product is fungicidal against pathogenic fungi.

This product when used on environmental inanimate hard surfaces at 2 ounces per gallon of water, is effective against Influenza  $A_2$  (flu virus), Herpes Simplex (cold sores, fever blisters), Adenovirous type 2 (acute respiratory disease), and Vaccinia (smallpox) Viruses.

For best results, use ENER-JET CD 45 with a cloth or mop and apply to walls, floors and other hard surfaces.

#### **SANITIZATION**

If used for sanitization of previously cleaned food equipment or food contact items, limit the level of the active quaternaries to 200 ppm (2.8 ounces per 5 gallons). No Rinse Required at this level.

For heavy or organic matter, a precleaning step is recommended.

ENER-JET CD 45 is a cleaner, disinfectant, and sanitizer designed for institutional use, such as Hospitals, Nursing Homes, and Schools where housekeeping will be of prime importance in reducing the hazards of cross-infection for environmental surfaces. ENER-JET CD 45 can provide the assurance you need in this area, when used as directed. For use on floors, walls, sink tops, garbage pails, telephones, rest rooms, bed pans and operating rooms. Effective against Staphylococcus aureus, Salmonella choleraesuis and Pseudomonas aeruginosa. Also effective against pathogenic fungi, Trichophyton interdigitale.

When used for sanitization of previously cleaned food processing equipment and food contact items, limit the active quaternaries to 200 ppm. At this level No Potable Water Rinse is required.

DANGER:

Keep Out of Reach of Children. Corrosive. Causes severe eye and skin damage. Do not get in eyes, on skin or on clothing. Protect eyes and skin when handling concentrate. Harmful if swallowed. Avoid contamination of food.

FIRST AID:

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash all contaminated clothing before reuse. If swallowed, drink milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water. Call a physician.

Rinse empty container thoroughly with water and discard.

## ACCEPTED

OCT 5 1973

UNDER THE FEDERAL INSECTICIDE FUNGICIDE AND RODENTICIDE ACT FOR ECONOMIC POISON REGISTERED UNDER NO. 10 16:2 SUBJECT TO ATTACHED COMMENTS.