



9078-1
ACCEPTED
Aug 5 1969
UNDER THE FEDERAL INSECTICIDE
AND RODENTICIDE ACT
FEDERAL ANTIMIC POISON REGISTRATION
NO. UNDER NO. SUBJECT
TO ATTACHED CONDITIONS

**FEED IT
RIGHT**

**PROPER CONSUMPTION
DETERMINES RESULTS**

PROTECT YOUR LARGE INVESTMENT IN CATTLE AND PASTURES

- WHY BE ROBBED OF PROFITS -

- By Mineral deficiency in pasture grasses?
- By blood sucking horn flies - stomach worms -
- By other common disease conditions?



FEEDING DIRECTIONS

Self fed continuously as the sole source of salt.

When phosphate, dextrose and other Minerals are provided
in cattle blocks. Withhold other salt and minerals to further
prevent electrolyte imbalance.

1 lb. of salt lick for 10 head.

CHECK CONSUMPTION RATE PER HEAD AS FOLLOWS

WEIGHT OF ANIMAL	DAILY	30 DAYS	90 DAYS
1000 lb.	7 1/2 oz.	14 lbs.	42 lbs.
800 lb.	6 oz.	11 lbs.	33 lbs.
600 lb.	4 1/2 oz.	8 lbs.	24 lbs.

FOR DESIRED RESULTS -
CONSUMPTION SHOULD AVERAGE 1/2 OZ PER 100 LB

FEEDING RECOMMENDATIONS - 3/4 OZ. PER 100 LB. BODY WT. DAILY

(not more than 2 gm Phenothiazine and 50 mg EDDI should be consumed per head per day)

Cameraman's Note

Poor Copy