YIME

119- 1.

1./3

UUL 3 L

300/

Nr. James P. Smith Tennessee Parmers Cooperative Lavergne, TN 37086

Dear Mr. Smith:

Subject: Tetrachlorvinphos Registration Standard
CO-OP Cattle Mineral
EPA Registration Mo. 9078-6
CO-OP Pasture Block with Rabon
EPA Registration No. 9078-12
Your Letters Dated February 20 and August 25, 1989

The labeling referred to above, submitted in connection with registration under the Pederal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable, provided that you make the labeling changes listed below before you release the product for shipment bearing the amended labeling:

- 1. Both ACTIVE INGREDIENTS and IMENT INGREDIENTS must be in the same type size, aligned to the same margin, and be equally prominent.
- Delete MEDICATED. This incorrectly implies that the pesticide is a drug.
- 3. Delete "General Classification." Products are no longer classified for general use.
- 4. Under Environmental Hazards, change "This product is toxic . . . "
 to "This pesticide is toxic . . . "

Submit five (5) copies of your final printed labeling before you release the product for shipment.

A stamped copy of the labeling is enclosed for your records.

Sincerely yours,

George T. LaRocca Product Manager (15) Insecticide-Rodenticide Branch Registration Division (H7505C)

Enclosure

2 1 1

CO-OP PASTURE BLOCK WITH RABON®

MEDICATED

Control of fecal flies in manure of treated cattle. Prevents development of face flies, horn flies, house flies and stable flies in the manure of treated cattle.

ACTIVE INGREDIENT

Tetrachlo.vinphos: 2-chloro-1-(2,4,5-trichlorophe	–
methyl phosphate	0.31%*
Inert Ingredients	99.69%**
Total	100.00%
*Each pound contains 1.4 gm. Rabon	
"Refers only to ingredients which are not Larvice	dal
Rabon is a registered trademark of Fermenta Ar	nmai Health
Co.	

GUARANTEED ANALYSIS

Crude Protein (min.		5 50%
	·	
	.,,	
	4.50% (max)	
Phosphorus (min.)		2.50%
Salt (min.)	19 00% (max.)	22.50%
Vitamin A		40,000 IU/lb.
Vitamin D-3	,	5,000 IU/lb.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS CAIJTION

Harmful if swallowed. Avoid contact with skin and eyes. Avoid breathing dust. Wash thoroughly with soap and water after handling and before eating or smoking. If in eyes, wash with plenty of vater. If irritation persists, get medical attention. Wearlong-sleeved shirt and pants; chemical resistant gloves; shoes and socks for protection when handling.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not contaminate water when disposing of equipment wash water.

INGREDIENTS

Processed Grain By-Products, Salt, Dicalcium Phosphate, Cane Molasses, Roughage Products, Lignin Sulfonate, Calcium Ca bonate, Plant Protein Products, Hydrolyzed Animal Fat and Hydrolyzed Plant Oil with Ethoxyquin (a preservative), Iron Oxide, Magnesium Oxide, Vitamin D-3 Supplement, Vitamin A Acetate, Vitamin E Supplement, Manganous Oxide, Copper Oxide, Cobalt Carbonate, Zinc Oxide, Ferrous Sulfate, Sodium Selenite, Calcium Iodate, and Ethylenediamine Dihydrodide

DIRECTIONS FOR USE

CENERAL CLASSIFICATIONS

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

- Feed approximately 1/2 b of block per 1000 pound animal daily. Co-op Pasture Block may be fed up to slaughter and to lactating dairy cows without withholding the milk from market during or after treatment.
- 2. Place one block per five head of cattle.
- 3. Provide blocks where animals congregate.
- 4. Feed blocks continuously, never allow animals to run out. Add an additional block when each block has been one-half consumed.
- Animals should not be starved for minerals before initiation of the Co-op Pasture Block program, but omit all salt from other feed
 after the program is started. Do not feed free choice sources of salt or minerals containing salt in any form.
- 6. When starting a feeding program during the fly season, it may be necessary to use other measures to reduce the population of existing adult flies. This product is not effective against existing adult flies. Supplemental fly control measures may be needed in and around cattle lots and buildings to control adult flies and stable flies, which can breed not only in cattle manure but in other decaying vegetable matter or silage on the premises.
- In order to achieve optimum fly control. Co-op Pasture Block should be used in conjunction with good management and sanitation practices.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal

Storage: Store in a dry place in original container.

Disposal: Completely empty container into application (mixer/feeder) equipment. Then dispose of empty bag in a sanitary landfill or by incineration or if allowed, by State and local authorities by burning. If burned, stay out of smoke. Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

EPA Reg. No. 9078-12

EPA Est. No. 9078-TN 4 9078-TN 5

Net Wt 33 1/3 lb

ITEM NO. 625 TAG CODE NO. 082589-625 Manufactured By
TENNESSEE FARMERS COOPERATIVE
LaVergne, Tennessee 37066
General Office

ACCEPTED
with COMMENTS
in EPA Letter Dated:

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No.

っつ

9:78-12