 <p>U.S. ENVIRONMENTAL PROTECTION AGENCY Office of Pesticide Programs Registration Division (H7505C) 401 M St., S.W. Washington, D.C. 20460</p> <p>NOTICE OF PESTICIDE Reregistration</p> <p>(under FIFRA, as amended)</p>	EPA Reg. Number: 9078-12	Date of Issuance: AUG 19 1999
	Term of Issuance: Unconditional Registration	
	Name of Pesticide Product: CO-OP Pasture Block with Rabon®	
Name and Address of Registrant (include ZIP Code): Jim Sherman Tennessee Farmers CO-OP P.O. Box 3003 Lavergne, TN 37086		
<p>Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.</p>		
<p>On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.</p> <p>Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.</p>		

Based on your response to the Reregistration eligibility Documents, EPA has reregistered the product listed above. This action is taken under the authority of section 4 (g)(2)(c) of the Federal Insecticide, Fungicide, and Rodenticide Act, as amended. Registration under this section does not eliminate the need for control reassessment of pesticides. EPA may require submission of data at anytime to maintain the registration of your product. with regards to labeling, you must make the labeling changes listed below. This is based upon the label you submitted to the Agency on 2 April 1997 and received by the Agency 13 May 1997.

1) Based on the Acute Toxicology profile for your product, The "Statements of Practical Treatment" or "First Aid" must be modified to read as follows:


FIRST AID

"IF SWALLOWED: Call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger, or if available by administering syrup of ipecac. If person is unconscious, do not give anything by mouth and do not induce vomiting.

IF ON SKIN: Wash with plenty of soap and water. Get medical attention.

IF ON EYES: Flush with plenty of water. Call a physician if irritation persists."

Your product is required to have a "Note to Physicians." This should be located directly below your "First Aid" Statement and should contain the following information:

Signature of Approving Official: 	Date: AUG 19 1999
---	-----------------------------

- Technical Information on symptomatology;
- Use of supportive treatments to maintain life functions;
- Medicine that will counteract the specific physiological effects of the pesticide;
- Company telephone number to specific medical personnel who can provide specialized medical advice;

2) The Human Precautionary Statements must be revised to read as follows:

"Harmful if swallowed or absorbed through skin. Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Prolonged or frequently repeated skin contact may cause allergic reaction to some individuals.

Personal Protective Equipment (PPE)

- long-sleeved shirt and long pants
- shoes and socks
- chemical resistant gloves

Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Follow manufacturers instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry."

3) The "User Safety Recommendations" must be placed in a box and should read as follows:


"Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing."

4) This product is toxic to fish however, it is not necessary to maintain the statement "Do not contaminate water when disposing of equipment wash water" as it is not appropriate for this product.

Enclosed is a copy of your most recently submitted label stamped "Accepted with Comments."

) Please submit two (2) copies of your final printed label before releasing this product for shipment. I'll be happy to answer any questions you may have regarding this action.

Sincerely,



George LaRocca
Product Manager 13
Insecticide Branch
Registration Division (7505C)

enclosure
md:a:9078-12.wpd

Signature of Approving Official:	Date: AUG 19 1999
----------------------------------	-------------------

CO-OP PASTURE BLOCK WITH RABON®

For Weaned Cattle on Pasture

Control of fecal flies in manure of treated cattle. Prevents development of face flies, horn flies, house flies and stable flies in the manure of treated cattle.

ACTIVE INGREDIENT: Tetrachlorvinphos: (Z)-2-chloro-1-(2,4,5-trichlorophenyl) vinyl dimethyl phosphate..... 0.31%*
INERT INGREDIENTS:..... 99.69%**
Total 100.00%

*Each pound contains 1.4 gm. Rabon
**Refers only to ingredients which are not Larvicidal
Rabon is a registered trademark of Fermenta Animal Health Co.

GUARANTEED ANALYSIS

Crude Protein (min.)	5.50%
Crude Fat (min.)	0.50%
Crude Fiber (max.)	10.00%
Acid Detergent Fiber (max.)	8.00%
Calcium (min.)	4.50% (max.)
Phosphorus (min.)	2.50%
Salt (min.)	19.00% (max.)
Potassium (min.)	0.60%
Selenium (min.)	2.14 ppm
Vitamin A (min.)	40,000 IU/lb.
Vitamin D-3 (min.)	5,000 IU/lb.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

1. Feed approximately 1/2 lb. of block per 1000 pound animal daily. Co-op Pasture Block may be fed up to slaughter and to lactating dairy cows without withholding the milk from market during or after treatment.
2. Place one block per five head of cattle.
3. Provide blocks where animals congregate.
4. Feed blocks continuously, never allow animals to run out. Add an additional block when each block has been one-half consumed.
5. Animals should not be starved for minerals before initiation of the Co-op Pasture Block program, but omit all salt from other feed after the program is started. Do not feed free choice sources of salt or minerals containing salt in any form.
6. When starting a feeding program during the fly season, it may be necessary to use other measures to reduce the population of existing adult flies. This product is not effective against existing adult flies. Supplemental fly control measures may be needed in and around cattle lots and buildings to control adult flies and stable flies, which can breed not only in cattle manure but in other decaying vegetable matter or silage on the premises.
7. In order to achieve optimum fly control, Co-op Pasture Block should be used in conjunction with good management and sanitation practices.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal

Storage: Store in a dry place in original container.

Disposal: Completely empty container into application (mixer/feeder) equipment. Then dispose of empty bag in a sanitary landfill or by incineration or, if allowed by State and local authorities, by burning. If burned, stay out of smoke. Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

EPA Reg. No. 9078-12
EPA Est. No. 9078-TN-4 9078-TN-5

ITEM NO. 625
TAG CODE NO. 102898-625

NET WEIGHT 33 1/3 Lb. (15.11 kg.)

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS CAUTION


Keep out of reach of children. Harmful if swallowed. Avoid contact with skin and eyes. Avoid breathing dust. Wash thoroughly with soap and water after handling and before eating or smoking. If in eyes, wash eyes with plenty of water. If irritation persists, get medical attention. Wear long-sleeved shirt and pants; chemical resistant gloves; shoes and socks for protection when handling. This product may cause skin sensitization reactions in certain individuals.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish. Do not contaminate water when disposing of equipment wash water.

INGREDIENTS

Wheat Middlings, Salt, Dicalcium Phosphate, Cane Molasses, Soy Mill Feed, Lignin Sulfonate, Calcium Carbonate, Cottonseed Meal, Animal Fat and Vegetable Oil with Ethoxyquin (a preservative), Iron Oxide, Vitamin A Acetate, Vitamin D-3 Supplement, Vitamin E Supplement, Zinc Oxide, Manganese Oxide, Ferrous Sulfate, Magnesium Oxide, Copper Sulfate, Cobalt Carbonate, Ethylenediamine Dihydrochloride, Calcium Iodate, Sodium Selenite, and Mineral Oil.



Manufactured By
TENNESSEE FARMERS COOPERATIVE
200 WALDRON ROAD
LaVergne, Tennessee 37086

ACCEPTED
with COMMENTS
In EPA Letter Dated

AUG 19 1999

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.

9078-12