

9086-8

02/20/2009

1/5



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
WASHINGTON, D.C. 20460

OFFICE OF  
PREVENTION, PESTICIDES  
AND TOXIC SUBSTANCES

February 20, 2009

Roxide International  
c/o Ms. Carrie Crawford, Agent  
5927 Paint Bank Road  
New Castle, VA 24127

Subject: Submission of a label amendment in accordance the Federal Fungicide and Rodenticide Act as Amended.  
Product Name: Revenge Farm and Home Fly Bomb Insecticide Fogger  
EPA Reg. No. 9086-8  
Submission date: February 20, 2009.

Dear Ms. Crawford;

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable. A stamped copy is enclosed for your records.

If you have any questions, you may contact Richard J. Gebken, at (703) 305-6701.

Sincerely,

Richard Gebken  
Product Manager 10  
Insecticide Branch  
Registration Division (7505C)

Enclosure: Stamped approved label dated February 20, 2009

2/5

### REVENGE FARM AND HOME FLY BOMB INSECT FOGGER

Kills: Flying & Crawling Insects including ants, centipedes, cluster flies, crickets, deer flies, face flies, fruit flies, gnats, horn flies, hornets, house flies, lice, mosquitoes in the home and garden, cockroaches, sow bugs, spiders

For Use in or around Bakeries, Bottling Plants, Breweries, Meat Packing and Food Processing Plants, Homes, Hotels, Motels, Dairy Farms including Milk House, Milk Parlor, Loafing Shed and Holding Lot, Food Storage Areas, Hog Operations, Commercial Plants, Industrial Buildings, Warehouses, On Livestock Including: Cattle, Horses, Swine, Cats and Dogs, Poultry Operations, Kennels and Catteries, Stanchion Barns, Beef Cattle Operations, Horse Barns and Stables

Use Indoors or Outdoors

Lite 'N Dry Oil Based Formula

**ACTIVE INGREDIENTS:**

Pyrethrins.....	0.50%
Piperonyl butoxide, Tech*.....	5.00%
Other Ingredients.....	<u>94.50%</u>
Total	100.00%


\*Equivalent to 4.0% (butylcarbityl propylpiperonyl) ether and 1.0% related compounds.  
Contains Petroleum Distillate

EPA Reg. No. 9086-8  
EPA Est. No. 5693-MA-1

KEEP OUT OF REACH OF CHILDREN  
CAUTION

See Side/Back Panel for Additional Precautionary Statements

NET WT. 1 LB. 1 OZ.



READ ENTIRE LABEL BEFORE EACH USE  
COMMERCIAL AND HOME USE  
USE ONLY ON BEEF CATTLE, HORSES, PONIES, SWINE, CATS AND DOGS

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

**CAUTION:** Harmful if swallowed, inhaled or absorbed through the skin. Causes moderate eye irritation. Do not breathe vapor or spray mist. Do not get in eyes, on skin or on clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum using tobacco or using the toilet. Remove and wash contaminated clothing before reuse.

Hazards to Domestic Animals

Sensitivities may occur after using any pesticide product for pets. If signs of sensitivity occur, bathe your pet with mild soap and rinse with large amounts of water. Consult a veterinarian before using this product on debilitated, medicated, aged, pregnant or nursing animals.

If swallowed, inhaled, in eyes, or on skin of animals, call a veterinarian for treatment advice.

For information on this product including health concerns, medical emergencies or pesticide incidents with animals, call ASPCA Animal Poison Control Center Hotline at 1-888-426-4435.

**ENVIRONMENTAL HAZARDS:** To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. See Directions for Use for additional precautions and requirements.

**FOOD AREAS OF FOOD HANDLING ESTABLISHMENTS:** Foods should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using. When using this product as a space spray, apply only when plant is not in operation. Except in Federally inspected meat and poultry plants, careful crack and crevice application for inspection purposes is permissible at all times.

**PHYSICAL OR CHEMICAL HAZARDS:** Flammable. Contents under pressure. Keep away from heat, sparks and open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting. Do not apply this product around electrical equipment due to the possibility of a shock hazard.

**FIRST AID**

*If Swallowed:*

- Immediately call a poison control center or doctor.
- Do not induce vomiting unless told to do so by a poison control center or doctor.
- Do not give any liquid to the person.
- Do not give anything by mouth to an unconscious person.

*If on Skin or Clothing:*

- Take off contaminated clothing.
- Rinse skin immediately with plenty of water for 15-20 minutes.
- Call a poison control center or doctor for treatment advice.

*If Inhaled:*

- Move person to fresh air.
- If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.
- Call a poison control center or doctor for further treatment advice.

*If in Eyes:*

- Hold eye open and rinse slowly and gently with water for 15-20 minutes.
- Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.

**•Call a poison control center or doctor for treatment advice.**  
**Have the product container or label with you when calling a poison control center or doctor or going for treatment.**

Note to Physician: Contains petroleum distillate – vomiting may cause aspiration pneumonia.  
For information of this product (including health concerns, medical emergencies or pesticide incidents) call the National Pesticide Information Center at 1-800-858-7378.

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**General Precautions and Restrictions**

Do not remain in treated areas. Except when applying directly to dogs and cats, remove pets. Do not allow adults, children or pets to enter the treated area until sprays have dried. Do not apply this product in a way that will contact adults, children or pets either directly or through drift. For indoor use, ventilate area thoroughly after treatment is completed. Do not contaminate water, food or foodstuffs. Remove pets and birds and cover or remove fish tanks before spraying. Do not apply directly to or near water, storm drains, or drainage ditches. Do not apply when windy. To prevent product run-off, do not over water the treated area or apply prior to heavy rainfall.

**OUTDOOR CONTROL:** Flies and Gnats in open areas near buildings and campgrounds and Mosquitoes in the garden. Best results are obtained when wind speed is five (5) MPH or less. Apply at a rate of 1 - 2 seconds per 1,000 sq. ft. Spray in wide swaths across area to be treated. Allow spray drift to penetrate dense foliage. Repeat treatment as necessary.

**INDOOR CONTROL:** Flying Insects – Cluster Flies, Flies, Fruit Flies, Gnats, Mosquitoes in the home, Small Flying Moths.  
**GENERAL VOLUMETRIC TREATMENT:** Close all windows and doors and direct fog upward at a rate of 1 to 3 seconds per 1,000 cu. Ft. Fill room with mist. Disperse in all locations. Keep area closed for 15 min. Open and ventilate before reoccupying. Sweep up and dispose of fallen insects. Repeat treatment as necessary.

**FOOD AREAS OF FOOD HANDLING ESTABLISHMENTS**

Foods must be removed or covered during treatment. All food processing surfaces must be covered during treatment or thoroughly cleaned with an effective cleaning compound followed by a potable water rinse prior to resumption of operations. When using this product as a space or surface spray, apply only when plant is not in operation. Except in Federally inspected meat and poultry plants careful crack and crevice application is permissible at all times.

**FARM USE**

**DAIRY FARM USE:** Milking Parlor and Milk Room – Close all windows and doors. Cover milking utensils and milk to prevent contamination from spray and falling dead insects. Direct fog upward and in all directions at a rate of 1 to 2 seconds per 1000 cu. ft. Keep room closed for 15 minutes after treatment. Open and ventilate before reoccupying.

**FOR USE ON BEEF CATTLE, HORSES, PONIES, SWINE, CATS AND DOGS**

Do not use this product on animals simultaneously or within 30 days before or after treatment with or exposure to cholinesterase inhibiting drugs, pesticides or chemicals. However, flea and tick collars may be immediately replaced.

From approximately 2 ft. distance, thoroughly spray entire animal as it is being released to pasture. Do not spray directly toward animal's eyes. Spot treat withers, shoulders and back where saliva accumulates from head tossing. Do not spray sick animals.

**STANCHION BARN USE:** Walk behind animals and direct spray over backs allowing second per animal. Reapply each morning.

S  
S

**BEEF CATTLE OPERATIONS:** In barns, close all windows and doors. Spray at the rate of 1 to 2 seconds per 1000 cu. ft. Ventilate area after treatment is complete. If area is not closed, double the dosage. Keep area closed for 15 minutes following application. For animal use, thoroughly spray entire animal as it is being released to pasture. Do not spray directly toward animal's face or eyes. Repeat every day.

Page 4 of 4

**HORSE BARN AND STABLES:** Close all windows and doors. Spray at a rate of 1 to 2 seconds per 1000 cu. ft. Keep area closed for 15 minutes following application. Ventilate area after treatment is complete. If area cannot be closed, double the dosage. For animal application, lightly mist over the backs of horses and ponies from a distance of at least two feet. Do not spray directly towards the face or eyes. Reapply every morning.

**POULTRY OPERATIONS:** Use only in empty poultry houses (when birds are not present). Close all windows and doors. Spray at a rate of 1 to 2 seconds per 1000 cu. ft. Keep area closed for 15 minutes following application. Ventilate area after treatment is complete. If area cannot be closed, double the dosage. Treat daily.

**HOG OPERATIONS:** In hog houses, close all windows and doors. Spray at a rate of 1 to 2 seconds per 1000 cu. ft. Keep area closed for 15 minutes following application. Ventilate area after treatment is complete. If area cannot be closed, double the dosage. For animal application, direct spray over backs and spray for 1 to 2 seconds per hog. Do not spray directly toward animal's face or eyes. Reapply every day.

**KENNELS AND CATTERIES:** As a space spray – Except when applying directly to dogs and cats, remove animals before spraying. Ventilate before reoccupying.

**USE ON DOGS AND CATS:** Spray against natural lay of hair. Do not spray toward face or eyes. Use only on dogs and cats. Repeat every day.

Do not use on kittens or puppies less than twelve weeks old.

#### STORAGE AND DISPOSAL

**Storage:** Store in a cool area away from heat or open flame.

**Disposal:** Do not puncture or incinerate!

**If empty:** Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available.

**If partly filled:** Call your local solid waste agency or toll free 1-800-CLEANUP and/or website [www.earth911.org](http://www.earth911.org) for disposal instructions.

**Questions or Comments?** Call 1-914-235-5300 Weekdays, 9-5 Eastern Time or write to Jim Barry, Consumer Relations, Roxide International, Inc., P. O. Box 249, New Rochelle, NY 10802 USA

**Manufactured by:**  
Roxide International, Inc.  
P. O. Box 249  
New Rochelle, NY 10802