

PM13

9086-9

4-30-97

173

**REVENGE
BUG STRIP**

KILLS: FLIES, MOSQUITOES, GNATS, AND MOTHS AS LISTED
UP TO 4 MONTHS

USE IN HOMES, MOTELS, CABINS, GARAGES
ANIMAL SHELTERS, MILKROOMS AND BULK RAW GRAIN STORAGE

ACTIVE INGREDIENTS:

Dichlorvos (2,2-dichlorovinyl dimethyl phosphate).....18.6%
Related Compounds..... 1.4%

INERT INGREDIENTS:*.....80.0%

*This product contains the toxic inert ingredient D(2-ethylhexyl)adipat


KEEP OUT OF REACH OF CHILDREN

CAUTION

See Back Panel for Additional Precautions

MANUFACTURER:

ROXIDE INTERNATIONAL, INC.
PO BOX 249
NEW ROCHELLE, NY 10802



EPA REG. NO. 9086-9

EPA EST. NO. 42836-TX 01

Hazards to Humans and Domestic Animals

CAUTION: Do not get in mouth, harmful if swallowed. After prolonged storage, a small amount of liquid may form on strip. Do not get liquid in eyes. Wash hands thoroughly with soap and water after handling strip. Do not use in hospital or clinic rooms, such as patient rooms, wards, nurseries, operating or emergency areas. Do not use in any rooms where infants, the sick, or aged are or will be present for any extended period of confinement. Do not use in kitchens, restaurants, or areas where food is prepared or served. Not to be taken internally by humans or animals. Do not allow children to play with this product. Do not use in the food areas of food processing plants, restaurants or other areas where food is commercially prepared, processed or served. Commercial food areas where the product cannot be used include areas for receiving, serving, storage, (dry, cold, frozen or raw), packaging (canning, bottling, and grinding); enclosed processing systems (mills, dairies, and systems for processing edible oils, and syrups).

Statement of Practical Treatment

IF ON SKIN: Remove contaminated clothing and wash affected areas with soap and water.

IF IN EYES: Flush eyes with plenty of water. Call a physician if irritation persists.

NOTE TO PHYSICIAN: This product contains Dichlorvos, a cholinesterase inhibitor. If symptoms of cholinesterase inhibition are present, Atropine by injection is antidotal. 2-PAM is also antidotal, but may only be administered in conjunction with Atropine.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

When ready to use, unwrap original package and hang REVENGE BUG STRIP with hook provided.

Homes, Motels, Cabins, Garages: To control flies, mosquitoes, gnats, use one REVENGE BUG STRIP per average size room (10 x 10 x 10 feet). Normally this is effective for four months. Replace strip if effectiveness diminishes.

Garbage Cans and Trash Dumpsters: For control of flies in garbage cans and dumpster attach REVENGE BUG STRIP inside can or dumpster. Keep lid on can and dumpster closed.

Animal Buildings: To control flies, mosquitoes and gnats in Horse Barns, Calf Barns, Hog Parlors, Stables, Poultry Houses, Tack Rooms and Dog Kennels, place one REVENGE BUG STRIP per 1000 cu. ft.

of space. If more than one strip is required, distribute them equally over area to be treated. Drafts, weather and other conditions may effect the performance, but these usually last four months. Replace when effectiveness diminishes. Do not contaminate food, water or foodstuffs.

Milk Rooms: To control Flies, Mosquitoes, and Gnats in milkrooms and Bulk milk storage rooms hang one REVENGE BUG STRIP per 1000 cu. ft. of space. Do not contaminate milk or milking equipment.

Catch Basin: To control mosquitoes breeding in catch basins, suspend REVENGE BUG STRIP about 10 inches above water line. Usual control is 10 to 15 weeks. Replace strip when effectiveness diminishes.

Agricultural Commodities: Bulk storage of raw grains, corn, soybeans, cocoa beans and peanuts. For control of Almond Moths, Cocoa Moth, Indian Meal Moth, and Mediterranean Flour Months infesting non-perishable bulk stored raw Agricultural Commodities, suspend one REVENGE BUG STRIP per 1000 cu. ft. of air space above the Commodities before moths begin to emerge in early spring. Weather and drafts and other conditions effect the performance of the control, but this treatment usually last for four months. Replace strip when needed to prevent egg laying by moths.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. Do not open or remove from package before ready to install.

Storage: Store in cool, dry place.

Disposal Do not reuse packaging. Wrap used packaging in several layers of newspaper and discard in trash collection.

