DIRECTIONS: Add Rapid Chlorine Tabs Through Skimmer or Float Device. Do Not Throw in Pool.

TO SUPERCHLORINATE (SHOCK TREAT): Regular, periodic shock treatment helps maintain clear, sparkling pool water by controlling algae, and reducing wastes such as suntan lotions, urine, perspiration and mucous discharge.

- 1. Superchlorination is achieved by quickly raising the chlorine residual level to 4 ppm. Do this by adding, through skimmer, 4 Tabex Rapid Chlorine Tabs for every 10,000 gallons of pool water.
- 2. Allow chlorine residual to return to 1.0 to 1.5 ppm level before using pool.

FOR CONTINUOUS DAILY CHLORINATION: Before the first use of Tabex Rapid Chlorine Tabs for continuous daily chlorination, be sure to take the following steps:


A. Adjust pool water pH to 7.2 to 7.8 range as determined by suitable pH test kit. Use Tabex pH Up if pH is low, Tabex pH Down if pH is high, or Tabex pH Stabilizer if water alkalinity is below 100 ppm.

B. Stabilize pool water to 30 ppm of conditioning agent by adding 1 lb. of Tabex Conditioner for each 4,000 gallons. Thereafter, regular use of Tabex Rapid Chlorine Tabs will provide any needed makeup conditioner.

C. Superchlorinate with Tabex Rapid Chlorine Tabs per directions above.

Once pool water is "ready" per A, B and C, chlorinate daily with Tabex Rapid Chlorine Tabs to maintain chlorine residual at safe, efficient 1.0 to 1.5 ppm level at all times:

1. One tab per 8,000 gallons of pool water, added daily through skimmer or float device, is usually sufficient to maintain 1.0 to 1.5 chlorine





DANGER: KEEP OUT OF REACH OF CHILDREN. See other precautions and first aid on side panel.

Active Ingredient: Trichloro-s-Triazinetrione Inert Ingredient

(Available chlorine,54%)

Contents 48 - 25 oz tablets Net Weight, 120 oz (7 lbs 8 oz) handling. Strong oxidizer: Do not mix with any other chemical; mix only with water. Do not get into eyes. If in eyes, rinse with cold water, call physician. Avoid inhalation of dust and vapors. Keep away from organic matter (may cause fire), heat or open flame. Keep dry; chlorine and equally toxic gases liberated when wet. Do not reuse container. Rinse thoroughly with water and discard.

FIRST AID: Drink milk of magnesia, vegetable oil or whites of eggs and call a physician.

This product is toxic to fish. Treated pool water should not be discharged where it will drain into lakes, streams, ponds or public water. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

Contents: 48 - 2.5 oz. tablets Net Weight: 120 oz. (7 lbs. 8 oz.)

Product No.: 203

60%

40%

EPA Reg. No.: 9087-2 EPA Est No 9087-NY-1,2



I. Superchlorination is achieved by quickly raising the chlorine residuel level to 4 ppm. Do this by adding, through ekimmer, 4 Tabex Rapid Chlorine Tabe for every 10,000 gallone of pool water.

2. Allow chierine residuel to return to 1.0 to 1.5 ppm level before using pool.

BALLY CHLORIMATION: Refere the first use of the Tales for continuous delly chlorimation, be sure

positioninate with Tabex Rapid Chlorine Taba per directions

por A, B and C, chierinate registrate chierine residual at

bringle at legal twice a month per directions above.





KEEP OUT OF REACH OF See other preceutions and first

legandlant: Trichlers-e-Trickinstrions (Auglishts chloring \$4%) Contents: 48 - 2.5 cr., tablets Not Weight: 130 cr. (7 lbs. 8 cr.)



More note one control of the control

48 - 2.5 cz. talitate ht: 130 cz. (7 lbs. 8 cz.)