

NEW FIRE RESISTANT Tabex Chlorine Concentrate II Granular

- Features a dry chlorine that dissolves immediately.
- A most effective germicide and algicide.
- Will not cause cloudiness in water.
- Will not add scale forming minerals in the water.
- Will maintain your pool crystal clear.
- Flame resistant.

The control of pH is greatly simplified using Tabex Chlorine Concentrate II Granular. In fact, you will require from 1/2 to 3/4 the amount of acid usually applied. Tabex Chlorine provides a more stable form of chlorine for easier maintenance of an effective chlorine residual in pool water for disinfecting action. It requires less storage space and maintains constant strength regardless of storage time. It is economical to use in that, after the pool is stabilized, you will need to apply Tabex Chlorine less often.

INSTRUCTIONS:

When starting up a new pool, superchlorinate to satisfy chlorine demand and to establish a chlorine residual of 1.0 ppm to 1.5 ppm available chlorine. To accomplish this, add 9 oz. Tabex Chlorine Concentrate II Granular per 10,000 gallons of pool water. The next morning, add Tabex Conditioner at the rate of 1 lb. per 4,000 gallons to stabilize the pool.

Tabex Chlorine should be added daily or as needed at the rate of 1 1/4 to 2 1/2 oz. per day per 10,000 gallons of pool water to maintain a chlorine residual at all times of 1.0 ppm to 1.5 ppm as determined by a suitable test kit. The pH should be maintained between 7.2 and 7.8.

Superchlorinate (shock treatment) every week during hot weather or after heavy rains. Less frequent shock treatments may be made during cool weather. For the shock treatment, add 9 oz. of Tabex Chlorine per 10,000 gallons of pool water. Swimmers should not be permitted in the pool after the shock treatment until the chlorine residual has reached the 1.0 ppm to 1.5 ppm range.

Keep in mind that a slight flexibility must be maintained in the event of heavy accumulations of dust and dirt caused by storms or super heavy bathing loads which require additional dosages as needed to maintain the chlorine residual between

1.0 ppm and 1.5 ppm

Repackaged by
Aspen
FULLY NEW YORK 13159

More fun/less work for pool owners



DANGER: KEEP OUT OF REACH OF CHILDREN. See other precautions and first aid on side panel.

Active Ingredient:

Sodium Dichloro-s-Triazinetrione Dihydrate 100%

Net Weight 5 lbs. (Available Chlorine 56%)

KEEP OUT

Corrosive, causes eye damage. Do not cause skin, nose and throat irritation. Wear protective clothing when handling. May irritate.

First Aid: In case of personal contact with cold water for at least 15 minutes. Remove contaminated clothing before reuse.

If swallowed, feed gruel or cooked rice. Call Physician immediately.

Strong oxidizing agent. Moisture may cause chlorine-containing gases. Decompose in case of decomposition, if possible. Flood with large volume of water.


Mix only with water. Do not mix with other chemicals. Store in a cool, dry place.

Do not reuse container. Rinse empty container.

This product is toxic to fish. Treat with care. It will drain into lakes, streams, etc. Clean up cleaning of equipment or disposal.

Apply this product only as specified.

Net Weight 5 lbs.
EPA Reg. 9087-1
Product No. 277
EPA EST. 9087-NY-1.2



More fun/less work for pool owners



Tabex®
Chlorine Concentrate II
Granular

DANGER: KEEP OUT OF REACH OF CHILDREN. See other precautions and first aid on side panel.

Active Ingredient:
Sodium Dichloro-s-Triazinetrione Dihydrate 100%
Net Weight 5 lbs. (Available Chlorine 56%)

Danger:

KEEP OUT OF REACH OF CHILDREN

Corrosive, causes eye damage. Do not get in eyes or on skin. Do not breathe dust. May cause skin, nose and throat irritation. Wear safety goggles, dust respirator and protective clothing when handling. May be fatal if swallowed. May cause burns to broken skin.

First Aid: In case of personal contact remove excess material and flush skin or eyes with cold water for at least 15 minutes. For eyes get medical attention. Clean contaminated clothing before reuse.

If swallowed, feed gruel or cooked cereal followed by olive oil or cooking oil. Call a Physician immediately.

Strong oxidizing agent. Moisture contamination may liberate irritating and hazardous chlorine-containing gases. Decomposes at 350-475° F with liberation of harmful gases. In case of decomposition, if possible isolate container in open air or well ventilated area. Flood with large volume of water if necessary.

Mix only with water. Do not mix with other pool chemicals. Use only dry, clean measuring utensils. Store in a cool, dry place. Keep closed when not being used.

Do not reuse container. Rinse empty container thoroughly with water and discard.

This product is toxic to fish. Treated pool effluent water should not be discharged where it will drain into lakes, streams, ponds or public water. Do not contaminate water by cleaning of equipment or disposal of wastes.

Apply this product only as specified on this label.

Net Weight 5 lbs
EPA Reg 9047-7
Product No 277
EPA EST 9087-NY-12

RESISTANT

Concentrate II Granular

Will not add scale forming minerals in the water.

Will maintain your pool crystal clear.
Flame-resistant.

Tabex Chlorine Concentrate II Granular. In the event of acid usually applied. Tabex Chlorine Concentrate II Granular maintenance of an effective chlorine level requires less storage space and maintains it is economical to use in that, after the Chlorine less often.

INSTRUCTIONS:

To determine chlorine demand and to establish a chlorine level to accomplish this, add 9 oz. Tabex Chlorine Concentrate II Granular. The next morning, add Tabex Conditioner to the pool.

Maintain the rate of 1 1/4 to 2 1/2 oz. per day per 10,000 gallons at all times of 1.0 ppm to 1.5 ppm as maintained between 7.2 and 7.8.

During hot weather or after heavy rains. Less chlorine is needed. For the shock treatment, add 9 oz. Tabex Chlorine Concentrate II Granular. Swimmers should not be permitted in the pool until the chlorine level has reached the 1.0 ppm to 1.5 ppm range.

Be careful in the event of heavy accumulations of chlorine gas which require additional dosages.

Repackaged by

Aspen
INDUSTRIES INC.

TULLY NEW YORK 13159

More fun/less work for pool owners



Tabex®

Chlorine Concentrate II Granular

DANGER: KEEP OUT OF REACH OF CHILDREN. See other precautions and first aid on side panel.

Active Ingredient:

Sodium Dichloro-s-Triazinetrione Dihydrate 100%

Net Weight 5 lbs. (Available Chlorine 56%)

Tabex Chlor-Shock Conditioner® is recommended for use just once as a start-up application in new swimming pools. It is a conditioner which prepares your pool for regular chlorination with slow-dissolving Tabex® Chlorine Tablets and permits immediate chlorine effectiveness and economy. Chlor-Shock Conditioner satisfies chlorine demand by oxidizing organic matter and reducing the number of bacteria and algae; simultaneously, it provides cyanuric acid to stabilize chlorine.

INSTRUCTIONS:

1. Clean or backwash filter.
2. Using a reliable test kit, test the pH level and adjust it to 7.2 to 7.8. If level is below 7.2, use Tabex pH Up®; if level is above 7.8, use Tabex pH Down®. If water alkalinity is below 100 ppm, use Tabex pH Stabilizer®.
3. In the amount shown in table below, add Chlor-Shock slowly through the surface skimmer (one pound for each 2,500 gallons of water).
4. Wait two hours, and again adjust pH to from 7.2 to 7.8.
5. Test chlorine residual with a reliable test kit. Do not allow swimmers in pool until chlorine residual has dropped below 2.0 ppm.

DOSEAGE CHART

Pool Capacity
(gallons)

7,500
15,000
22,500
30,000

To Provide 20 ppm Cyanuric Acid
and 12 ppm Available Chlorine

3 lbs
4 lbs
6 lbs
8 lbs

For best pool care results, use slow-dissolving Tabex® Chlorine Tablets to maintain a minimum chlorine residual of 1.0 to 1.5 ppm at all times.

More Fun / Less Work For Pool Owners

Tabex®

CHLOR-SHOCK CONDITIONER

for starting up new pools

DANGER: KEEP OUT OF REACH OF CHILDREN. See other precautions and first aid on side panel.

Active Ingredient:

Sodium Dichloro-s-Triazinetrione Dihydrate 49.1%

Inert Ingredients:


50.9%

(Available chlorine by weight 27.5%)

Cameraman's Note

Poor Copy

BA
Co
Irr
had
FIR
co
wa
ing
BA
M
Ch
%
CC
%
N
%
7
%
E
%



ore fun/less work for pool owners



DANGER: KEEP OUT OF REACH OF CHILDREN. See other precautions and first aid on side panel.

Active Ingredient:
Sodium Dichloro-s-Triazinetrione Dihydrate 100%
Net Weight 5 lbs. (Available Chlorine 58%)

Danger:

KEEP OUT OF REACH OF CHILDREN

Corrosive, causes eye damage. Do not get in eyes or on skin. Do not breathe dust. May cause skin, nose and throat irritation. Wear safety goggles, dust respirator and protective clothing when handling. May be fatal if swallowed. May cause burns to broken skin.

First Aid: In case of personal contact remove excess material and flush skin or eyes with cold water for at least 15 minutes. For eyes get medical attention. Clean contaminated clothing before reuse.

If swallowed, feed gruel or cooked cereal followed by olive oil or cooking oil. Call a Physician immediately.

Strong oxidizing agent. Moisture contamination may liberate irritating and hazardous chlorine-containing gases. Decomposes at 350-475° F with liberation of harmful gases. In case of decomposition, if possible isolate container in open air or well ventilated area. Flood with large volume of water if necessary.

Mix only with water. Do not mix with other pool chemicals. Use only dry, clean measuring utensils. Store in a cool, dry place. Keep closed when not being used.

Do not reuse container. Rinse empty container thoroughly with water and discard.

This product is toxic to fish. Treated pool effluent water should not be discharged where it will drain into lakes, streams, ponds or public water. Do not contaminate water by cleaning of equipment or disposal of wastes.

Apply this product only as specified on this label.

Net Weight: 5 lbs.
EPA Reg. 9087-7
Product No. 277
EPA EST. 9087-NY-1,2

NEW FIRE RESISTANT
Tabex Chlorine Concentrate II Granular

- Features a dry chlorine that dissolves immediately.
- A most effective germicide and algaecide.
- Will not cause cloudiness in water.
- Will not add scale forming minerals in the water.
- Will maintain your pool crystal clear.
- Flame-resistant.

The control of pH is greatly simplified using Tabex Chlorine Concentrate II Granular. In fact, you will require from $\frac{1}{2}$ to $\frac{1}{4}$ the amount of acid usually applied. Tabex Chlorine provides a more stable form of chlorine for easier maintenance of an effective chlorine residual in pool water for disinfecting action. It requires less storage space and maintains constant strength regardless of storage time. It is economical to use in that, after the pool is stabilized, you will need to apply Tabex Chlorine less often.

INSTRUCTIONS:

When starting up a new pool, superchlorinate to satisfy chlorine demand and to establish a chlorine residual of 1.0 ppm to 1.5 ppm available chlorine. To accomplish this, add 9 oz. Tabex Chlorine Concentrate II Granular per 10,000 gallons of pool water. The next morning, add Tabex Conditioner at the rate of 1 lb. per 4,000 gallons to stabilize the pool.

Tabex Chlorine should be added daily or as needed at the rate of $1\frac{1}{4}$ to $2\frac{1}{2}$ oz. per day per 10,000 gallons of pool water to maintain a chlorine residual at all times of 1.0 ppm to 1.5 ppm as determined by a suitable test kit. The pH should be maintained between 7.2 and 7.8.

Superchlorinate (shock treatment) every week during hot weather or after heavy rains. Less frequent shock treatments may be made during cool weather. For the shock treatment, add 9 oz. of Tabex Chlorine per 10,000 gallons of pool water. Swimmers should not be permitted in the pool after the shock treatment until the chlorine residual has reached the 1.0 ppm to 1.5 ppm range.

Keep in mind that a slight flexibility must be maintained in the event of heavy accumulations of dust and dirt caused by storms or super heavy bathing loads which require additional dosages as needed to maintain the chlorine residual between 1.0 ppm and 1.5 ppm.

24

Repackaged by
Aspen
POLYMER, INC.
TULLY NEW YORK 13150