

DIRECTIONS FOR USE

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.

FOR CONTINUOUS DAILY CHLORINATION— Before first use of these stabilized SLOW DISSOLVING Large Tablets, be sure to take the following steps.

- A) Adjust the pool water pH value to between 7.2 and 7.8 pH as determined by a suitable test kit. Use Tabex pH Up to raise pH or Tabex pH Down to lower pH. Adjust total alkalinity to 100 ppm.
- B) Stabilize the pool water to at least 40 ppm by the addition of TABEX Conditioner as directed on container label. Thereafter regular use of TABEX Large 8 Ounce Chlorination Tablets will provide any needed makeup conditioner (Stabilizer).
- C) Superchlorinate (Shock Treat) the pool water to 4 ppm using our Tabex Super Shock Tablets. One tablet in 2,500 gallons of water immediately provides 4 ppm free chlorine reading. See that product labeling for actual use instructions.
- D) Once the pool water has been made ready by following A, B & C use these Large 8 Ounce Tablets to maintain your free chlorine residual at a safe and efficient 1.0-1.5 ppm. Test your water frequently to maintain this reading with a Free Chlorine test kit. By means of an automatic chlorinator, floater or skimmer device, immerse one Tabex Large 8 Ounce Tablet— or as many as may be needed to continuously maintain the safe free available chlorine level— for each 5,500 – 11,000 gallons of pool water. NEVER ADD THESE LARGE 8 OUNCE TABLETS DIRECTLY INTO THE SWIMMING POOL AS DISCOLORATION OF THE POOL FINISH MAY OCCUR.
- E) Superchlorinate (Shock Treat) the pool water at least twice monthly (more often in warm climates— warm climates may require 250% Table) to Superchlorinate can result in increased combined chlorines (chloramines) and possible growth of algae. Use Tabex Super Shock Tablets to accomplish super chlorination. (See container label for use directions).

EPA REG NO 9087-14
EPA EST NO 9087-NY-1

MORE FUN / LESS WORK FOR POOL OWNERS

ACCEPTED

9087-14
NOV 30 1979

UNITED STATES FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOOD POISONING POISON REGISTER
SECTION NO.

3197-711-1000

AND RODENTICIDE ACT
POISON REGISTER
NO

Tabex®
Chlorination Tablets

DANGER

KEEP OUT OF REACH OF CHILDREN.

See other precautions and antidote on side panel.

Active Ingredient:

Trichloro-s-Triazinetrione 35%

Inert Ingredient	5%
------------------	----

Available chlorine	85.5%
--------------------	-------

MORE FUN / LESS WORK FOR POOL OWNERS

ACCEPTED
9087-14
NOV 30 1979

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTERED
ED UNDER NO.



Tabex[®]

Chlorination Tablets

BEST DOCUMENT AVAILABLE

DANGER

KEEP OUT OF REACH OF CHILDREN.
See other precautions and antidote on side panel.

Active Ingredient:

Trichloro-s-Triazinetrione 95%

5 Inert Ingredient 5%

Available chlorine 85.5%

Danger: Highly corrosive. Causes skin and eye damage. May be fatal if swallowed. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Irritating to nose and throat. Avoid breathing dust. Remove and wash contaminated clothing before reuse.

Environmental Hazards: This product is toxic to fish. Do not discharge into lakes, streams, ponds, or public waters unless in accordance with an NPDES Permit. For guidance contact the regional office of EPA.

Physical and Chemical Hazards: Strong Oxidizing Agent. Mix only with water. Use clean, dry utensils. Do not add this product to any dispensing device containing remnants of any other product. Such use may cause a violent reaction leading to fire or explosion. Contamination with moisture, organic matter, or other chemicals may start a chemical reaction, with generation of heat, liberation of hazardous gases, and possible generation of fire and explosion. In case of contamination or decomposition, do not reseal container. If possible isolate container in open air or well-ventilated area. Flood with large volumes of water, if necessary.

Practical Treatment (First Aid): If swallowed, feed bread soaked in milk followed by olive oil or cooking oil. Call a physician immediately. If on skin, brush off excess chemical and flush skin with cold water for at least 15 minutes. If irritation persists, get medical attention. If in eyes, flush with cold water for at least 15 minutes. Get medical attention.

Storage and Disposal: Keep product dry in tightly closed container when not in use. Store in a cool, dry, well-ventilated area away from heat or open flame. In case of decomposition isolate container, if possible, and flood with large amounts of water to dissolve all material before discarding. Place in trash collection or dispose in approved landfill area, or bury in a safe place.

CONTENTS: 14-8 oz. tablets
NET WEIGHT: 7 pounds
Product Number 115

BEST DOCUMENT AVAILABLE 26

DIRECTIONS FOR USE

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.

1. Before using TABEX, please first use it these steps:

2. Before using TABEX, please first use it these steps:

3. Before using TABEX, please first use it these steps:

4. Before using TABEX, please first use it these steps:

5. Before using TABEX, please first use it these steps:

6. Before using TABEX, please first use it these steps:

7. Before using TABEX, please first use it these steps:

8. Before using TABEX, please first use it these steps:

9. Before using TABEX, please first use it these steps:

Aspen

U.S. REG. NO. 20-1-14
U.S. EST. NO. 1057-NY

MORE FUN / LESS WORK FOR POOL OWNERS

ACCEPTED
9087-14
NOV 80 1979

Tabex
Chlorination Tablets

DANGER

KEEP OUT OF REACH OF CHILDREN.
See other precautions and antidote on side panel

Active Ingredient
Trichloro-s-Triazinetrione 95%
Inert Ingredient 5%
Available chlorine 85.5

Danger:
Avoid contact with skin.
Gloves and goggles should be worn.
Wash thoroughly after use.

Environmental Hazards:
Do not discharge into water.
NPDEN 800-1111

Physical and Chemical Hazards:
Do not mix with other chemicals.
Do not use in swimming pools.
Do not use in hot tubs.
Do not use in children's pools.
Do not use in public pools.
Do not use in private pools.
Do not use in outdoor pools.
Do not use in indoor pools.

Practical Treatment (First Aid):
If swallowed, drink plenty of water.
If inhaled, move to fresh air.
If on skin, wash with water.

Storage and Disposal:
Store in a cool, dry place.
Do not store near food or drink.
Do not store near children.
Do not store near pets.

MORE FUN / LESS WORK FOR POOL OWNERS

ACCEPTED
9087-14
JUL 1979



Tabex

Chlorination Tablets

DANGER

KEEP OUT OF REACH OF CHILDREN.
See other precautions and antidote on side panel.

Active Ingredient
Trichloro-s Triazinethione
Inert Ingredient

95%
5%

Available chlorine 65.5

Danger: Highly corrosive. Causes skin and eye damage. May be fatal if swallowed. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Irritating to nose and throat. Avoid breathing dust. Remove and wash contaminated clothing before reuse.

Environmental Hazards: This product is toxic to fish. Do not discharge into lakes, streams, ponds, or public waters, unless in accordance with a NPDES Permit. For guidance contact the regional office of EPA.

Physical and Chemical Hazards: Strongly oxidizing. Avoid contact only with water. Use clean, dry utensils. Do not add this product to a swimming pool device containing remnants of any other product. Such contact may cause a reaction leading to fire or explosion. Contamination with moisture, organic materials, or other chemicals may start a chemical reaction with generation of heat, evolution of flammable and/or toxic gases, and possible generation of fire and explosion. In case of fire, use water for decomposition; do not reseal container. If possible, isolate container and remove to a well-ventilated area. Flood with large volumes of water if necessary.

Practical Treatment (First Aid): In case of contact with skin, wash immediately with water followed by olive oil or cooking oil. Call a physician immediately. In case of eye contact, flush with cold water for at least 15 minutes. If irritation persists, get medical attention. If in eyes, flush with cold water for at least 15 minutes. Get medical attention.

Storage and Disposal: Keep product dry. Store in a cool, dry, well-ventilated area when not in use. Store in a cool, dry, well-ventilated area away from heat and sunlight. In case of decomposition isolate container, if possible, and flood with large volumes of water to dissolve all material before discarding. Place in trash container or in an approved landfill area, or bury in a safe place.

CONTENTS 14-8 oz. tablets
NET WEIGHT 7 pounds
Product Number 115

ACCEPTED
9087-78
NOV 30 1989

DIRECTIONS FOR USE

COMPLIANCE WITH FEDERAL LAW TO USE THIS PRODUCT IN A MANNER CONSISTENT WITH ITS LABELING

1. CHLORINATION: Before first use of these stabilizer-chlorine tablets, Tabex, be sure to take the following steps:

a. Test water between 7.2 pH and 7.6 pH as determined by a pH test kit. Adjust to 7.4-7.6. Alkalinity to 100 ppm.

b. Add 1.5 lbs. per 10,000 gal. of Tabex Super Shock Tablets. Regular use of Tabex will provide needed makeup chlorine.

2. CIRCULATION: Turn on pump and filter. Tabex will not work properly unless water is circulating.

3. MAINTENANCE: Follow A, B & C Use. Add Tabex to maintain your free chlorine residual at 1.5 ppm. Test your water frequently to assure chlorine level is test kit.

4. DISTRIBUTION: Use skimmer dispenser. Add Tabex as many as may be required to maintain a stable chlorine level for 24 hours. NEVER ADD THESE 1/2 OUNCE TABLETS DIRECTLY INTO THE SWIMMING POOL. IF THE POOL FINISH MAY OCCUR.

5. TEMPERATURE: Test water at least twice monthly. If water temperature over 85°F, add chlorine. Use Tabex Super Shock Tablets. For more information, see use directions.

MORE FUN / LESS WORK FOR POOL OWNERS


Tabex
1/2 ounce
Chlorination Tablets
DANGER

KEEP OUT OF REACH OF CHILDREN.

See other precautions and antidote on side panel

Active Ingredient	95
Trichloro-s-Triazinetrione	5
Inert Ingredient	
Available chlorine	36.5%

Danger: Highly corrosive. Causes skin and eye irritation. Do not get in eyes. Wash thoroughly with water. Wear gloves when handling. Irritation may occur if swallowed. Wash contaminated clothing before reuse.

Environmental Hazards: Do not discharge into lakes, streams, or other bodies of water. NPDES Permit. Follow local and state regulations.

Physical and Chemical Hazards:

Only with water. Do not mix with other chemicals. Do not use in swimming pools with metal equipment. Do not use in swimming pools with metal equipment. Do not use in swimming pools with metal equipment. Do not use in swimming pools with metal equipment.

Practical Treatment (First Aid):

1. If swallowed, do not induce vomiting. 2. If in eyes, flush with water. 3. If on skin, wash with water. 4. If on clothing, remove clothing. 5. Get medical attention.

Storage and Disposal:

Store in original container. Do not use if container is damaged. Do not use if container is damaged. Do not use if container is damaged.

CONTENTS: 240 1/2 ounce tablets
NET WEIGHT: 7.5 lbs. (4 x 10's)
Product Number: 171

Aspen

EPA REG NO. 17-18
EPA EST NO. 17-18-12