# Tabex Liquid Algaecide 600

ACCEPTED 9087-33

as amended, for the pusticide registered under

EPA Reg. No.

#### **ACTIVE INGREDIENT:**

Poly(oxyethylene (dimethyliminio) ethylene-(dimethyliminio) ethylene dichtoride) ......

INERT INGREDIENT ..... 94.0%

This product contains 0.5 lb. of active ingredient per gallon and weighs 8.44 lb. per gallon.

#### KEEP OUT OF REACH OF CHILDREN

## CAUTION

#### PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harroful if swallowed. Avoid breathing vapors. Avoid contact with skin, eyes, or clothing.

FIRST AID: If awallowed, drink promptly a large quantity of milk, egg whites, relatin solution, or, if these are not available, drink large quantities of water. Avoid alcohol: Cail a physician immediately.

FENVIRONMENTAL HAZARDS: This pesticide is toxic to fish. Keep out of lakes, streams, or ponds. Permits may be required for discharges containing this pesticide into lakes, streams, ponds, or public water. For guidance, contact the regional office of the Environmental Protection Agency.

### **DIRECTIONS FOR USE GENERAL CLASSIFICATION**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Tabex Liquid Algaecide 600 is used to control the growth of algae in awimming pools. exterior spas, whirlpools, and hot tubs. For maximum effectiveness pools, soas. whirlpools, and hot tube containing heavy growth of algae should be cleaned prior to using Tabex Liquid Alhaecide 600.

For pools having just visit in age growth add an initial dose of 97 to 150 fluid ounces of Tabex Liquid Algaecide 60u per 10,000 gallons of water and remove settled algae debris by cleaning. For treatment of a freshly cleaned and filled pool add initially 69 to 97 fluid ounces of Tabex Liquid Algaecide 600 per 10,000 gallons of water. Subsequent additions of 24 to 48 fluid ounces of Tabex Liquid Algaecide 600 per 10,000 gallons of water should be made every 5 to 7 days after initial treatment for maintenance.

Spes, whirlpools, or hot tube flaving just visible algae growth require an initial dose of 10 to 15 fluid ounces of Tabex Liquid Algaecide 600 per 1000 gallons of water. For treetment of a freshly cleaned and filled spa, whirlpool, or hot tub, add initially 7 to 10 fluid ounces of Tabex Liquid Algaecide 600 per 1,000 gallons of water. Subsequent additions of 2 to 5 fluid ounces of Tabex Liquid Algaecide 600 should be made every 5 to 7 days after initial treatment for maintenance.

Tabex Liquid Algaecide 600 is compatible with those chemicals normally used to treat pools and spas and is effective at both acid and alkaline pH. Tabex Liquid Algaecide 600 can be used in pools and soas treated with chlorine chemicals and may reduce the amount of those chemicals normally required. However, do not mix Tabex Liquid Algaecide 600 with concentrated dry or liquid chlorine products.

STORAGE & DISPOSAL: Keep container closed when not in use. Do not contaminate water, food, or feed by storage, disposal or cleaning of equipment. Rinsate that cannot be used or reprocessed should be disposed of in a landfill approved for pesticides or buried in a safe place away from water supplies. Open dumping is prohibited. ☐ METAL CONTAINERS: Triple ☐ PLASTIC CONTAINERS: Do not

rinse and offer for recycling. reconditioning, or disposal in an approved landfill or bury in a safe place.

reuse empty container. Triple rinse and incinerate or dispose of in an approved landfill or bury in safe place.

Manufactured by:

Aspen Industries, Inc. P. O. Box 0 Tully, NY 13159

EPA REG. NO. 9087-33

EPA EST. NO.

NET CONTENTS \_\_\_\_\_