ACCEPTED with COMMENTS in EPA Letter Dated:

Tab-Chem 42

NOV 26 1982

Under the Federal Insecticide, Fungicide, and itselenticide Act as concreted, for the pesticide registered under EPA Reg. No.

ACTIVE INGREDIENTS:	
Disodium cyanodithioimidocarbonate	
Potassium N-methyldithiocarbamate	
INERT INGREDIENTS	
TOTAL	
This product contains 0.77 lb. of active ingredi 8.81 lb. per gallon.	ients per gallon and weighs

KEEP OUT OF REACH OF CHILDREN

WARNING

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING: Causes eye damage and skin irritation. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed. Avoid contamination of food.

STATEMENT OF PRACTICAL TREATMENT: In case of contact, immediately flush eyec or akin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse. If swellowed, call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.

ENVIRONMENTAL HAZARDS: This presticide is toxic to fish. Do not discharge into lekes, streems, ponds, or public waters unless in accordance with an NPDES permit. For guidence contact your Regional Office of the EPA.

DIRECTIONS FOR USE **GENERAL CLASSIFICATION**

It is a violation of Federal law to use this product in a manner incon-

sistent with its labeling. is used to control algae and becterie Tab-Chem 42 in recirculating commercial and industrial water cooling towers. Prior to its use, systems must be cleaned to remove algal growth, microbiological slime, and other deposits. An initial slug addition of 6.9 to 13.9 fluid ounces of Tab-Chem 42 per 1000 gallons of water is recom-

Subsequent slug additions of 2.3 to 13.9 fluid ounces of per 1000 gallons of water should be employed. Tab-Chem 42__ every 1 to 5 days, or as needed. The frequency of addition depends upon the relative amount of bleedoff and the severity of the microbiological problem. Slug additions should be made in the sump of water cooling towers.

mended. Repeat initial dosage until control is evident.

STORAGE AND DISPOSAL

PROHIBITIONS: Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited.

PESTICIDE DISPOSAL: Pesticide, spray mixture, or rinsate that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticides, or buried in a safe place away from water supplies.

CONTAINER DISPOSAL:

- ☐ METAL: Triple rinse (or equivalent) and offer for recycling, reconditioning, or disposal in an approved landfill or bury in a safe place. Containers over 30 gallons should be resealed before offering for reconditioning.
- ☐ PLASTIC: Containers under 30 gallons must not be reused but should be triple rinsed and disposed of in an incinerator or landfill approved for pesticide containers or buried in a safe place. Containers over 30 gallons are to be resealed and offered for reconditioning or triple rinsed (or equivalent) and offered for recycling, reconditioning, or disposal in an approved landfill or buried in a safe

GENERAL: Consult Federal, State, or Local disposal authorities for approved alternative procedures.

	Manufactured by:	
	Aspen Industries, Inc.	
	P. O. Box 0	
	Tully, NY 13159	
EPA REG. NO	EPA EST. NO.	
	NET CONTENTS	