

ADDED
with COMMENTS
to EPA Label Draft

Tab-Chem 32 NOV 26 1992

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the purpose of
registration under FIFRA Act.

ACTIVE INGREDIENT:

Potassium dimethyldithiocarbamate 25.0 %

INERT INGREDIENTS 75.0 %

This product contains 2.3 lb. of active ingredient per gallon and weighs 9.25 lb. per gallon.

**KEEP OUT OF REACH OF CHILDREN
WARNING**

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

WARNING: Causes eye damage and skin irritation. Harmful if swallowed. Do not get in eyes, on skin, or on clothing. Avoid contact with food. Wear goggles or face shield and rubber gloves when handling. Wash thoroughly after handling.

STATEMENT OF PRACTICAL TREATMENT: In case of skin contact, wash with plenty of soap and water. Remove contaminated clothing and wash before reuse. If product gets in the eyes, flush immediately with copious amounts of clean, cool water for at least 15 minutes. Get medical attention immediately if product is swallowed, and a physician immediately. If patient is conscious, induce vomiting by rubbing or holding the patient's throat or by back on patient's tongue. Drinking water or 2 teaspoons (10 mL) of gastric lavage or 1 teaspoonful (5 mL) of any material in which sugar or honey is added to water may be used. Repeat until vomit fluid is clear. Then have patient drink plenty of milk, gelatin solution, broken egg whites, flour and water, or other readily absorbed food. Never induce vomiting or give anything by mouth to an unconscious person. Note to advise: No. Probable medical damage may result from gastric lavage.

ENVIRONMENTAL HAZARDS: This product is toxic to fish. Do not discharge treated effluent into lakes, streams, ponds, or public water supply or in accordance with a NPDES permit. For guidance, contact your Regional Office of the Environmental Protection Agency.

Manufactured by:
Aspen Industries, Inc.

P. O. Box 10

Tully, N. Y. 13159

EPA Reg. No.

EPA Est. No.

Not Complete

**DIRECTIONS FOR USE
GENERAL CLASSIFICATION**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Tab-Chem 32 is used in industrial and/or commercial recirculating cooling tower systems and industrial air-washing systems to control microbiological slime. Prior to the use of Tab-Chem 32 in industrial and/or commercial recirculating cooling tower systems, systems should be cleaned to remove sludge growth, microbiological slime, and other deposits. Then make an initial slug addition of 4.5 to 6.8 R. oz. of Tab-Chem 32 per 1000 gal. of water to provide 40 to 60 ppm of Tab-Chem 32 based on total weight of water in the system. Repeat initial dosage until control is evident. Make subsequent slug addition of 2.3 to 6.8 R. oz. of Tab-Chem 32 per 1000 gal. of water (20 to 60 ppm Tab-Chem 32) every 2 to 5 days or as needed. The frequency of addition depends upon the relative amount of bleedoff and the severity of the microbiological problem. Slug additions should be made in the sump of recirculating cooling tower systems.

Tab-Chem 32 is used in industrial air-washing systems which maintain effective mist eliminating components. Prior to its use, systems should be cleaned to remove bacterial slime and other deposits. An initial slug dose of 10.6 to 13.6 R. oz. of Tab-Chem 32 per 1000 gal. of water is recommended. Repeat initial dosage until control is evident. Subsequent slug additions of 7.9 to 13.6 R. oz. of Tab-Chem 32 per 1000 gallons of water should be employed every 1 to 5 days, or as needed. The frequency of addition depends upon the relative amount of bleedoff and severity of the bacterial problem. Slug additions may be made to the sump or the water collection tray of the airwash system.

STORAGE AND DISPOSAL

PROHIBITIONS: Do not contaminate water, food, or feed by storage or disposal. Spill cleanup is prohibited. **PESTICIDE DISPOSAL:** Pesticide waste should be disposed of in a landfill approved for pesticides, or buried in a safe place away from water supplies.

CONTAINER DISPOSAL

METAL: Triple-rinse for reuse and offer for recycling, remanufacturing, or disposal in an approved landfill or burn in a safe place. Containers over 30 gallons should be recycled before offering for remanufacturing. **PLASTIC:** Containers under 30 gallons must not be reused for other than original use and should be disposed of in an approved landfill or burned in a safe place. Containers over 30 gallons are to be recycled and offered for remanufacturing or triple-rinse for reuse and offered for recycling, remanufacturing, or disposal in an approved landfill or burned in a safe place.

GENERAL: Consult Federal, State, or local disposal authorities for approved alternative procedures.

NOCE D
with COMMENTS
in EPA Letter Dated

Tab-Chem 32

NOV 26 1982

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.

9087-32

ACTIVE INGREDIENT:

Potassium dimethyldithiocarbamate 25.0 %

INERT INGREDIENTS 75.0 %

This product contains 2.3 lb. of active ingredient per gallon and
weighs 9.25 lb. per gallon.

**KEEP OUT OF REACH OF CHILDREN
WARNING**

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

WARNING: Causes eye damage and skin irritation. Harmful if swallowed. Do not get in eyes, on skin, or on clothing. Avoid contamination of food. Wear goggles or face shield and rubber gloves when handling. Wash thoroughly after handling.

STATEMENT OF PRACTICAL TREATMENT: In case of skin contact, wash with plenty of soap and water. Remove contaminated clothing and wash before reuse. If product gets in the eyes, flush immediately with copious amounts of clean, cool water for at least 15 minutes. Get medical attention immediately. If product is swallowed, call a physician immediately. If patient is conscious, induce vomiting by stroking or tickling the patient's throat or far back on patient's tongue. Emetics such as 2 teaspoonful (10 ml.) of ipecac syrup or 1 teaspoonful (5 ml.) of dry mustard in warm water to form a paste or even soap in warm water can be used. Repeat until vomit fluid is clear. Then have patient drink plenty of milk, gelatin solution, beaten egg whites, flour and water, or other nonoily demulcent. Never induce vomiting or give anything by mouth to an unconscious person.

Note to physician: Probable mucosal damage may contraindicate gastric lavage.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish. Do not discharge treated effluent into lakes, streams, ponds, or public waters unless in accordance with a NPDES permit. For guidance, contact your Regional Office of the Environmental Protection Agency.

Manufactured by:
Aspen Industries, Inc.
P. O. Box 0
Tully, N. Y. 13159

EPA Reg. No.

EPA Est. No.

Net Contents

**DIRECTIONS FOR USE
GENERAL CLASSIFICATION**

It is a violation of Federal law to use this product in a manner
its labeling.

Tab-Chem 32 is used in industrial
recirculating cooling tower systems and industrial air-washing
microbiological slime. Prior to the use of Tab-Chem 32
industrial and/or commercial recirculating cooling tower systems,
cleaned to remove algal growth, microbiological slime, and other deposits.
initial slug addition of 4.5 to 6.8 fl. oz. of Tab-Chem 32
per 1000 gal. of water to provide 40 to 60 ppm of Tab-Chem 32
based on total weight of water in the system. Repeat
until control is evident. Make subsequent slug addition of 2.3 to
Tab-Chem 32 per 1000 gal. of water (ppm Tab-Chem 32) every 2 to 5 days or as needed
of addition depends upon the relative amount of bleedoff and the
microbiological problem. Slug additions should be made in the sump or
ing tower systems.

Tab-Chem 32 is used in industrial
which maintain effective mist-eliminating components. Prior to its use,
cleaned to remove bacterial slime and other deposits. An initial slug d
13.6 fl. oz. of Tab-Chem 32 per 1000 gal. of water is
recommended. Repeat initial dosage until control is evident. Subsequent
7.9 to 13.6 fl. oz. of Tab-Chem 32 per 1000 gal. of water should be employed every 1 to 5 days, or as needed. The
dition depends upon the relative amount of bleedoff and severity of the
Slug additions may be made to the sump or the water collection tank
system.

STORAGE AND DISPOSAL

PROHIBITIONS: Do not contaminate water, food, or feed by storage or disposal. Open

PESTICIDE DISPOSAL: Pesticide, spray mixture, or residue that cannot be used or
should be disposed of in a landfill approved for pesticides, or buried in a safe place away

CONTAINER DISPOSAL:

METAL: Triple rinse (or equivalent) and offer for recycling, reconditioning, or disposal in
luxury in a safe place. Containers over 30 gallons should be resealed before offering for

PLASTIC: Containers under 30 gallons must not be reused but should be triple rinsed and
generator or landfill approved for pesticide containers or buried in a safe place. Containers
resealed and offered for reconditioning or triple rinsed (or equivalent) and offered for recycling
disposal in an approved landfill or buried in a safe place.

GENERAL: Consult Federal, State, or Local disposal authorities for approved alternative procedures.