

DIRECTIONS

PREPARATION

Hatching Egg Only After the shell eggs have been washed, apply a 200 ppm active quaternaries sanitizing solution, (prepare by following the dilution directions on Right Panel) with a cloth, spray, or by dipping. Rinse with potable water. Drain and air dry.

Food Processing Equipment - For sanitizing previously cleaned food processing equipment or utensils, apply sanitizing solutions - 200 ppm active quaternaries - with a cloth, mop, sponge, or dip article in sanitizing solution. Drain dry. No potable water rinse is required.

Dairies and Milking Equipment - To sanitize previously cleaned dairy equipment such as pails, sinks, lines, tanks, and piping, prepare a sanitizing solution, 200 ppm active quaternaries - See dilution table Right Panel - and apply solution with mop, brush, or cloth to large equipment. Small articles may be dipped in sanitizing solution. For piping, circulate sanitizing solution through pipes. No potable water rinse is required. Follow recommendations of local Health Board.

USE

Hatcheries, Hog Parlors, Poultry Houses, Livestock and Pet Quarters -

1. Remove all livestock or poultry from buildings to be treated.
2. Remove all litter or droppings from floors, walls, and other equipment.
3. Remove all feed and drinking water from premises.
4. Thoroughly clean walls, floors, roosts, feeders, and waterers with good detergent.
5. Rinse all surfaces with potable water.
6. Apply disinfecting solution - see dilution table Right Panel - to walls and floors, shovels, forks, scrapers and other non feed equipment using a brush, mop, or spray.
7. Ventilate premises and do not house livestock or poultry until treatment has been absorbed, set or dried.
8. All treated feed racks, mangers, troughs, automatic feeders, fountains, and waterers must be thoroughly rinsed with potable water prior to reuse.

NEW ESL QUAT 20.

**20% Concentrate
Powerful Microbiocide
Sanitizer Disinfectant**

Active Ingredients:

n-alkyl (80% C14, 30% C18,
5% C12, 5% C18) dimethyl
benzyl ammonium chlorides 10.0%

n-alkyl (68% C12, 32% C14)
dimethyl ethylbenzyl ammo-
nium chlorides 10.0%

Inert Ingredients: 80.0%

TOTAL 100.0%

EPA Reg. No. 10000

Net Contents: 1 gallon

DANGER

**Keep Out of Reach of Children.
See other precautionary and First
Aid statements on right panel.**

REGISTERED TRADE MARK
E. I. du Pont de Nemours and Company
WILMINGTON, DELAWARE 19884

Amount of New ESL Quat 20	Amount of Water For Preparation of Sanitizing Solution	Amount of Water For Preparation of Disinfecting Solution
1 tsp. = 1/6 oz.	5 qt.	7 cups
1 Tbsp. = 1/2 oz.	4 gals.	5 qts.
1 cup = 8 oz.	64 gals.	20 gals.
1 qt. = 32 oz.	256 gals.	80 gals.
1 gal. = 128 oz.	1000 gals.	320 gals.

Measurement value (approximate):

1 Tbsp = 1/2 oz.
3 tsp. = 15cc = 1/16 cups

This product fulfills the criteria of Appendix F of the Grade A Pasteurized Milk Ordinance 1965 recommendations of the U.S. Public Health Service in water up to 750 ppm of hardness calculated as calcium carbonate, when tested by the AOAC Germicidal and Detergent Sanitizing Official Method.

Keep Out of Reach of Children. Corrosive. Causes eye damage and skin damage. Do not get in eyes, on skin or on clothing. Protect eyes and skin when handling. Harmful if swallowed. Avoid contamination of food.

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.

If swallowed, drink promptly a large quantity of milk, egg whites, gelation solution or if these are not available, drink large quantities of water. Call a physician immediately.

Rinse empty container thoroughly with water and discard.

607 15-234

ACCEPTED WITH COMMENTS

HF-606
 CLEANER
 DETERGENT-DISINFECTANT
 FOR USE IN HOSPITALS, INDUSTRIES, PLANTS, LABORATORIES,
 INSTITUTIONS, ETC.

MICROBICIDIAL EFFICIENCY

SALMONELLA TYPHOSA	50
STAPHYLOCOCCUS AUREUS	75

FOR USE IN HOSPITALS, INDUSTRIES, PLANTS, LABORATORIES,
 INSTITUTIONS, ETC.

ACTIVE INGREDIENTS

N-ALKYL-SO ₂ C ₁₄ , 40% C ₁₂ , 10% C ₁₀ DIMETHYL	
BENZYL AMMONIUM CHLORIDES	10%
SODIUM CARBONATE	30%

* INERT INGREDIENTS 60%
 * INCLUDING BIODEGRADABLE COMPATIBLE DETERGENTS

KEEP OUT OF REACH OF CHILDREN

CAUTION UNDILUTED HF-606 CLEANER MAY CAUSE SKIN
 IRRITATION OR STING TO THE EYES. HARMFUL IF SWALLOWED.
 AVOID CONTACT WITH SKIN AND EYES. DO NOT TAKE
 INTERNALLY. IN CASE OF CONTACT, FLUSH IMMEDIATELY
 WITH PLenty OF WATER. IF IRRITATION PERSISTS, GET
 MEDICAL ATTENTION FOR EYES. GET MEDICAL ATTENTION.
 AVOID CONTAMINATION OF FOODS.
 KEEP OUT OF REACH OF CHILDREN
 NET WEIGHT 1.000 LBS. GROSS

1.000 LBS. MACHINE OPERATOR
 1.000 LBS. MACHINE OPERATOR

ACCEPTED
 SEP 12 1966
 UNDER THE FEDERAL INSECTICIDE
 FUNGICIDE AND RODENTICIDE ACT
 FOR ECONOMIC PESTICIDE REGISTERED
 UNDER NO. 9189-1 SUBJECT
 TO ATTACHED COMMENTS.

DIRECTIONS

... clean, disinfect, facilitate
... operation. May be
... leaves of water
... soap or other
... do not mix with soap or other
... disinfectants

FOR DISINFECTING SURFACES AND WALLS

... 1000 gallons
... porous surfaces in critical areas
... water

FOR SANITIZING FLOORS AND WALLS, ETC.

... 1000 gallons

... 1000 gallons

ACCEPTED
9/12/66
UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR EQUIPMENT WHICH IS REGISTERED
UNDER NO. 9109-1. SUBJECT
TO ATTACHED COMMENTS.