





# ER OG

INSECTICIDE  
CONCENTRATE

FLIES & GNATS

For Outdoor  
Feed Lots, Stock Yards

U.S.D.A. Reg. No. 9114-15

18.6%

1.4%

75.0%

5.0%

to 20% VAPUNA Insecticide

warning statements

the reach of children

, Inc.

5000

4/11/72

9774 N

SUBJECT

COMMENTS

## DIRECTIONS FOR USE

### Cattle Feed Lots, Hog Lots, Stock Yards, around Poultry Houses.

For fast kill of flies, mosquitos and gnats, dilute SUPER DAIRY FOG at the rate of one quart in 12½ gallons water (2 gallons in 100 gallons water). Apply diluted mixture with a mist blower or other suitable equipment to produce a fine mist, fog, or spray. Use approximately 5 gallons of diluted spray per acre. Give particular attention to areas where flies congregate, such as fences, spillage areas around feed bunks, and walls of buildings. Animals may be present during treatment. Avoid direct application to exposed feed and water. Repeat as necessary.

### Animal Buildings, Stables, Dairy Barns, Shelter Sheds, Milk Sheds, Poultry Houses, Kennels.

For control of flies, mosquitoes, gnats, roaches, fleas, sow bugs, Brown Dog Tick, dilute Super Dairy Fog at the rate of 1 quart with 12½ gallons water. Apply as a coarse wet surface spray using approximately 1 quart of diluted mixture per 1000 sq. ft. of surface. Repeat as Necessary.



For milk sheds, dairy barns, stables and hog houses treat around doorways, feed storage rooms, alleyways and window sills. Do not contaminate milk or milking utensils.

In poultry houses, apply to manure, window sills, outside of penned enclosures and on floor of feed storage rooms.

In treating kennels, apply to dog runways, window sills, ledges and cracks and crevices in floor and walls.

Before applying in enclosed areas, reduce air movement as much as possible by closing doors, windows, and other openings. Do not contaminate water, feed or foodstuffs, milk or milking utensils. Do not treat animals or humans.

**For Baited Spray.** Dissolve 1 pound of sugar or 1 pint corn syrup in each gallon or two of diluted Super Dairy Fog. This will increase effectiveness against house flies and prolong residual action.

### WARNING

**Poisonous If Swallowed, Inhaled or Absorbed Through the Skin or Eyes.** Rapidly absorbed through skin and eyes. Do not get in eyes or on skin and clothing. Do not breathe fumes. Wear natural rubber gloves, protective clothing, and goggles when handling concentrate. Wear a mask or respirator of a type passed by the U.S. Department of Agriculture for protection against DDVP. In case of contact, immediately remove contaminated clothing and wash immediately with soap and water. In case of contact with eyes, flush with plenty of water and get medical attention. Do not contaminate feed or foodstuffs. Wash hands, arms and face thoroughly with soaps and hot water before eating and smoking. Wash all contaminated clothing with soap and water before reusing. Do not reuse shoes or boots until free of all contamination. Apply this product only as specified on this label.

**Decontaminate and Destroy Used Containers.** Do not re-use for any purpose. Decontaminate containers by rinsing thoroughly with water and detergent. Destroy containers by breaking and burying fragments in isolated area. Dispose of rinsings in a way as not to constitute a hazard, or contaminate water supplies.

### POISON

**Antidote:** Human - Internal: If swallowed, call a physician immediately. Give a tablespoon of salt in a glass of warm water and repeat until vomit fluid is clear. Have victim lie down and keep quiet. External: If on skin, or spilled on clothing, remove contaminated clothing and immediately wash skin with soap and water. If inhaled, remove victim to fresh air.

**Note to Physician:** 2,2-dichlorovinyl dimethyl phosphate is a cholinesterase inhibitor and treatment of severe poisoning should include the use of atropine. Give artificial respiration if breathing has stopped.