


ACCEPTED
 5-19-69
 UNDER THE FEDERAL INSECTICIDE
 FUNGICIDE AND RODENTICIDE ACT
 FOR ECONOMIC POISON REGISTERED
 UNDER NO. 9129-1

QUALITY SANITATION PRODUCTS
 FOR THE
 DAIRY INDUSTRY



MILK PRODUCERS Inc.

TEXAS • OKLAHOMA • KANSAS • ARKANSAS • NEW MEXICO • TEXAS

DIRECTIONS
 USE DILUTED SOLUTIONS ONLY
 DILUTION TABLE

PPM	CHLOR-SAN	WATER
100	1 oz.	6 gal.
200	1 oz.	3 gal.
300	1 oz.	2 gal.
1000	5 oz.	3 gal.

NOTE:

Wherever concentrations above 200 ppm of available chlorine are used apply a potable water rinse prior to re-use of surface areas. Consult local health authorities for rules in effect and their recommendations for chlorine rinse solutions. Use cool water for sanitizing solution make-up. Use solutions as soon as possible after make-up. Store in cool place out of the light to avoid loss of strength. Due to corrosive effect of chlorine solutions, do not allow solutions to stand in equipment for prolonged periods of time.

CHLOR-SAN
 CHLORINE-BASED DISINFECTANT


FOR SANITIZING EQUIPMENT IN DAIRY PLANTS,
 DAIRY FARMS AND OTHER FOOD PROCESSING
 PLANTS.

WARNING: KEEP OUT OF REACH OF CHILDREN.
 MAY IRRITATE SKIN AND EYES; SEE BACK PANEL FOR CAUTIONS
 Active Ingredient: Sodium Hypochlorite by Wt. 8.4%
 Inert Ingredients by Wt. 91.6%
 NET CONTENTS ONE GALLON

Manufactured by
THE SOUTHLAND CORPORATION • CHEMICAL DIVISION
 2841 PIERCE STREET DALLAS, TEXAS 75233

Directions

1. Thoroughly clean all surfaces to be sanitized.
2. Spray sanitizing solution use 200 ppm.
3. Immersion or circulation solution use 100-300 ppm.



Irritating to Skin, Eyes and Lungs
 Harmful If Swallowed
 Do Not Get in Eyes, or on Skin or Clothing.
 Do Not breathe Vapor or Fumes
KEEP OUT OF REACH OF CHILDREN

ANTIDOTE

EXTERNAL --- Wash immediately with copious quantities of water. Call a physician.
INTERNAL --- Give milk, raw egg, or milk. Call a physician.

Consult Health Authorities
 For Local Regulations