


9129-4  
CHEMICAL PRODUCTS FOR INDUSTRY



9129-4  
ACCEPTED

ALL-SOLUBLE CHLORINE SANITIZER  
**SANI-CHLOR**

DIRECTIONS: DAIRY, BEVERAGE,  
FOOD PROCESSING EQUIPMENT

1. Scrape and pre-flush articles to be washed.
2. Wash in clean water.
3. Test—In Southland's recommended Southland cleaning compound.
4. Rinse—in clean running water.
5. Sanitize—in Southland's Sani-Chlor solution (100 ppm av. cl.) in each 12 gallons of water (100 ppm available chlorine). Check periodically with chlorine tester. When solution depreciates to 50 ppm add 100 ppm available chlorine and discard.
6. Finally, wash and sanitize again to use 250 ppm av. cl. of Southland's Sani-Chlor solution (100 ppm available chlorine in 2 gallons of water).

Sanitizing Solution must meet the criteria of Appendix F as revised January 1, 1954, by the National Sanitation Foundation and Code 1953 recommendations for food equipment. Chlorine was tested by the Chambers method.

CONTENTS: 26% available chlorine  
NET WT.: 55 GALLONS  
CERT. NO.: P-147  
DATE: 10-15-63  
EXPIRATION DATE: 10-15-64

DIRECTIONS: GLASSES, DISHES, UTENSILS

1. Scrape and pre-flush articles to be washed.
2. Wash in clean water using the recommended Southland cleaning compound.
3. Rinse—in clean running water.
4. Sanitize—in Southland's Sani-Chlor solution (100 ppm av. cl.) in each 12 gallons of water (100 ppm available chlorine). Check periodically with chlorine tester. When solution depreciates to 50 ppm add 100 ppm available chlorine and discard.

**CAUTION** MAY BE HARMFUL  
IF SWALLOWED

Undiluted solution may cause skin irritation. Avoid contact with skin and eyes. In case of contact flush with plenty of water. If irritation persists get medical attention. Avoid contamination of food.

KEEP OUT OF REACH OF CHILDREN

THE SOUTHLAND CHEMICAL COMPANY

A DIVISION OF THE SOUTHLAND CORPORATION  
2828 N. HASKELL • DALLAS, TEXAS — 75284

UNIVERSITY  
FIRE & MARINE  
INSURANCE CO.  
OF NEW YORK

**CHEMICAL PRODU**



**DIRECTIONS FOR USE**

For medical and dental office uses such as: Hand Washing, Glass Washing, Floors, Instruments and Sanitary Facilities. 1 ppm (17.500 ppm available) is recommended - 2 ounce concentrations of water. Follow with potable water rinse.

Most equipment, glassware, thermometers and surgical instruments can be cleaned sanitized at 75-175 ppm available chlorine added to 2 liters of water.

INDUSTRIAL AND TEST TUBE USE

**ACTIVE INGREDIENTS -**  
Isopropyl Alcohol \_\_\_\_\_  
Nonyl phenoxy polyethoxylate complex (providing 1.75% available Phosphoric Acid) \_\_\_\_\_  
Citric Acid \_\_\_\_\_

**INERT INGREDIENTS -**  
Includes Stabilizers, low foaming agents and water.

**CAUTION:** May cause eye irritation if introduced into eyes. Medical attention. Keep away from soap or alkaline materials.

**KEEP OUT OF REACH**

**THE SOUL**

**C H E M I C A L C**  
A DIVISION OF THE SOUL  
2828 N. HASKELL • DALLAS, TEXAS