1

DIRECTIONS FOR DETERGENT SANITIZER

INFLATIONS — Brush inflations after milking with warm BIODISAN solution containing 12¹/₂ ppm titratable iodine,* using good inflation brush. Rinse thoroughly, and store as directed by sanitarians or fieldmen. Prior to milking, sanitize with BIODISAN solution containing 121/2 ppm titratable iodine.** For Hand Washing EQUIPMENT, TANKS, VATS, PAILS, ETC.

- 1. Flush equipment with lukewarm water immediately after use.
- 2. Wash by brushing with a solution of 1 ounce BIODISAN to each 5 gallons of water.
- 3. Rinse with clean water.

4. Sanitize utensils with 1 oz. BIODISAN to each 10 gallons of water.** Sanitizing rinse must always be used whether the equipment is washed with a detergent sanitizer, or an ordinary detergent.

CAUTION: Avoid contamination of food. Harmful if swallowed. CLuses Jkin irritation. In case of skin or eye contact flush with plenty of water For eyes get medical attention.

Use in recommended dilutions, at temperatures not to exceed 115°F.

ACCEPTED

BIODISAN **IODINE BASED DETERGENT SANITIZER**

ACTIVE INGREDIENTS: Ethoxylated Alkyl Phenol-iodine complex providing 1.75% titratable iodine..... 8.75% Phosphoric acid. 6.00%

CAUTION: Keep out of reach of children

CEE LEFT PANEL FOR ADDITIONAL CAUTIONS.

EPA Reg. No. 9152-5 EPA Est. No. 9152-CA-1

NET CONTENTS

GALLONS

PIPELINES

and rinsed iodine for

EQUIPMEN

and rinsed (12½ ppm

Always titratable i color, this

**Follow p quired that sanitizing r

*DILUTION I oz. BIOD 1 oz. BIOD

ACCEPTED 9147-4 13 DER THE FEDERAL INBECTICION NODENTICIDE A

• ALWAYS FOLLOW THESE RULES OF GOOD POOL CARE!

1. GENERAL HOUSEKEEPING HINTS:

No sanitizer can physically remove dirt particles from a pool, so keep the filter running according to the recommendations of the filter manufacturer. Vacuum often.

USE THE TEST KIT AT ALL TIMES. Maintain the proper pH and the proper free available chlorine residual; adjust for water hardness, total alkalinity and for acid demand.

2. For initial conditioning of pool water:

Filter the water; adjust alkalinity to 80 to 100 ppm; and, adjust pH to 7.2 to 7.6.

Satisfy chlorine demand of water by addition of W.C. CHLORINE CONCENTRATE at the rate of two (2) ounces per 1000 gallons of pool water. This is equivalent to approximately 10 ppm available chlorine. Then add a cyanuric acid type of stabilizer at the rate of four (4) ounces per 1000 gallons of pool water. This will give the pool approximately 30 ppm of stabilizer level required. POOL SHOULD NOT BE USED UNTIL CHLORINE RESIDUAL DROPS TO 1.0 TO 1.5 ppm.

3. Daily maintenance:

Maintain a minimum chlorine residual of 1.0 to 1.5 ppm at all times, even when pool is not in use. In normal use, add one to one and a half (1 to 1½) ounces of W.C. CHLORINE CONCENTRATE per 10,000 gallons of pool water per day.

In cool weather, with no bathing load, as little as two (2) ounces per 10,000 gallons of water might retain the proper chlorine residual for a week.

4. Superchlorination:

Chlorine combines with simple nitrogen compounds such as ammonia and urea. This chlorine is much less effective as a sanitizer than free available chlorine. It is essential to have a free available chlorine residual to achieve sparkling clear, sanitary pool water. This is accomplished by periodic "Superchlorination" of the pool water, and consists of simply adding a larger than normal dose of chlorine to "burn out" nitrogenous materials.

So, every week in hot weather (above 80[•]), and usually after a heavy rainfall, superchlorinate by adding three to six (3 to 6) times the normal daily dosage of W.C. CHLORINE CONCEN-TRATE to the pool water. In cooler weather superchlorination every two weeks should be sufficient.

5. Please Note:

NEVER MIX POOL CHEMICALS TOGETHER. Always add them to the pool separately.

> 0 <


DANGER:

KEEP UJT OF REACH OF CHILDREN

Corrosive. Causes eye damage. May caus to moist or broken skin. Do not get i on skin or on clothing. Protect eye handling. Dust may be harmful if inhal may irritate nose and throat. Avoid ink of dust. May be harmful or fatal if swa (See other precautions and First Aid Stat on right panel).

W. C. CHLORINE CONCENTRAT

FOR SWIMMING POOLS



ACTIVE INGREDIENT:

Sodium Dichloro-s-triazinetrione 100%

Net Weight: 100