




U.S.D.A. REG. NO. 100-100000



POISONOUS IF SWALLOWED, INHALED OR ABSORBED THROUGH SKIN. RAPIDLY ABSORBED THROUGH SKIN. Do not get in eyes, on skin or on clothing. Wear natural rubber gloves, protective clothing and goggles. In case of contact, wash immediately with soap and water. Wear a mask or respirator of a type passed by the United States Department of Agriculture for parathion protection. Keep all unprotected persons out of operating areas or vicinity where there may be danger of drift. Vacated areas should not be reentered until drifting insecticide and volatile residues have dissipated. Do not contaminate feed or food stuff. Wash hands, arms, and face thoroughly with soap and water before eating or smoking. Wash all contaminated clothing with soap and hot water before reuse. Keep children and animals out of treated area for 48 hours.

This product is poisonous to fish and wildlife. Keep out of lakes, ponds, and streams. Do not apply in any manner not specified on the label.

ACCEPTED

MAY 25 1967

UNDER THE FEDERAL INSECT
FUNGICIDE ACT OF 1947
FOR ECONOMIC PEST CONTROL
REGISTERED UNDER NO. 100-100000

USE AND DIRECTIONS FOR APPLICATION

TOBACCO: Pre-Planting application for control of wire worms on newly set tobacco plants. Broadcast 50 to 75 lbs. per acre (2-3 lbs. Parathion) with spreader evenly over area at least 3 to 4 weeks before transplanting. Disk well into the soil to a depth of 6 inches.

This material is for soil application only and should not be used for any other purpose.

ANTIDOTE:

IF SWALLOWED: Give a tablespoon of salt in a glass of warm water and repeat until vomit is clear. Have person lie down and remain quiet. Call a physician immediately.

ATROPINE IS THE EMERGENCY ANTIDOTE

IF ON SKIN: In case of contact, remove contaminated clothing and immediately wash skin with soap and water.



KERR-MCGEE CHEMICAL CORP.



NEW YORK, N.Y. 10017 • CHICAGO, ILL. 60606 • PHOENIX, ARIZ. 85001