## 59143-15)

Remove protective cap from top of can. Hold can upright, point opening in valve in desired direction for spray. To release spray, preus valve downward or push valve forward.

FLIES, MOSQUITOES, GNATS: Spray upwards into four corners of closed room, about 4 to 6 seconds for each 1000 cu. ft. About 6 to 8 seconds for average room. Leave windows and doors closed after treatment for about 15 minutes. Do not remain in closed treated areas. Ventilate treated area upon return.

FLYING MOTHS, WASPS, HORNETS: Spray 20 to 25 seconds per 1000 cu. ft. Spray liberally into cracks of woodwork, walls, floors, hiding and breeding places; directly on insects when possible. Repeat as necessary.

ROACHES, ANTS, FLEAS, SILVERFISH: Spray liberally into cracks of woodwork, walls, floors, hiding and breeding places; directly on insects when possible. Thoroughly spray sleeping quarters of animal pets. Repeat if necessary.

**BEDBUGS:** Spray bed frame, springs, mattress tufts, seams and all cracks and hiding places about bedroom.

MOTH, WORMS, CARPET BEETLES: Clean, air and brush clothing, rugs, carpets and fabrics. Spray thoroughly from 3 ft. distance especially seams, folds, under collars and lapels. Clean and spray closets and drawers. Repeat approximately every 30 days.

## CAUTION: DO NOT REMAIN IN CLOSED TREATED AREAS.

Do not spray plastics or asphalt tile direct.

**WARNING:** Contents under pressure. Do not puncture. Do not use or store near heat or open flame. Exposure to temperatures above 130°F may cause bursting. Never throw container into fire or incinerator.

Avoid contact with exposed food cooking utensils, and remove bird cages and fish bowls from rooms being sprayed. To avoid staining hold spray 3 ft. from all objects.

Foods should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using. When using the product in these areas, apply only when the facility is not in operation.

ACTIVE INGREDIENTS:	FOR
Pyrethrins	0.3%
Technical Piperonyl Buxtoxide*	0.6%
N-Octyl Bicycloheptene Dicarboximide	1.0%
Petroleum Distillate	13.1%
INERT INGREDIENTS:	85.0%
*Equivalent to .48% Butylcarbityl (6-Propylpiper .12% other related compounds.	onyl) ether and 91-13-15
E.P.A. REG. 9143-15	ACCEPTED
CHEMBCOF	JUN 151973
CORPORATION	FUNGICIDE AND RODENTICIDE ACT
1909 Hi - Line Drive	FOR STER-
P. O. Box 10752	ED UNE REAL SUBJECT
Dallas, Texas	TO ATTACHED COMMENTS.
75207	-

## CHEMSCOPE

.

## AEROSOL INSECTICIDE

DUAL SYNERGIST

PLEASANTLY SCENTED

RMULATED FOR HOSPITAL - SCHOOL - HOTEL MOTEL • OFFICE • RESTAURANT LOCKER AND REST ROOM - INSTITUTION

Net Wt. 20 oz. (1 lb. 4 oz.)

CAUTION: KEEP OUT OF REACH OF CHILDREN. CONTENTS UNDER PRESSURE. SEE OTHER CAUTIONS ON BACK PANEL.