[9143-36)

DIRECTIONS

U.S. Public Health Service (71.513E) (1) The insecticide shall be dispensed in the amount of not less than 5 grams each 1,000 cu. ft. of enclosed space in the aircraft, and shall be released or sprayed throughout all accessible compartments. (11) Disinsectization may be accomplished either while the aircraft is in flight or while on the ground prior to take off, but in no case shall disinsectization be accomplished later than 30 minutes prior to the first landing at a United States port. (111) The ventilation system shall be stopped and all openings to the exterior kept closed while the insecticide is being released or sprayed, and for a period of not less than 3 minutes thereafter. It disinsectization is accomplished on the ground prior to take off the ventilation system may be opened at the end of such period, provided that the system is equipped with filters or other means for preventing the entrance of insects into the aircraft, hut doors, windows, or other such openings to the exterior shall be kept closed until after the take off except in the case of emergency, or to permit per sons applying the insecticule to lebark USE NO GREATER DOSAGES THAN REQUIRED. EXCESSIVE SPRAYING IS WASTEFUL

AIRCRAFT INSECTICIDE SPRAY

kills

flies, mosquitoes, gnats

NET WEIGHT

1 POUND

CAUTION: KEEP OUT OF REACH OF CHILDREN. CONTENTS UNDER PRESSURE. SEE OTHER CAUTIONS ON BACK PANEL.

E.P.A. REG. NO. 9143-36

TO OPERATE:

Remove protective cap. Holding dispenser upright, point nozzle in desired direction and press dispens-

ing button to spray.

Replace protective cap to prevent accidental discharge when not in use. ACTIVE INGREDIENTS:

0.45% **Pyrethrins**

*Piperonal bis [2 (2 butoxy ethoxy)ethyl]

2.43% acetal

Other related 0.270° compounds 11 850% Fetroleum distillate INERT INGREDIENTS: 85,00°a

Dichlorodi-

fluoromethane Trichloromonofluoromethane

From TROPITAL is Synergist

CAUTION: Cover or remove all food and feedstuffs prior to application to prevent

contamination

WARNING: Contents under pressure 50 not puncture. Do not use or store conheat or open flame. Exposure to temperatures above 130. Fahrenheit may hause bursting. Never throw container into fire or incinerator

Chemscope Corporation 1909 Hi-Line Dr. Dallas, Texas 75207

ACCEPTED

JUL 1 1 1972

UNITED THE SELECTION AT INC. I TICIDE AUTHOR OF AN EXPENSIONE ACT TOTAL STATE OF THE SERVICE NEWSFIELD ED FINE LA GI43 36. SHIBIBET