[9143-42]

ing process several times until about 2 ounces of repellent (when applicable) have been used. One treatment of clothing is effective for several days if repellent is not washed away. Clothing may be treated the day before wearing. If irritation develops, discontinue wearing treated clothing. TREATMENT FOR LEECHES UNDER MILITARY SUPER-VISION WILL AFFORD LIMITED PROTECTION FROM CERTAIN TYPES OF TERRESTRIAL LEECHES IN SOUTHEAST ASIA.

FOR EXTERNAL

USE ONLY

CAUTION: Keep out of reach of children; harmful of swallowed; avoid contact with eyes and lids. Do not use, pour or spill near heat or open flame. Do not reuse container. Destroy when empty.

This materia! affects lacquer, paint, certain plastic articles, and some synthetic fabrics. Avoid smearing on goggles, watch crystals, painted helmets, etc.

INSECT AND LEECH REPELLENT

For Use By Military Personnel Only

Personal Application and Clothing
Fed. Spec. 0-1-503 C
ACTIVE INGREDIENTS
N, N-Diethyl-metatoluamide 47.50%
Other diethyl
toluamides 2.50%
INERT INGREDIENT

Denatured
Ethanol 50.00%
TOTAL 100.00%
E.P.A. Reg. No. 9143-42
Net Contents 2 fl. oz.
CAUTION: Keep out of reach of children. See other precautions on rear panel.
370

CHEMSCOPE

CORPORATION
1909 Hi-Line Dr.
Dallas, Texas

Directions for use Skin applications for leeches, mesquitoes, biting flies, gnats, and fleas. Shake about 12 drops into one hand, rub hands together, and apply throughly in a thin layer to all areas of exposed skin, much as in washing. Sufficient repellent should be applied to give a uniform film. AP-PLY WITH CAUTION AROUND EYES AND MOUTH. Clothing treatments against leeches, biting insects, chiggers, (mites), fleas, and ticks. When clothing cannot be impregnated with bulk repellent, apply by pouring a dozen drops into one hand, rub the hands together, and then rub fightly on the socks and other clothing. Make liberal applications along all openings of the clothing. such as inside the neck band, and the fly and bottom of the trousers, and where clots ag fits tightly as across the shoulders, elbows, hips, and knees. Repeat smear-

ACCEPTED

JAN 03 13/3

ED UNDER NO. 9/43 SUBJECT TO ATTACHED COMMENTS.