[9143-53]

This spray is especially designed for use in cafes, restaurants, food storage warehouses, flour mills, meat packing plants and the like. This spray is designed for use in fogging equipment, hand sprayers or in pressurized tank sprayers that give coarse, wetting particles for contact sprays.

DIRECTIONS FOR USE IN FOGGING EQUIPMENT AND HAND SPRAYERS

FLIES, MOSQUITOES, GNATS, SMALL FLYING MOTHS: Close room and discharge mist vigorously in all parts of room, using $1\frac{1}{2}$ to 2 ounces for each 1000 cubic feet of space. Leave room closed for at least ten minutes. Do not remain in treated areas. Ventilate the room thoroughly before re-entry. Sweep up and destroy fallen insects. Repeat as needed.


IN PRESSURIZED TANK SPRAYERS FOR WETTING CONTACT SPRAYS

FLEAS (INFESTING PREMISES): Remove and destroy animals' bedding and spray sleeping quarters freely, forcing the spray into all cracks in the floor and about the room. Repeat when re-infested.

ROACHES, WATERBUGS: Apply in all cracks and crevices in woodwork, underneath sinks, dark places behind pipes, and in all places where roaches and waterbugs infest, contacting as many insects as possible. Repeat the operation as often as necessary.

CLOTHES MOTHS, CARPET BEETLES: Spray all articles to be protected, giving particular attention to folds and seams. Interior surfaces of storage containers such as closets, chests and trunks should be sprayed regularly. The treatment should be repeated every 30 days unless the articles are stored in moth-tight containers.

GRANARY WEEVIL, RICE WEEVIL, CONFUSED FLOUR BEETLE, CADELLES, GRAIN MITES (ACCESSIBLE STAGES): Wet surfaces thoroughly and treat all infested surface areas, insect runways and hiding places at the rate



FOOD PLANT INSECTICIDE

ACTIVE INGREDIENTS:

Pyrethrins

*Piperonyl butoxide, technical

¹N-octyl bicycloheptene dicarboximide Petroleum distillate

*Equivalent to 0.16% (butylcarbityl) (6-propylpiperonyl) ether and 0.04% related compounds. ¹MGK 264, Insecticide Synergist.

E.P.A. REG. NO. 9143-53

NET CONTENTS 1 GALLON

CAUTION: KEEP OUT OF REACH OF CHILDREN. HARMFUL IF SWALLOWED. SEE DIRECTIONS AND **R PRECAUTIONS ON REAR PANEL.**

.100% .200% .333% 99.367% 100.000%

E.P.A. EST. 9143-TX-1

of 1 gallon of this material to 1000 square feet of area, or to the point of run-off. Repeat when necessary.

CAUTION

KEEP OUT OF REACH OF CHILDREN. Harmful if swallowed. Do not apply directly to food. When space spraying, cover or remove all food and food handling surfaces. Do not apply space sprays while food processing is underway. Food processing operations do not have to be stopped while applying a wet spray with care and in accordance with the directions and cautions above. Thoroughly wash with potable water all treated chutes, processing surfaces, etc., that food will come into contact with prior to re-use. In case of impracticability of washing, do not allow food to come in contact with treated surfaces for at least 48 hours.

Remove pets, birds, and cover fish aquariums before spraying.

This product is toxic to fish. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes.

Do not re-use empty container. Destroy when empty and discard in a safe place.

Keep container closed Do not use, pour, spill, or store near heat or open flame.

NOTE: This spray applied per the directions and cautions given above, conforms with Food Additive Regulations 121.1074, 121.1075 and 121.1205 and the food additive tolerances established thereunder.



1909 Hi - Line Drive P.O. Box 10752 Dallas, Texas 75207