

ACCEPTED
 OCT 24 1974
 UNDER THE FEDERAL INSECTICIDE
 FUNGICIDE AND ROENTICIDE ACT
 FOR ECONOMIC POISON REGISTER-
 ED UNDER NO. 9143-54

[9143-54]

NOTICE

THE INGREDIENTS IN THIS PRODUCT ARE NON-FLAMMABLE AND THE SPRAY MIST WILL NOT BURN.

DIRECTIONS FOR USE ON AIRCRAFT

Disinsectization may be accomplished either while the aircraft is in flight or while on the ground prior to take-off, but in no case shall disinsectization be accomplished later than 30 minutes prior to the first landing at a United States port.

The ventilation system shall be stopped and all the openings to the exterior kept closed while the insecticide is being released or sprayed, and for period of not less than 3 minutes thereafter. If disinsectization is accomplished on the ground prior to takeoff the ventilation system may be opened at the end of such period, provided that the system is equipped with filters or other means for preventing the entrance of insects into the aircraft but doors, windows, or other such openings to the exterior shall be kept closed until after the takeoff, except in the case of emergency, or to permit persons applying the insecticide to disembark.

The aerosol should be dispersed at blocks away at a dosage of 5 grams (5 seconds) per 1000 cubic feet space. Remove protective cap. Direct the spray nozzle toward the ceiling of the compartment or space being sprayed. Push button to spray. Move arm from side to side in a sweeping motion. Spray the spaces inaccessible from within aircraft after completely loading fuel, passengers, cargo, baggage, etc., this includes baggage compartments, wheel wells and other similar places.

Spray the cabin, cockpit and other spaces accessible from within the aircraft after the crew is on board and after all doors, windows, hatches and ventilation openings are closed.

CAUTION: Harmful if swallowed. Avoid contamination of food and foodstuffs.

WARNING: Contents under pressure. Do not puncture. Do not store near heat or open flame. Exposure to temperatures above 130°F. may cause bursting. Never throw container into fire or incinerator.

ACTIVE INGREDIENT:	By WL
†(5-Benzyl-3-furyl) methyl 2, 2-dimethyl-3-(2-methylpropenyl)cyclopropanecarboxylate	2.00%
INERT INGREDIENTS:	98.00%
	100.00%

* Cis/trans ratio: max. 11% (±)cis. and min. 89% (±)trans.
 † U.S. Patent No. 3,465,007.

E.P.A. REG. NO. 9143-54
 9143-TX-1

CHEMSCOPE CORPORATION

1909 Hi-Line Drive
 P. O. Box 10752
 Dallas, Texas

CHEMSCOPE
aircraft
insecticide
resmethrin

Type 1, Class 1

FOR PUBLIC HEALTH, PLANT
 PROTECTION AND QUARANTINE
 PESTS FOUND ON AIRCRAFT
 KILLS FLIES, MOSQUITOES, GNATS,
 CARIBBEAN FRUIT FLIES.

Net Wt. 12 oz.

WARNING: KEEP OUT OF REACH OF CHILDREN.
CONTENTS UNDER PRESSURE. SEE OTHER