

ACCEPTED
AUG 14 1980
U.S. Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended for the pesticide
registered under
EPA Reg. No.

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
CAUTION

Harmful if swallowed. Avoid inhalation of vapors. Avoid contact with skin, eyes or clothing. Wash contaminated skin promptly with soap and warm water. For eyes, flush with plenty of water and get medical attention if irritation persists. Avoid contamination of feed and feedstuffs. Do not use in commercial food processing, preparation, storage or serving areas. In home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Cover exposed food. Remove pets, birds and cover fish aquariums before spraying.

PHYSICAL HAZARDS
Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.


DIRECTIONS FOR USE
GENERAL CLASSIFICATION
It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL
Storage: Store in a cool, dry area away from heat or open flame.
Disposal: Do not re-use empty container. Wrap container and put in trash collection.
To kill ticks, remove and destroy old pet bedding. Apply this product as for other insects. Put fresh bedding in pet quarters after treatment. Treat dogs and cats with a registered tick control product before allowing them to enter.
Cover exposed foods, dishes and food handling equipment. Open cabinets and doors to area to be treated. Shut off fans and air conditioners. Put out all flames and pilot lights. Close doors and windows. Point valve opening away from face and eyes when releasing. Use one can for each 5,000 cubic feet of unobstructed area. Use additional cans where free flow of mist is not assured. Do not remain in the area during treatment and ventilate thoroughly before re-entry.

TO OPERATE VALVE: To lock valve in open position for automatic discharge, press valve button all the way down, hooking the catch. Then place the fogger on stand or table in center of room with valve locked opened, placing several layers of newspaper on pad under fogger. Leave building at once and keep building closed for four hours before airing out. Open all doors and windows and allow to air for 30 minutes. Repeat spraying in two weeks or when necessary.

KILLS: Houseflies, Mosquitoes, Black Carpet Beetles, Sawtoothed Grain beetles, Rice Weevils, Small Flying Moths, Spiders, Centipedes, Ticks, Wasps, Pill Bugs, Crickets, Silverfish. Aids in the control of Cockroaches and Waterbugs.

For use in rooms, apartments, homes, attics, basements, camper, boats, garages, pet sleeping areas, household storage areas, cabins.



CHEMSCOPE CORPORATION
1200 EAST RANDOLPH MILL ROAD
ARLINGTON, TEXAS 76011
METRO NO. 10171201/2217

CHEMSCOPE

TOTAL Release Fogger

ACTIVE INGREDIENTS	
D-TRANS Allethrin (allyl homolog of Cinerin I)	300%
Related compounds	023%
*3 Phenoxybenzyl d-cis and trans**2, 2 dimethyl 3 (2 methylpropenyl) cyclopropanecarboxylate	191%
*Other isomers	000%
Petroleum distillate	14.477%
INERT INGREDIENTS	85.000%
*d (cis, trans) phenothrin	
**cis/trans isomer ratio max 25% (+ or -) cis min 75% (+ or -) trans	

ONE UNIT TREATS UP TO 6,000 CUBIC FEET

VOLUME 8 FL. OZ.

NET WT. 7.5 OZ.

METRIC WT. 213 GRAMS

E.P.A. REG. NO. 9143-68

E.P.A. EST. 9143-TX-1

CAUTION:

KEEP OUT OF REACH OF CHILDREN
SEE OTHER CAUTIONS ON BACK PANEL