


# DANGER:

KEEP OUT OF REACH OF CHILDREN

Corrosive. Causes eye damage. May cause burns to moist or broken skin. Do not get in eyes, on skin or on clothing. Wear safety goggles, dust respirator and protective clothing when handling. Dust may be harmful if inhaled, and may irritate nose and throat. Avoid inhalation of dust. May be harmful or fatal if swallowed. (See other precautions and First Aid Statements on right panel).

## **SPARKLE-CLEAR CHLORINE CONCENTRATE** **FOR SWIMMING POOLS**

**ACCEPTED**  
9147-5  
NOV 1 1974  
UNDER THE FEDERAL INSECTICIDE  
FUNGICIDE AND RODENTICIDE ACT  
OR ECONOMIC POISON REGISTER-  
ED UNDER NO. 9147-5



### ACTIVE INGREDIENT:

Sodium Dichloro-s-triazinetrione Dihydrate 100%  
Available Chlorine ..... 56%

Net Weight:

• **FIRST AID:** In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.

If swallowed, feed gruel or cooked cereal followed by olive oil or cooking oil. Call a Physician immediately.

• **NOTE TO PHYSICIAN** Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

• **DANGER** Strong oxidizing agent. Moisture contamination may liberate irritating and hazardous chlorine-containing gases. Decomposes at 350-475°F with liberation of harmful gases. In case of decomposition, if possible isolate container in open air or well ventilated area. Flood with large volume of water if necessary.

Do not reuse container. Rinse empty container thoroughly with water and discard.


This product is toxic to fish. Treated pool effluent water should not be discharged where it will drain into lakes, streams, ponds or public water. Do not contaminate water by cleaning of equipment or disposal of wastes.

Apply this product only as specified on this label.

*Repackaged by:*

**W. C. COOK COMPANY**  
2525 South 50th Avenue  
Cicero, Illinois 60650

EPA Reg. No. **9147-5**



"TAMED IODINE"<sup>®</sup>

**SUPER CONCENTRATED**

# SUPERSAN

DETERGENT - GERMICIDE

## FOR DAIRY FARM SANITATION

**ACTIVE INGREDIENTS:**

Glycolic Acid .....	38.5%
Nonylphenoxy poly(ethyleneoxy) ethanol-iodine complex .....	25.2%
Phosphoric Acid .....	13.8%
(Providing 42000 parts per million available iodine)	

**INERT INGREDIENT:** ..... 22.5%

(Specific Gravity - 1.31) 100.0%

U.S. Patent Nos. 2,931,777; 2,977,315; 3,028,299 and other patents pending.

**CAUTION:** Keep out of reach of children.  
(See rear panel for additional cautions)

manufactured by  
**LAZARUS LABORATORIES INC. DIVISION**  
WEST CHEMICAL PRODUCTS, INC.  
42-16 WEST STREET, LONG ISLAND CITY, N. Y. 11101  
NET CONTENTS 1 GALLON U.S.

**ACCEPTED**  
MAR 6 - 1967  
UNDER THE FEDERAL INSECTICIDE  
FUNGICIDE AND RODENTICIDE ACT  
FOR FOOD AND DRUGS REGISTERED  
FD UNDER NO. 9148-3. SUBJECT  
TO ATTACHED COMMENTS.

● ALWAYS FOLLOW THESE RULES OF GOOD POOL CARE:

**1. GENERAL HOUSEKEEPING HINTS:**

No sanitizer can physically remove dirt particles from a pool. Filter the water according to the recommendations of the filter manufacturer. Maintain the chlorine residual, adjust the water hardness, and use a stabilizer.

**2. For initial conditioning of pool water:**

Filter the water, adjust alkalinity to 80 to 100 ppm, and adjust pH to 7.2 to 7.6. Satisfy chlorine demand of water by addition of W.C. CHLORINE CONCENTRATE at a rate of two (2) ounces per 1000 gallons of pool water. The residual should be about 10 ppm available chlorine. Then add a cyanuric acid stabilizer at the rate of four (4) ounces per 1000 gallons of pool water. This will give the pool approximately 80 ppm of stabilizer level required. POOL SHOULD NOT BE USED UNTIL FREE AVAILABLE CHLORINE DROPS TO 1.0 TO 1.5 ppm.

**3. Daily maintenance:**

Maintain a minimum chlorine residual of 1.0 to 1.5 ppm at all times, even when pool is not in use. In normal use, add one to one and a half (1 to 1½) ounces of W.C. CHLORINE CONCENTRATE per 10,000 gallons of pool water per day. In cool weather, with no bathing load, as little as two (2) ounces per 10,000 gallons of water might retain the proper chlorine residual for a week.

**4. Superchlorination:**

Chlorine combines with simple nitrogen compounds such as ammonia and urea. This chlorine is much less effective as a sanitizer than free available chlorine. It is essential to have a free available chlorine residual to achieve sparkling clear, sanitary pool water. This is accomplished by periodic "Superchlorination" of the pool water, and consists of simply adding a larger than normal dose of chlorine to "burn out" nitrogenous materials. So, every week in hot weather (above 80°), and usually after a heavy rain, superchlorinate by adding three to six (3 to 6) times the normal daily dosage of W.C. CHLORINE CONCENTRATE to the pool water. In cooler weather superchlorination every two weeks should be sufficient. THE MINIMUM RATE OF APPLICATION MUST BE 1.0 OUNCE PER 1000 GALLONS EQUIVALENT TO AT LEAST 1.0 PPM OF AVAILABLE CHLORINE. IN HOT WEATHER 1 OUNCE PER 1000 GALLONS OF POOL WATER.

**5. Please Note:**



Mix only with water. Do not mix with other chemicals. Store in a cool, dry place. Keep out of the reach of children.

● **DANGER:**

KEEP OUT OF REACH OF CHILDREN

Corrosive. Causes eye damage. May cause h to moist or broken skin. Do not get in t on skin or on clothing. Wear safety goggles, dust respirator and protective clothing v handling. Dust may be harmful if inhaled, may irritate nose and throat. Avoid inhala of dust. May be harmful or fatal if swallow (See other precautions and First Aid Statem on right panel).

**SPARKLE-CLEAR CHLORINE CONCENTRATE FOR SWIMMING POOLS**



**ACTIVE INGREDIENT.**

Sodium Dichloro-s-triazinetriene Dihydrate 100%  
Available Chlorine ..... 36%

Net Weight:

# DANGER:

KEEP OUT OF REACH OF CHILDREN

Corrosive. Causes eye damage. May cause burns to moist or broken skin. Do not get in eyes, on skin or on clothing. Wear safety goggles, dust respirator and protective clothing when handling. Dust may be harmful if inhaled, and may irritate nose and throat. Avoid inhalation of dust. May be harmful or fatal if swallowed. (See other precautions and First Aid Statements on right panel).

• FIRST AID

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.

If swallowed, feed grain or cooked cereal followed by olive oil or cooking oil. Call a Physician immediately.

• NOTE TO PHYSICIAN

Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

• DANGER

Strong oxidizing agent. Moisture contamination may liberate irritating and hazardous chlorine containing gases. Decomposes at 350-475°F with liberation of harmful gases. In case of decomposition, if possible isolate container in open air or well ventilated area. Flood with large volume of water if necessary.

Do not reuse container. Rinse empty container thoroughly with water and discard.

This product is toxic to fish. Treated pool effluent water should not be discharged where it will drain into lakes, streams, ponds or public water. Do not contaminate water by cleaning of equipment or disposal of wastes.


Apply this product only as specified on this label.

Repackaged by:

W. C. COOK COMPANY  
2525 South 50th Avenue  
Cicero, Illinois 60650

## SPARKLE-CLEAR CHLORINE CONCENTRATE FOR SWIMMING POOLS

ACCEPTED  
9147-5  
NOV 1 1974  
UNDER THE FEDERAL INSECTICIDE  
FUNGICIDE AND RODENTICIDE ACT  
ECONOMIC POISON REGISTER  
UNDER NO. 9147-5



ACTIVE INGREDIENT:

Sodium Dichloro-s-triazinetriene Dihydrate 100%  
Available Chlorine ..... 56%

17

Net Weight:

EPA Reg. No. 9147-5 18