HEATING

To sanitize hard surfaces associated with ventilation and air conditioning duct work.

GENERAL INFORMATION

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Directions for Use:

- Prior to sanitization, duct work should be mechanically cleaned, vacuumed or blown free of dirt, dust, mold and debris, using a commercially available duct cleaning system or service.
- 2. Preparation of sanitizer solution:

1.3 St.

Add 44. ez. of ANTHRUM BIOXCIDE per gallen of solution to be used. (missionment: Adjust the pil of the solution to 4.0 with acode acid (vinegar) clinic acid, phespheric acid or add 2.5 grame of ACTIVATOR K to each gallen of solution. Allow to stand for 15 minutes. OR ACTIVATOR C

(1.1 GRAMS

3. To apply: Spray or tog santitzer solution into duct work using a suitable spraying or togging device. Make sure that the surfaces are thoroughly wet for at least ten (10) minutes. During application, area must be closed as tightly as possible and sealed. After spraying or togging, the area should be opened and aired for one (1) hour before repopulating. Active solutions may be irritating when breathed, therefore, always use a self-contained respirator approved by NIOSH/MSHA and goggles when togging or spraying these solutions. After application, allow to air dry. Treat as required. Always apply freshly made solutions.

HEATING

To deodorize ventilation and air conditioning duct work systems.

Directions for Use:

- Prior to deodorization, duct work should be mechanically cleaned, vacuumed or blown free of dirt, dust, mold and debris, using a commercially available duct cleaning systems or service.
- 2. Preparation of deodorizing solution: Place Q. Gil. oz. ANTHIUM PIQXCIDE concentrate per gallon of working solution, into clean plastic container and dilute with clean water to desired volume.
- 3. To remove musty odors, spray or log deodorizer thoroughly into duct work or ventilation system. During application, årea must be closed as tightly as possible and sealed. After spraying or logging, the area should be opened and airection one (1) hour before repopulating. Allow to air dry prior to operating system. Treat as required. For persistent odorations system may require sanitation.

moute verming. Avail School will inspire environ

8 in Eyes: Flush with planty of water for 15 minutes. Got medical attention.

Il On Skie: Wash with plonty of soap and water. Got medical attention if irritation persists.

NOTE TO PHYSICIAN

Probable mucusal damage may contraindicate the use of gastric lavage.

ENVIRONMENTAL HAZARS

This product is taxic to fish. Do not discharge effluent containing this product into takes, streams, pends, eshuaries, eceans or public waters unless this product to specifically identified and addressed in an MPDES permit. Do not discharge effluent containing this product to sewer systems without previously notifying the sewage treatment plant authority. For quidance contact your State Water Board or Regional Office of the EPA.

CHEMICAL AND PHYSICAL NAZARDS

Stabilized Chlorine Diexide is a strong exidizing agent. Contamination with other materials such as acids, texic chlorine, organic chemicals, etc., may cause a chemical reaction, resulting in evolution of chlorine diexide gases and heat. Explosion and/or fire could result. Chlorine diexide is a poisonous explosive gas. Keep all chemical and foreign materials away from this solution.

STORAGE AND DISPOSAL

De not store with easily exidizable materials, scids, reducers and combustible material, Aveid heat or freezing conditions. Store upright and do not stack drums ever 2 high on patiets or partially filled drums. Use of a drum pump is suggested, Keep drum tightly closed when not withdrawing figure. In case of spills, dilute with large quantities of water. Do not affew figure to dry because this could present a fire hazard. Store only in the original container and take care to prevent cross contamination with other posticides, fortilizer, feed and feed.

EMERGENCY HANDLING in case of contamination or decomposition, do not reseal container, isolate in an open, well ventilated area. Flood with large volumes of water. Cool unepened drums in vicinity by water spray.

PESTICIOE SISPOSAL: Do not contaminate water, food or food by storage or disposal. Posticide wastes are acutely hazardova. Impreper disposal of excess posticide, spray mixture or rinsate is a violation of Foderal Law. If these wastes cannot be disposed of by use according to label directions, contact your State Posticide or Environmental Control Agency, or the Hazardova Waste representative at the nearest EPA hogienal Office for guidance.

COBTAINER BISPOSAL: Triple rinse (or equivalent). Then effector recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

BBTICE Seller expressly warrants that the product conforms to its chemical description. There are no warrantles associated with the sale of this product either express or implied, including but not limited to the warrantles of fitness for a particular purpose or use.



5% AQUEOUS STABILIZED CHLORINE DIOXIDE

PHV

FOR INSTITUTIONAL OR INDUSTRIAL USE ONLY

Active ingredients:																						
Chlorine Dioxide:	 		•	•	•	•	•	•	 •	•	•	•	•	•	•	•	•	٠	• •	•	5	*
Inert Ingredients: .	 	•	•				•	• •	 •	•	•	•				•	•	۰	• •	_	<u>95'</u>	<u>*</u>
•																					004	

KEEP OUT OF REACH OF CHILDREN CAUTION

SEE SIDE PANELS FOR ADDITIONAL PRECAUTIONARY STATEMENTS

E.P.A. REG. NO. 9150-2 E.P.A. EST. NO. 9150-RI-0

NET WT.____Ibs.