9150-2

CENTER PANEL Page 17.

rheuautiurahy 81A1EMENT8 HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION Harmful If swallowed. Avoid contact with skin, eyes or clothing.

STATEMENT OF PRACTICAL TREATMENT

Swallewed: Orink promptly a large quantity of water. Do not induce vomiting. Avoid alcohol. Get medical attention.

in Eyes: Flush with plenty of water for 15 minutes. Get medical attention.

6a Salm Wash with plenty of soap and water. Get medical attention if Irritation persists.

NOTE TO PHYSICIAN

Probable mucesal damage may contraindicate the use of gastric lavage.

ENVIRONMENTAL HAZARO

This product is toxic to lish. Do not discharge affluent containing this product into takes, streams, ponds, estuarles, oceans or public waters unless this product is specifically identified and addressed in an NPDES permit. Do not discharge affluent containing this product to sewer systems without previously notifying the sewage treatment plant authority. For quidance contact your State Water Board or Regional Office of the EPA.

CHEMICAL AND PHYSICAL HAZARDS

Stabilized Chlorine Bloxide is a strong oxidizing agent. Contraction with other materials such as acids, toxic chlorine, or chemicals, etc., may cause a chemical reaction, resulting in evolution of chlorine dioxide gases and heat. Explosion and/or fire could result. Chlorine dioxide is a porsonous explosive gas. Keep all chemical and foreign materials away from this solution.

STORAGE AND DISPOSAL

Do not store with easily oxidizable materials, acids, reducers and combustible material. Avoid heat or freezing conditions. Store upright and do not stack drums over 2 high on pallets or partially filled drums. Use of a drum pump is suggested. Keep drum tightly closed when not withdrawing liquid, in case of spills, dilute with large quantities of water. Do not allow liquid to dry because this could present a fire hazard. Store only in the original container and take care to prevent cross contamination with other pesticides, fertilizer, food and feed.

EMERGERCY NANDLINE in case of contamination or decomposition, do not reseal container, isolate in an open, well ventilated area. Flood with large volumes of water. Cool unopened drums in vicinity by water spray.

PESTICIDE DISPOSAL: Do not contaminate water, food or feed by storage or disposal. Pesticide wastes are acutely hazardous. In the disposal of excess pesticide, spray mixture or rinsate isolation of Federal Law. If these wastes cannot be disposed of by use according to label directions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning, if burned, stay out of smoke.

ROTICE Seller expressly warrants that the product conforms to its chemical description. There are no warranties associated with the sale of this product either express or implied, including but not limited to the warranties of filness for a particular purpose or use.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Before using this product in the generation of chlorine dioxide AS A DISINFECT ANT

FOR FOOT & MOUTH DISEASE VIRUS, SWIME VESICULAR DISEASE VIRUS & AFRICAN SWIVE FEVER VIRUS SEE PRODUCT DATA

PRODUCT DATA - ANTHIUM DIOXCIDE

ANTHIUM DIOXCIDE®


5% AQUEOUS STABILIZED CHLORINE DIOXIDE

FOR INSTITUTIONAL OR INDUSTRIAL USE ONLY

KEEP OUT OF REACH OF CHILDREN CAUTION

SEE SIDE PANELS FOR ADDITIONAL PRECAUTIONARY STATEMENTS

E.P.A. REG. NO. 9150-2 E.P.A. EST. NO. 9150-RI-01





INTERNATIONAL DIOXCIDE INC.

ACCEPTED

JUN 23 1995

RIGHT PANEL

IN ANIMAL REARING & CONFINEMENT FACILITIES

To disinfect commercial animal confinement facilities such as swine pens and barns against foot and mouth disease virus and swine vesicular disease virus, and African swine fever virus.

Directions for Use:

- 1. Remove all animals and feed from premises, vehicles, enclosures, coops and crates.
- 2. Remove all litter and manure from floors, walls and surfaces of barns, pens, stalls, chutes and other facilities and fixtures occupied or traversed by animals.
- 3. Empty all troughs, racks and other feeding and watering appliances.
- 4. Thoroughly clean all surfaces with soap and detergent and rinse with water.
- 5. Preparation of active disinfectant solution: Place 1.0 fl. oz. Anthium Dioxcide concentrate into a clean, plastic pail, add one (1) gallon of clean potable water and 1.0 grams of Activator-C. Prepare in a well ventilated area. Avoid breathing any fumes which may be produced or allow fifteen (15) minutes reaction time and for activator to dissolve completely. This will yield a working solution containing 390 ppm of available chlorine dioxide. As an alternate activation method, adjust the pH to 3.0 with acetic, citric, phosphoric, sulfuric or hydrochloric acid, or add 8.6 grams of Activator K.
- 6. To apply: Using commercial sprayer, saturate all surfaces with the activated Anthium Dioxcide solution for a period of twenty (20) minutes. Active solutions may be irritating when breathed, therefore, always use an applicable NIOSH/MSHA approved respirator appropriate for chlorine dioxide when spraying these solutions. Immerse all halters, ropes and other types of equipment used in handling and restraining animals as well as forks, shovels and scrapers used for removing litter and manure.
- 7. After treatment, ventilate buildings, pens or other enclosed spaces and allow to air dry. Repopulate when solution has dried.
- Thoroughly scrub treated feed racks, troughs, automatic 8. feeders, fountains and waterers with soap or detergent and rinse with potable water before use.