

# ACIDISOL

## CONCENTRATED ACID SANITIZER

<b>Active Ingredients</b>	
Phosphoric Acid .....	22.5%
Dodecyl Benzene Sulfonic Acid .....	5.0%
Inert Ingredients .....	72.5%

### DANGER

KEEP OUT OF REACH OF CHILDREN

SEE SIDE PANELS FOR STATEMENT OF PRACTICAL TREATMENT AND  
ADDITIONAL PRECAUTIONS

EPA Reg. No. 9152-6

EPA EST. 9152-CA-1

NET CONTENTS

GALLONS

**Morgan-Gaflacher, Inc.**

Acidisol fulfills the criteria of Appendix "F" of the Grade "A" Pasteurized Milk Ordinance 1965 Recommendations of the U.S. Public Health Service when tested by the Charibers Method.

### PRECAUTIONARY STATEMENTS HAZARDOUS TO HUMANS AND DOMESTIC ANIMALS

#### DANGER

Keep out of reach of Children. Corrosive. Causes eye damage and skin irritation. Do not get in eyes, on skin or on clothing. Protect eyes and skin when handling. Harmful if swallowed. Avoid contamination of food.


#### STATEMENT OF PRACTICAL TREATMENT

In case of contact, immediately flush eyes or skin with plenty of water for a least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse. If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Call a physician immediately.

#### NOTE TO PHYSICIAN

Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

(213) 771-1500



LYS-1

#### DIRECTIONS

**Dairy and Food Plant Equipment - Sanitize at least 5 minutes before products are run.**  
**TO SANITIZE BY FLOW METHOD.** Add 1 oz. Acidisol to 2 gals. water. Pump through system for not less than 2 minutes.

**CIP—**Rinse with warm water. Add 1 oz. Acidisol per 2 gal. water. Circulate 5-10 minutes.

**SPRAY—**Spray using 1 oz. to 2 gal. water.

**USE pH - 2.0:**

No rinse required at recommended use dilution

#### STORAGE AND DISPOSAL

**PROHIBITIONS:** Do not contaminate water, food, or feed by storage or disposal. Do not store outside. Avoid creasing or impacting of side walls.

**PESTICIDE DISPOSAL:** Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray or mixture of rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional office for guidance.

**CONTAINER DISPOSAL:** Triple rinse (or equivalent). Then offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities by burning. If burned, stay out of smoke.

**Metal Container:** Triple rinse (or equivalent), then offer for recycling or reconditioning, or dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

**One gallon container or less:** Triple rinse (or equivalent.) Do not reuse empty container (bottle, can, bucket). Wrap container and put in trash.

#### SPILL OR LEAK

Contain spill/leak. Place in a appropriate chemical waste container. Flush spill area with water. Observe all local, state and federal laws and regulations regarding disposal, spill, cleanup, removal or discharge.