

PM 30 9152-18

1 of 4

MAY 10 1993

Morgan-Gallacher, Inc.
8707 Millergrove Drive
Sante Fe Springs, CA 90670

Attn: Archy F. Slover
Chemist

Subject: Acidisol

EPA Registration No. 9152-18
Your Submission Dated November 24, 1992

This is in response to your declaration of Dodecylbenzene-sulfonic acid (DDBSA) as an active ingredient in the subject product.

The revised updated Confidential Statement of Formula dated 11-24-92 agrees with the revised label's claim and is acceptable.

The label declares DDBSA as an active ingredient and it is in compliance with our letter of November 5, 1992.

The labeling referred to above submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable subject to the following comment. A stamped copy is enclosed for your records.

The statement of misuse, "It is a violation of Federal Law to use this product in a manner inconsistent with its labeling" should be located immediately beneath the "Directions For Use" heading.

CONCURRENCES

SYMBOL							
SURNAME							
DATE							

2014

-2-

Should you have questions call Arvella Farmer at (703) 305-6939.

Sincerely yours,



Ruth G. Douglas
Product Manager 32
Antimicrobial Program Branch
Registration Division (H7504C)

Enclosure

M132 9152-18

ACIDISOL ACID SANITIZER

ACCEPTED
with COMMENTS
MAY 10 1993
9152-18

Acidisol meets the criteria of Appendix "F" of the Grade "A" Pesticide Recommendations of the U.S. Public Health Service when tested by the

PRECAUTIONARY STATEMENTS
HAZARDOUS TO HUMANS AND DOMESTIC ANIMALS
Keep Out of reach of Children
DANGER

Corrosive. Causes eye damage and skin irritation. Do not get in eyes, on skin, and skin when handling. Harmful if swallowed. Avoid contamination of food.

STATEMENT OF PRACTICAL TREATMENT
In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. Call a physician. Remove and wash contaminated clothing before reuse. If swallowed, drink a quantity of milk, egg whites, gelatin solution or if these are not available, water. Call a physician immediately.

- Active Ingredients
 - Phosphoric Acid 22.5%
 - Dodecyl Benzene Sulfonic Acid 5.0%
- Inert Ingredients 72.5%

KEEP OUT OF REACH OF CHILDREN

DANGER

SEE SIDE PANELS FOR STATEMENT OF PRACTICAL TREATMENT AND ADDITIONAL PRECAUTIONS

EPA Registration No. 9152-18

EPA EST. 9152-CA-1

NET CONTENTS

NOTE TO PHYSICIAN
Probable mucosal damage may contraindicate the use of gastric lavage. Shock, respiratory depression and convulsion may be needed.

STORAGE AND DISPOSAL
PROHIBITIONS: Do not contaminate water, food, or feed by storage or disposal. Avoid creating or impacting of side walls.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reuse, if allowed by local, state and federal laws and regulations regarding disposal, spill, etc.

SPILL OR LEAK
Contain spill/leak. Place in an appropriate chemical waste container. Flush local, state and federal laws and regulations regarding disposal, spill, etc.

Morgan-Gallacher, Inc. SANTA FE SPRINGS, CA

BEST AVAILABLE COPY

4074



It is a violation of Federal law to use this product in a manner inconsistent with labeling.

WHERE TO USE: Acidisol is recommended for sanitizing tanks, piping and processing equipment in: Dairies, Dairy Farms, Cheese Plants, Ice Cream Plants, Restaurants, Beverage Plants, and Food Processing Plants.

DIRECTIONS FOR USE: Remove gross food particles and soil before the application of Acidisol by a pre-rinse or pre-scrape or when necessary by a pre-soak treatment.

Thoroughly wash the surface or objects with a detergent or compatible cleaner followed by a potable water rinse prior to the application of the sanitizing solution.

For sanitizing by immersion or brushing: use 1 oz. Acidisol for every 2 gallons water. Contact time 2 minutes unless advised differently by your Health Department.

Dairy and Food Plant Equipment-Sanitize at least 5 minutes before products are run.

TO SANITIZE BY FLOW METHOD: Add 1 oz. Acidisol to 2 gallons water. Pump through the system until full flow is obtained at all extremities, the system is completely filled with the sanitizer and all air is removed from the system. Close drain valves and hold under pressure for at least 2 minutes to insure contact with all internal surfaces. Drain the solution and air dry.

CIP: Rinse with warm water. Add 1 oz. Acidisol to 2 gallons water. Pump solution through system until full flow is obtained at all extremities, the system is completely filled with the sanitizer and all air is removed from the system. Close drain valve and hold under pressure for at least 10 minutes to insure contact with all internal surfaces. Drain the solution and air dry.

CLIP OF FLOW METHOD OF SANITIZING: Add 1 oz. Acidisol to 2 gallons water. Pump through the system until full flow is obtained at all extremities. The system is completely filled with the sanitizer and all air is removed from the system. Close drain valve and hold under pressure for at least 2 minutes for the flow method and 10 minutes for CIP. Drain the solution and air dry.

SPRAY: Spray using 1 oz. to 2 gallons water. Allow at least 2 minutes contact time, allow to drain and air dry.

IMMERSION OR BRUSHING: Use 1 oz. Acidisol for every 2 gallons of water. Contact time 2 minutes unless advised differently by your Health Department.



(310) 695-1232

BEST AVAILABLE COPY