

ACIDISOL

ACID SANITIZER

Active Ingredients	
Phosphoric Acid	22.5%
Dodecyl Benzene Sulfonic Acid	5.0%
Inert Ingredients	72.5%

KEEP OUT OF REACH OF CHILDREN

DANGER

SEE SIDE PANELS FOR STATEMENT OF PRACTICAL TREATMENT AND
ADDITIONAL PRECAUTIONS

EPA Registration No. 9152-18

EPA EST. 9152-CA-1

NET CONTENTS

81-2171
 JUN 14 1981
 ACCEPTED

Acidisol fulfills the criteria of Appendix "F" of the Grade "A" Pasteurized Milk Ordinance and the recommendations of the U.S. Public Health Service when tested by the Chambers Institute.

PRECAUTIONARY STATEMENTS
HAZARDOUS TO HUMANS AND DOMESTIC ANIMALS
 Keep Out of reach of Children

DANGER

Corrosive. Causes eye damage and skin irritation. Do not get in eyes, on skin or on clothing and skin when handling. Harmful if swallowed. Avoid contamination of food.

STATEMENT OF PRACTICAL TREATMENT

In case of contact, immediately flush eyes or skin with plenty of water for a least 15 minutes. Call a physician. Remove and wash contaminated clothing before reuse. If swallowed, drink large quantity of milk, egg whites, gelatin solution or if these are not available, drink large quantity of water. Call a physician immediately.

NOTE TO PHYSICIAN

Probable mucosal damage may contraindicate the use of gastric lavage. Measures to prevent shock, respiratory depression and convulsion may be needed.

STORAGE AND DISPOSAL

PROHIBITIONS: Do not contaminate water, food, or feed by storage or disposal. Do not use in areas where food is prepared. Avoid creasing or impacting of side walls.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reuse, if allowed by state and local laws and regulations. If incineration or, if allowed by state and local laws and regulations, burning. If burned, stay out of smoke.

SPILL OR LEAK

Contain spill/leak. Place in an appropriate chemical waste container. Flush spill area with water. Observe local, state and federal laws and regulations regarding disposal, spill, cleanup, removal.

Morgan-Gallacher, Inc.

SANTA FE SPRINGS, CA 90670

BEST AVAILABLE COPY

BEST AVAILABLE COPY

204

2/16-84

WHERE TO USE: Acidisol is recommended for sanitizing tanks, piping and processing equipment in: Dairies, Dairy Farms, Cheese Plants, Ice Cream Plants, Restaurants, Beverage Plants, and Food Processing Plants.

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with labeling. Remove gross food particles and soil before the application of Acidisol by a pre-flush or pre-scrape or when necessary by a pre-soak treatment.

Thoroughly wash the surface or objects with a detergent or compatible cleaner followed by a potable water rinse prior to the application of the sanitizing solution.

For sanitizing by immersion: use 1 oz. Acidisol for every 2 gallons water. Contact time 2 minutes unless advised differently by your Health Department.

Dairy and Food Plant Equipment-Sanitize at least 5 minutes before products are run.

TO SANITIZE BY FLOW METHOD: Add 1 oz. Acidisol to 2 gallons water. Pump through the system until full flow is obtained at all extremities, the system is completely filled with the sanitizer and all air is removed from the system. Close drain valves and hold under pressure for at least 2 minutes to insure contact with all internal surfaces. Drain the solution and air dry.

CIP: Rinse with warm water. Add 1 oz. Acidisol to 2 gallons water. Pump solution through system until full flow is obtained at all extremities, the system is completely filled with the sanitizer and all air is removed from the system. Close drain valve and hold under pressure for at least 10 minutes to insure contact with all internal surfaces. Drain the solution and air dry.

CIP OF FLOW METHOD OF SANITIZING: Add 1 oz. Acidisol to 2 gallons water. Pump through the system until full flow is obtained at all extremities. The system is completely filled with the sanitizer and all air is removed from the system. Close drain valve and hold under pressure for at least 2 minutes for the flow method and 10 minutes for CIP. Drain the solution and air dry.

IMMERSION: Use 1 oz. Acidisol for every 2 gallons of water. Contact time 2 minutes unless advised differently by your Health Department.

(310) 695-1232

BEST AVAILABLE COPY