

6/01

SHUR-SAN SANITIZER IS RECOMMENDED FOR USE ON FOOD PROCESSING EQUIPMENT AND UTENSILS INCLUDING DAIRY AND BREWERY PLANTS. IT IS ALSO RECOMMENDED FOR USE ON DISHES AND GLASSES IN RESTAURANTS.

DIRECTIONS FOR USE

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCTS IN A MANNER INCONSISTENT WITH ITS LABELING. FOR NON-RESIDENTIAL USE ONLY

DIRECTION FOR SANITIZING FOOD PROCESSING OR DAIRY EQUIPMENT

PRE FLUSH TANKS, SILOS, VATS, TABLES AND SMALL PARTS WITH POTABLE WATER AND SOAK OR WASH WITH DETERGENT. THIS IS EFFECTIVE WHEN APPLIED BY BRUSH OR PRESSURE WASHER. ALL FOOD PARTICLES MUST BE REMOVED. RINSE WITH POTABLE WATER BEFORE APPLYING THE SHUR-SAN.

FLUSHING OR RINSING: DISSOLVE 1 OUNCE OF SHUR-SAN IN EACH 7½ GALLONS OF WATER REQUIRED. THIS WILL YIELD APPROXIMATELY 100 ppm AVAILABLE CHLORINE. BRUSH BY HAND ANY SURFACES NOT REACHED BY THE FOLLOWING SOLUTION. CONTACT TIME SHOULD BE AT LEAST TWO MINUTES. TEST SOLUTION DURING USE TO MAKE SURE THE CONCENTRATION DOES NOT DROP BELOW 50 ppm AVAILABLE CHLORINE. DO NOT RINSE. DRAIN SHUR-SAN SOLUTION FROM SURFACE AND AIR DRY.

SPRAYING: DISSOLVE 1 OUNCE OF SHUR-SAN IN EACH 7½ GALLONS OF WATER REQUIRED. THIS WILL YIELD APPROXIMATELY 100 ppm AVAILABLE CHLORINE. SPRAY ALL SURFACES THOROUGHLY. LEAVE SOLUTION ON SPRAYED SURFACES FOR AT LEAST 5 MINUTES OR LONGER WHERE SPECIFIED BY LOCAL REGULATIONS. DO NOT RINSE. ALLOW TO DRAIN AND AIR DRY.

DO NOT RE-USE SHUR-SAN SOLUTION FOR SANITIZING MECHANICAL OPERATIONS. PREPARE FRESH SHUR-SAN SOLUTION AT LEAST DAILY OR MORE OFTEN IF THE SOLUTION BECOMES DILUTED OR SOILED.

STORAGE AND DISPOSAL

- 1. PROHIBITIONS:** Do not contaminate water, food, or feed by storage or disposal. Do not store on side. Avoid impacting of side walls.
- 2. PESTICIDE DISPOSAL:** Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.
- 3. CONTAINER DISPOSAL:** Completely empty liner by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into application equipment. Then dispose of liner in a sanitary landfill or by incineration if allowed by State and Local authorities. If drum is contaminated and cannot be reused, dispose of in the same manner.
- 4. SPILL OR LEAK:** sweep up. Place in an appropriate chemical container. Flush spill area with water. Observe all local, state, and federal laws and regulations regarding disposal, spill, cleanup, removal or discharge.

SHUR-SAN

SANITIZING COMPOUND

FORMULATED ESPECIALLY FOR FOOD PROCESSORS

EQUIPMENT IN THE FOOD PLANT SHOULD BE THOROUGHLY CLEANED AND RINSED AFTER DAILY USE. SANITIZE EQUIPMENT AFTER USE OR AT TIME SPECIFIED BY LOCAL REGULATIONS.

KEEP OUT OF REACH OF CHILDREN
DANGER

SEE RIGHT PANEL FOR ADDITIONAL CAUTIONS

ACTIVE INGREDIENTS: Sodium dichloro-s-triazinetriene . . .16.5%
INERT INGREDIENTS: 83.5%
(AVAILABLE CHLORINE - 10%)

EPA REGISTRATION NO. 9152-19

EPA EST NO. 9152-CA-1

ACCEPTED

JUL 18 2001

NET CONTENTS:

9152-19

KEEP OUT OF REACH OF CHILDREN
DANGER - CORROSIVE

Causes eye damage • Causes skin irritation • Harmful if swallowed

FIRST AID

- If inhaled**
 - Move person to fresh air.
 - If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.
 - Call a poison control center or doctor for further treatment advice.
- If on skin or clothing**
 - Take off contaminated clothing
 - Rinse skin immediately with plenty of water for 15-20 minutes.
 - Call a poison control center or doctor for treatment advice.
- If in eyes**
 - Hold eye open and rinse slowly and gently with water for 15-20 minutes.
 - Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
 - Call a poison control center or doctor for treatment advice.
- If swallowed**
 - Call a poison control center or doctor immediately for treatment advice.
 - Have person sip a glass of water if able to swallow.
 - Do not induce vomiting unless told to do so by the poison control center or doctor.
 - Do not give anything by mouth to an unconscious person.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

Questions? Contact: 1-800-537-5567

NOTE TO PHYSICIAN

Probable mucosal damage may contraindicate the use of gastric lavage.

PRECAUTIONARY STATEMENTS
HAZARDOUS TO HUMANS & DOMESTIC ANIMALS
DANGER

“Corrosive: Causes irreversible eye damage. Causes skin irritation. Harmful if swallowed, inhaled or absorbed through skin. Do not get in eyes, on skin or on clothing. Wear goggles, face shield or safety glasses. Wash thoroughly after handling. Remove contaminated clothing and wash before reuse”.

Warning: Oxidizing Material - avoid contact with organic materials. Retie polyethylene liner after each use and keep container tightly closed. Store in a dry place. Keep container off wet floor.

ENVIRONMENTAL HAZARD STATEMENT

“This pesticide is toxic to fish and aquatic organisms. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the sewage treatment plant authority. For guidance, contact State Water Board or Regional Office of the EPA”.

PHYSICAL AND CHEMICAL HAZARDS: STORAGE OXIDIZING AGENT: Mix only with water according to label directions. Mixing this product with gross filth such as feces, urine, etc., or other chemicals will release hazardous gases irritating to eyes, lungs and mucous membranes.

(562) 695-1232

Morgan-Göllacher, Inc.

SANTA FE SPRINGS, CA 90670

9152-19

07/18/2001

1/1