

DIRECTIONS FOR USE. It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

To **CLEAN AND DEODORIZE** glasses, dishes, mugs, knives, trays, food utensils and equipment use the following procedure:

Scrape and then prewash with Tri-Chlor solution (1 oz. or 2 level lbs. per quart of water). Rinse in potable water.

To **SANITIZE** glasses, dishes, mugs, knives, trays, food utensils and equipment use the following procedure:

Sanitize in Tri-Chlor solution. (2 level lbs. or 1 oz. per gallon of potable water.) Immerse all utensils for at least two minutes or contact time specified by governing sanitary code.

To **SANITIZE** food processing or dairy equipment, clean equipment daily in the normal manner. Just before using rinse all surfaces thoroughly with Tri-Chlor solution containing 200 ppm available chlorine. Maintain contact with disinfectant for a minimum of two minutes. Do not rinse. Do not soak overnight.

For removal of proteinacious soil, dissolve 1/2 to 2 ounces of Tri-Chlor in each gallon of water required. Apply by brush or spray. Rinse with water.

USE DILUTION TABLE

TRI-CLOR	WATER	AVAILABLE CHLORINE
1 1/2 oz.	3 Gallons	100 ppm
3 oz.	3 Gallons	200 ppm

NOTE: WHEN USED ON FOOD CONTACT PROCESSING EQUIPMENT AND UTENSILS, AND ON OTHER FOOD CONTACT ARTICLES FDA REGULATIONS PRESCRIBE ADEQUATE DRAINING BEFORE CONTACT WITH FOOD.

Solutions should be freshly prepared. Solutions should be tested during use to make sure the concentration does not drop below the recommended level. Keep in properly labeled containers to protect against contamination. Unused solutions should be discarded.

SPECIAL USE INSTRUCTIONS. Hazardous carbon monoxide can form upon contact with food and beverage products in enclosed spaces and can cause death. Follow appropriate tank entry procedures. (See ANSI-Z 117.1-1977)

TRI-CHLOR

SANITIZER - DEODORANT

ACTIVE INGREDIENTS:
SODIUM HYPOCHLORITE*3.25%
INERT INGREDIENTS96.75%
AVAILABLE CHLORINE3.09%

*Derived from Trisodium Phosphate Chlorinated
FOR INDUSTRIAL USE AS A SANITIZING
AGENT IN FOOD SERVICE ESTABLISHMENTS

DANGER!
MAY CAUSE BURNS TO EYES
SEE FIRST AID STATEMENT AND
ADDITIONAL
PRECAUTIONS ON SIDE PANELS

EPA Reg. No. 9152-21

EPA EST. 9152-CA-1

BEST AVAILABLE COPY

Morgan-Gallacher, Inc.

STOPPAGE-AND DISPOSAL: Store in a safe place. Do not use for drinking water, food, or feed by storage or use. Pesticide wastes are acutely hazardous. Do not use. Pesticide, spray mixture, or rinse is a waste cannot be disposed of by use or contact your State Pesticide or Environment Hazardous Waste representative for the guidance.

Completely empty drum/liner (if present) and bottom to loosen clinging particles. Then dispose of in a manner allowed by State and local authorities.

SPILL OR LEAK: Wear NIOSH/MSD respirator. Follow OSHA regulations (29 CFR 1910.134). Wear goggles, coveralls, and gloves. Shovel or sweep up and place in an appropriate container.

PRECAUTIONARY STATEMENTS: HAZARDS TO HUMANS AND DOMESTIC ANIMALS: DANGER: Corrosive and alkaline. Causes irritation. Do not get in eyes, on skin, or on clothing, and rubber gloves and boots. Swallowing, Avoid breathing dust. Use or store in well-ventilated area.

FIRST AID (Practical Treatment): If on Skin: Flush skin with cold water for at least 15 minutes. Call physician.

If In Eyes: Flush with cold water for at least 15 minutes. Call physician.

If Swallowed: Give large amounts of water. Call physician.

If Inhaled: Remove to fresh air. Call a physician.

ENVIRONMENTAL HAZARDS: This product should not be discharged into lakes, streams, ponds, or other bodies of water, in accordance with a NPDES Permit. For guidance contact your local office of EPA.

(213) 695-1232

SANTA FE SPRINGS