

Reg # 9152-21

PM-32

1/8 2

DIRECTIONS FOR USE: It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

TO CLEAN AND DEODORIZE glasses, dishes, mugs, knives, trays, food utensils and equipment use the following procedure:

Scrape and then prewash with Tri-Chlor solution (1 oz. or 2 level lbs. per quart of water). Rinse in potable water.

TO SANITIZE glasses, dishes, mugs, knives, trays, food utensils and equipment use the following procedure:

Sanitize in Tri-Chlor solution. (2 level lbs. or 1 oz. per gallon of potable water). Immerse all utensils for at least two minutes or contact time specified by governing sanitary code.

TO SANITIZE food processing or dairy equipment, clean equipment daily in the normal manner. Just before using rinse all surfaces thoroughly with Tri-Chlor solution containing 200 ppm available chlorine. Maintain contact with disinfectant for a minimum of two minutes. Do not rinse. Do not soak overnight.

For removal of proteinaceous soil, dissolve 1/2 to 2 ounces of Tri-Chlor in each gallon of water required. Apply by brush or spray. Rinse with water.

TRI-CHLOR	USE DILUTION TABLE	
	WATER	AVAILABLE CHLORINE
1 1/2 oz.	3 Gallons	100 ppm
3 oz.	3 Gallons	200 ppm

NOTE: WHEN USED ON FOOD CONTACT PROCESSING EQUIPMENT AND UTENSILS, AND ON OTHER FOOD CONTACT ARTICLES FDA REGULATIONS PRESCRIBE ADEQUATE DRAINING BEFORE CONTACT WITH FOOD.

Solutions should be freshly prepared. Solutions should be tested during use to make sure the concentration does not drop below the recommended level. Keep in properly labeled containers to protect against contamination. Unused solutions should be discarded.

SPECIAL USE INSTRUCTIONS: Hazardous carbon monoxide can form upon contact with food and beverage products in enclosed spaces and can cause death. Follow appropriate tank entry procedures. (See ANSI-Z 117.1-1977)

TRI-CHLOR SANITIZER - DEODORANT

ACTIVE INGREDIENT:

SODIUM HYPOCHLORITE* 3.25%

INERT INGREDIENTS 96.75%

*Derived from Trisodium Phosphate Chlorinated

AVAILABLE CHLORINE 3.09%

FOR INDUSTRIAL USE AS A SANITIZING
AGENT IN FOOD SERVICE ESTABLISHMENTS

DANGER!
MAY CAUSE BURNS TO EYES
SEE FIRST AID STATEMENT AND
ADDITIONAL
PRECAUTIONS ON SIDE PANELS

EPA Reg. No. 9152-21 EPA EST. 9152-CA-1
NET WT. 300 LBS.

PROHIBITIONS: Store by storage or disposal.

PESTICIDE DISPOSAL: disposal of excess pest. If these wastes cannot contact your State Pest Waste representative.

CONTAINER DISPOSAL: Tapping sides and bottom application equipment, allowed by State and local.

Wear NIOSH/MSHA approved respirator use (see gloves and boots. Show and seal.

HAZARDS: DANGER: Corrosive material get in eyes, on skin, on and boots when handling with adequate ventilation.

FIRST AID (Practical): If on Skin: Flush skin with water.

If in Eyes: Flush with clean water.

If Swallowed: Give to physician.

If Inhaled: Remove to fresh air.

ENVIRONMENTAL HAZARD: lakes, streams, ponds. Permit. For guidance contact your local authority.

(310) 695-1232

Morgan-Gallacher, Inc.

NOT REVIEWED
In Accordance with FR Notice 82-2.
Based on Draft Labeling Dated

11/18/92

BEST AVAILABLE COPY

292

FOR USE: It is a violation of Federal Law to use this product in a consistent with its labeling.

AND DEODORIZE glasses, dishes, mugs, knives, trays, and equipment use the following procedure:

then prewash with Tri-Chlor solution (1 oz. or 2 level lbs. per quart of use in potable water.

WASH glasses, dishes, mugs, knives, trays, food utensils and equipment using procedure:

1. Tri-Chlor solution. (2 level lbs. or 1 oz. per gallon of potable water). all utensils for at least two minutes or contact time specified by sanitary code.

2. RINSE food processing or dairy equipment, clean equipment daily in the manner. Just before using rinse all surfaces thoroughly with Tri-Chlor containing 200 ppm available chlorine. Maintain contact with disinfectant for two minutes. Do not rinse. Do not soak overnight.

3. For removal of proteinaceous soil, dissolve 1/4 to 2 ounces of Tri-Chlor in each gallon of water required. Apply by brush or spray. Rinse with water.

USE DILUTION TABLE	
WATER	AVAILABLE CHLORINE
3 Gallons	100 ppm
3 Gallons	200 ppm

WHEN USED ON FOOD CONTACT PROCESSING EQUIPMENT AND UTENSILS, AND ON OTHER FOOD CONTACT ARTICLES FDA REGULATIONS REQUIRE ADEQUATE DRAINING BEFORE CONTACT WITH FOOD.

Solutions should be freshly prepared. Solutions should be tested during use to insure the concentration does not drop below the recommended level. Keep in labeled containers to protect against contamination. Unused solutions should be discarded.

SAFETY INSTRUCTIONS: Hazardous carbon monoxide can form upon use with food and beverage products in enclosed spaces and can cause suffocation. Follow appropriate tank entry procedures. (See ANSI-Z 117.1-1977)

TRI-CHLOR SANITIZER - DEODORANT

ACTIVE INGREDIENT:

SODIUM HYPOCHLORITE*3.25%

INERT INGREDIENTS.....96.75%

*Derived from Trisodium Phosphate Chlorinated

AVAILABLE CHLORINE.....3.09%

FOR INDUSTRIAL USE AS A SANITIZING
AGENT IN FOOD SERVICE ESTABLISHMENTS

DANGER!
MAY CAUSE BURNS TO EYES
SEE FIRST AID STATEMENT AND
ADDITIONAL
PRECAUTIONS ON SIDE PANELS

EPA Reg. No. 9152-21 EPA EST. 9152-CA-1
NET WT. 300 LBS.

STORAGE AND DISPOSAL
PROHIBITIONS: Store in cool dry area. Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Completely empty drum/liner (if present) by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into application equipment. Then dispose of in a sanitary landfill or by incineration if allowed by State and local authorities.

SPILL OR LEAK
Wear NIOSH/MSHA approved dust/chlorine respirator. Follow OSHA regulations for respirator use (sec.29 CFR 1910.134). Wear goggles, coveralls, and rubber gloves and boots. Shovel or sweep up and place in an approved DOT container and seal.

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
DANGER: Corrosive and alkaline. Causes eye damage and skin irritation. Do not get in eyes, on skin, or on clothing. Wear goggles, coveralls, and rubber gloves and boots when handling. Harmful if swallowed. Avoid breathing dust. Use only with adequate ventilation.

FIRST AID (Practical Treatment):
If on Skin: Flush skin with cold water for at least 15 minutes. Call physician.
If in Eyes: Flush with cold water for at least 15 minutes. Call physician.
If Swallowed: Give large amounts of water. Do not induce vomiting. Call physician.
If Inhaled: Remove to fresh air. Call a physician.

ENVIRONMENTAL HAZARDS: This product is toxic to fish. Do not discharge into lakes, streams, ponds, or public waters unless in accordance with a NPDES Permit. For guidance contact the regional office of EPA.

(310) 695-1232

Morgan-Gallacher, Inc.

SANTA FE SPRINGS, CA 90670

NOT REVIEWED
In Accordance with PR Notice 82-2.
Based on Draft Labeling Dated

BEST AVAILABLE COPY