

FIRE RESISTANT ICENTRATED L CHLORINE

CHLORINE NET WT. 5 LBS.

17																																										
_	T	R	1	١,	Z	11	V	E	T	F	})(V	E		1	1	Y	C	F	₹.	A	1	E	=	•	•		•	•		•	•	•	•	•	•	•		• •	100] %
	•			•	•	•	•			•			•	•	•			•	•	•	•	•			•	•					•		•	•	•		•	•	•	• •	. 50	6%

ER

KEEP OUT OF REACH OF CHILDREN See Antidote and Precautions on Side Panel

MMING POOL CHEMICALS

OF SUN CLEANSER COMPANY

trial Road - Livonia, Michigan 48150

INSTRUCTIONS

When starting up a new pool, superchlorinate to satisfy chlorine demand and to establish a chlorine residual of 1.0 ppm to 1.5 ppm available chlorine. To accomplish this, add 2 oz. Sun "100" concentrated Pool Chlorine per 1,000 gallons of pool water. The next morning, add Sun cyanuric acid at the rate of 4 oz. per 1,000 gallons to stabilize the pool.

Sun "100" concentrated Pool Chlorine should be added daily or as needed at the rate of 1/2 to 1/4 oz. per 1,000 gallons of pool water to maintain a chlorine residual at all times of 1.0 ppm to 1.5 ppm as determined by a suitable test kit. The pH should be maintained between 7.2 and 7.6.

A shock treatment should be made every week during hot weather or after heavy rains. Less frequent shock treatments may be made during cool weather. For the shock treatment, add 2 oz. of Sun "100" concentrated Pool Chlorine per 1,000 gallons of pool water. Swimmers should not be permitted in the pool after the shock treatment until the chlorine residual has reached the 1.0 ppm to 1.5 ppm range.

Keep in mind that a slight flexibility must be maintained in the event of heavy accumulations of dust and dirt caused by storms or super heavy bathing loads which require additional dosages as needed to maintain the chlorine residual between 1.0 ppm and 1.5 ppm.

DANGER

KEEP OUT OF REACH OF CHILDREN

Corrosive Causes eye damage. Do not get in eyes or on skin. Do not breathe dust. May cause skin, nose and throat irritation. Wear safety goggles, dust respirator and protective clothing when handling. May be fatal if swallowed. May cause burns to broken skin.

Strong oxidizing agent. Moisture contamination may liberate irritating and hazardous chlorine-containing gases. Decomposes at 350-475° F with liberation of harmful gases. In case of decomposition, if possible isolate container in open air or well ventilated area. Flood with large volume of water if necessary.

Mix only with water. Do not mix with other pool chemicals. Use only dry clean measuring utensils. Store in a cool dry place. Keep closed when not being used.

FIRST AID

In case of personal contact remove excess material and flush skin or eyes with cold water for at least 15 minutes. For eyes get medical attention. Clean contaminated clothing before reuse.

If swallowed, feed gruel or cooked cereal followed by olive oil or cooking oil. Call a Physician immediately.

Do not reuse container. Rinse empty container thoroughly with water and discard.