

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER

Highly toxic if swallowed. May be fatal if swallowed. Causes severe eye irritation. Causes severe skin irritation. Causes severe respiratory irritation. Causes severe allergic reaction. Causes severe allergic reaction. Causes severe allergic reaction.

ENVIRONMENTAL HAZARD

May be harmful to aquatic life. May be harmful to birds. May be harmful to bees. May be harmful to fish. May be harmful to plants. May be harmful to soil.

PHYSICAL AND CHEMICAL HAZARDS STRONG OXIDIZING AGENT

May cause fire or explosion. May cause severe eye irritation. May cause severe skin irritation. May cause severe respiratory irritation. May cause severe allergic reaction. May cause severe allergic reaction. May cause severe allergic reaction.

STORAGE AND DISPOSAL

Store in a cool, dry place. Do not store near heat or fire. Do not store near food or feed. Do not store near children or pets. Do not store near water. Do not store near plants or animals.

Dispose of in accordance with local, state, and federal regulations. Do not dump in water. Do not dump on land.

FMC

Franklin, Missouri
FMC Chemical Corporation
Franklin, Missouri 64523

SUN 20 TABS LARGE ACCEPTED 9157-27 SEP 20 1979 9157-27 TABLETS STABILIZED POOL CHLORINATING CONCENTRATE

ACTIVE INGREDIENT:
TRICHLORO-S-TRIAZINETRIONE 99.5%
INERT INGREDIENTS .5%
MINIMUM AVAILABLE CHLORINE 89%

KEEP OUT OF REACH OF CHILDREN
DANGER

PRACTICAL TREATMENT

FIRST AID

If swallowed: Do not induce vomiting. Get medical attention immediately.

If in eyes: Flush eyes with water for at least 15 minutes. Get medical attention.

If on skin: Wash skin with water for at least 15 minutes. Get medical attention.

SEE ADDITIONAL PRECAUTIONS ON SIDE PANEL.

NET WT. 8.75-LBS. (3.97 kg)

BEST DOCUMENT AVAILABLE



A SOLID GERMICIDE AND ALGACIDE
THAT DISSOLVES SLOWLY
PROVIDING EFFECTIVE
LONG LASTING TREATMENT

DIRECTIONS FOR USE

DO NOT HANDLE THIS PRODUCT
WITH BARE HANDS. USE GLOVES OR
THOROUGHLY CLEAN, DRY UTENSILS.

STARTUP

1. Add 1 lb. of Sun to 10,000 gal. of water.

2. Stir thoroughly.

3. Add to pool.

4. Repeat every 2 weeks.

5. Repeat every 4 weeks.

6. Repeat every 6 weeks.

7. Repeat every 8 weeks.

8. Repeat every 10 weeks.

9. Repeat every 12 weeks.

10. Repeat every 14 weeks.

11. Repeat every 16 weeks.

12. Repeat every 18 weeks.

13. Repeat every 20 weeks.

14. Repeat every 22 weeks.

15. Repeat every 24 weeks.

16. Repeat every 26 weeks.

17. Repeat every 28 weeks.

18. Repeat every 30 weeks.

19. Repeat every 32 weeks.

20. Repeat every 34 weeks.

21. Repeat every 36 weeks.

22. Repeat every 38 weeks.

23. Repeat every 40 weeks.

24. Repeat every 42 weeks.

25. Repeat every 44 weeks.

26. Repeat every 46 weeks.

27. Repeat every 48 weeks.

28. Repeat every 50 weeks.

29. Repeat every 52 weeks.

30. Repeat every 54 weeks.

31. Repeat every 56 weeks.

32. Repeat every 58 weeks.

33. Repeat every 60 weeks.

34. Repeat every 62 weeks.

35. Repeat every 64 weeks.

36. Repeat every 66 weeks.

37. Repeat every 68 weeks.

38. Repeat every 70 weeks.

39. Repeat every 72 weeks.

40. Repeat every 74 weeks.

41. Repeat every 76 weeks.

42. Repeat every 78 weeks.

43. Repeat every 80 weeks.

44. Repeat every 82 weeks.

45. Repeat every 84 weeks.

46. Repeat every 86 weeks.

47. Repeat every 88 weeks.

48. Repeat every 90 weeks.

49. Repeat every 92 weeks.

50. Repeat every 94 weeks.

51. Repeat every 96 weeks.

52. Repeat every 98 weeks.

53. Repeat every 100 weeks.

SUPERCHLORINATE USING SUN
POOL CHLORINATING CONCENTRATE
GRANULAR OR SUN BOOSTER

**PRECAUTIONARY
STATEMENTS**

**HAZARDS TO HUMANS AND
DOMESTIC ANIMALS**

DANGER

Highly corrosive. Causes severe skin burns and eye damage. May cause respiratory irritation. Avoid contact with skin and eyes. Wash thoroughly with water after handling. Do not breathe dust. Do not get into eyes, on clothing, or on food.

ENVIRONMENTAL HAZARD

Highly corrosive. Causes severe skin burns and eye damage. May cause respiratory irritation. Avoid contact with skin and eyes. Wash thoroughly with water after handling. Do not breathe dust. Do not get into eyes, on clothing, or on food.

**PHYSICAL AND CHEMICAL HAZARDS
STRONG OXIDIZING AGENT**

Highly corrosive. Causes severe skin burns and eye damage. May cause respiratory irritation. Avoid contact with skin and eyes. Wash thoroughly with water after handling. Do not breathe dust. Do not get into eyes, on clothing, or on food.

**STORAGE
AND DISPOSAL**


Store in a cool, dry place. Do not store near food or feed. Do not store near acids. Do not store near combustibles. Do not store near oxidizers. Do not store near flammables. Do not store near irritants. Do not store near corrosives. Do not store near poisons. Do not store near explosives. Do not store near radioactive materials. Do not store near nuclear materials. Do not store near hazardous waste. Do not store near other hazardous materials. Do not store near incompatible materials. Do not store near incompatible gases. Do not store near incompatible liquids. Do not store near incompatible solids. Do not store near incompatible dusts. Do not store near incompatible fumes. Do not store near incompatible vapors. Do not store near incompatible odors. Do not store near incompatible tastes. Do not store near incompatible colors. Do not store near incompatible sounds. Do not store near incompatible smells. Do not store near incompatible tastes. Do not store near incompatible colors. Do not store near incompatible sounds. Do not store near incompatible smells.

FMC

2000
2000
2000



**10 TABS
LARGE**



**SUN
TABLETS
STABILIZED POOL
CHLORINATING CONCENTRATE**

ACTIVE INGREDIENT:
TRICHLORO-S-TRIAZINE TRIONE
INERT INGREDIENTS
MINIMUM AVAILABLE CHLORINE

99.5%
5.0%
89.5%

**KEEP OUT OF REACH OF CHILDREN
DANGER**

PRACTICAL TREATMENT

FIRST AID

IF ON SKIN: Wash with plenty of water. If in eyes: Hold open and flush with plenty of water. If inhaled: Get person into fresh air. If swallowed: Do not induce vomiting. Get medical attention.

SEE ADDITIONAL PRECAUTIONS ON SIDE PANEL

NET WT. 8.75-LBS.



**A SOLID GERMICIDE AND ALGAEKILLER
THAT DISSOLVES SLOWLY
PROVIDING EFFECTIVE
LONG LASTING TREATMENT**

**DIRECTIONS
FOR USE**

For use in swimming pools, spas, hot tubs, and other recreational water areas.

**DO NOT HANDLE THIS PRODUCT
WITH BARE HANDS. USE GLOVES OR
THOROUGHLY CLEAN, DRY UTENSILS.**

STARTUP

For new pools, add 1 lb. of Sun Tablets per 10,000 gallons of water. For existing pools, add 1 lb. of Sun Tablets per 10,000 gallons of water. Wait 24 hours before swimming. For maintenance, add 1 lb. of Sun Tablets per 10,000 gallons of water every 1-2 weeks. For shock treatment, add 1 lb. of Sun Tablets per 10,000 gallons of water. Wait 24 hours before swimming.

DAILY

For daily maintenance, add 1 lb. of Sun Tablets per 10,000 gallons of water every 1-2 weeks. For shock treatment, add 1 lb. of Sun Tablets per 10,000 gallons of water. Wait 24 hours before swimming.

**SUPERCHLORINATE USING SUN
POOL CHLORINATING CONCENTRATE
GRANULAR OR SUN BOOSTER**

BEST AVAILABLE TABLET