

9157-28

9157-28

ITEM NO. 144



PRECAUTIONARY STATEMENTS

HAZARDOUS TO HUMANS AND DOMESTIC ANIMALS

DANGER

Highly corrosive. Causes skin and eye damage. May be fatal if swallowed. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Irritating to nose and throat. Avoid breathing dust. Remove and wash contaminated clothing before reuse.

ENVIRONMENTAL HAZARD

This product is toxic to fish. Do not discharge into lakes, streams, ponds, or other waters, unless in accordance with an NPDES permit or guidance. Contact the regulatory office of EPA.

PHYSICAL AND CHEMICAL HAZARD: STRONG OXIDIZING AGENT

Mix only with water. Use a splashproof can. Do not add this product to any open flame or to any product. Such use may cause a violent reaction leading to fire or explosion. Contamination with this pure oxidizing matter or other chemicals may start a chemical reaction with generation of heat, fumes, or other hazardous gases, and possible generation of fire and explosion. Do not use for disinfection or decomposition. Do not store in open air or near a flammable area. Flood with large volumes of water if necessary.

STORAGE AND DISPOSAL

Keep product dry in tightly closed container. When not in use, store in a cool, dry, well-ventilated area away from heat or open flame. In case of personal contact, flush immediately. If possible, wash with large amounts of water. Do not pour or spill. Do not use for disposal. Do not use for disposal. Do not use for disposal.



FMC Corporation
1001 Market Street
Philadelphia, Pennsylvania 19103

Printed in U.S.A.
© 1984 FMC



SUN BOOSTER

STABILIZED POOL CHLORINATING CONCENTRATE

ACTIVE INGREDIENT
SODIUM DICHLORO S-TRIAZINETRIONE DIHYDRATE 100%
MINIMUM AVAILABLE CHLORINE 55%

KEEP OUT OF REACH OF CHILDREN DANGER

PRACTICAL TREATMENT

FIRST AID

If swallowed: feed bread soaked in milk to sweeten taste. Do not induce vomiting. If in eyes: flush with cold water for at least 15 minutes. If irritation persists, get medical attention. If on skin: flush with cold water for at least 15 minutes. Get medical attention. SEE ADDITIONAL PRECAUTIONS ON SIDE PANEL.

NET WT. 2-LBS. (0.91 kg) (14.17)



DIRECTIONS FOR USE

This is a violation of Federal law to use this product in a manner not consistent with the labeling.

STARTUP

When starting up a reopened or freshly filled swimming pool, be sure the filtration system is clean and operating properly. Then adjust and maintain the pH in the range of 7.2-7.8 using Sun-Minus or Sun-Plus as indicated by a reliable test kit. Adjust and maintain total alkalinity at 80-150 ppm based on the test kit results and the water direction on Sun-Alkalinity Control. Use Sun-Minus by adding 1 lb. of Sun-Booster chlorinating concentrate per 10,000 gallons. Repeat this step if necessary. Use Sun-Plus as indicated on the test kit. Add 1 lb. of Sun-Booster chlorinating concentrate per 10,000 gallons to provide a minimum of 10 ppm of free chlorine. Follow Sun-Booster directions for methods of addition.

DAILY

Add Sun-Booster chlorinating concentrate daily or as needed based on testing with a reliable test kit to maintain a free chlorine residual of 1.0-1.5 ppm. A suggested dosage of 1 lb. of Sun-Booster (100% available chlorine) per 10,000 gallons of pool water should be used as indicated by test results for the free chlorine. The dosage required to maintain 1.0-1.5 ppm free chlorine will vary due to unusual conditions such as heavy bather loads, wind, heavy rain, and high temperatures. Therefore, frequent use of a reliable test kit is recommended. Using the test kit, 1.0-1.5 ppm maintain the pH within the 7.2-7.8 range and total alkalinity at 80-150 ppm. In general, use 1 lb. of Sun-Booster chlorinating concentrate per 10,000 gallons of water will raise the free chlorine residual by 1.0 ppm.

MAINTAINING USING SUN BOOSTER POOL CHLORINATING CONCENTRATE

Use 1 lb. per 10,000 gallons of pool water. If a higher apparent level of free chlorine is noted, heavy bather loads or high temperatures may be present. Use a reliable test kit to indicate presence of combined chlorine to excess of 0.5 ppm. Repeat this step frequently to establish and maintain free chlorine residual of 1.0-1.5 ppm. Use the test kit to indicate pH and total alkalinity.

BEST DOCUMENT AVAILABLE