

DANGER

ENVIRONMENTAL HAZARD

PHYSICAL AND CHEMICAL HAZARDS
STRONG OXIDIZING AGENT

Mix only with water. Use clean dry utensils. Do not add this product to any dispensing device containing remnants of any other product. Such use may cause a violent reaction leading to fire or explosion. Contamination with moisture, organic matter, or other chemicals may start a chemical reaction, with generation of heat, liberation of hazardous gases, and possible generation of fire and explosion. In case of contamination or decomposition, do not reseal container. If possible isolate container in open or well-ventilated area. Flush with large volumes of water, if necessary.

STORAGE AND DISPOSAL

Keep product dry in tightly closed container when not in use. Store in a cool dry well-ventilated area away from heat or open flame. In case of fire, position isolated container if possible and flood with large amounts of water to dissolve all material before discarding. Place in trash collection or dispose in approved landfill area or burn in a safe place.

Additional information on use and handling of this product may be obtained from Sun-Pac's regional dealers or The Sun-Pac Corp., Tulsa.



ST DOCUMENT AVAILABLE

9157-29

SUN

STICKS

**STABILIZED POOL
CHLORINATING CONCENTRATE**

ACTIVE INGREDIENT
TRICHLORO S-TRIAZINETRIONE
INERT INGREDIENTS
MINIMUM AVAILABLE CHLORINE

**KEEP OUT OF REACH OF CHILDREN
DANGER**

PRACTICAL TREATMENT

FIRST AID

immediate.

Informal Review: If a review is requested, the review will be conducted by the same person who conducted the initial investigation. The review will be completed within 10 business days of the request.

Formal Review: If a review is requested, the review will be conducted by a different person than the one who conducted the initial investigation. The review will be completed within 30 business days of the request.

SEE ADDITIONAL PRECAUTIONS ON SIDE PANEL

NET WT. 10-LBS.



**A SOLID GERMICIDE AND ALGAE
THAT DISSOLVES SLOWLY
PROVIDING EFFECTIVE
LONG LASTING TREATMENT**

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

**DO NOT HANDLE THIS PRODUCT
WITH BARE HANDS. USE GLOVES
THOROUGHLY CLEAN, DRY UTENSILS**

When starting up a reopened or newly filling pool, make sure the filtration system is operating properly. Then adjust and balance pH to the range of 7.2-7.8 using Sun-90 or Sun-Phos, indicated by available test kit and maintain total alkalinity at 80-150 ppm on the test kit results, and the total dissolved Solids (TDS) at 1,000 ppm. Super-chlorinate 1.2 oz. of Sun-Chlor per 10,000 gallons per gallon. Repeat this step if necessary to get a positive free chlorine residual of 1.0-1.5 ppm daily and Sun-Conditioner at 1/2 oz. per 10,000 gal. to provide a minimum of 50 ppm of stabilizer. Follow Sun-Conditioner directions for maintenance and adjust.

DAILY

Adjust the chlorine dispensing rate of the automatic feeder from wide 1.0-1.5 ppm of chlorine residual as determined by a test kit. A suggested dosage is one stick per 10,000 gallons. This dosage may vary due to conditions such as heavy bather loads, wind, rain, and high temperatures, therefore, the use of the test kit is recommended. Using the kit as a guide, maintain the pH at 7.2-7.8. Stickility at 80-150 ppm is an acceptable chlorine concentration. Sticks are intended for use in the pool or in the feeder only. Do not add sticks directly to the pool or mix with any chemicals. One stick weighs 8.0z (227g).

**SUPERCHLORINATE USING SUN
POOL CHLORINATING CONCENTR.
GRANULAR**

There is a lot of talk about the "new" and "old" media, but the reality is that the two are not mutually exclusive. The new media is not a replacement for the old media, but rather a complement to it. The new media is a tool that can be used to enhance the old media, and the old media is a tool that can be used to enhance the new media. The two are not mutually exclusive, but rather complementary.



FMC Corporation
2000 McGuffey Street
Philadelphia, PA 19103-1598

[illegible]

CAUTIONARY STATEMENTS

TO HUMANS AND ANIMALS

Causes skin and eye damage. If swallowed. Do not get in eyes, on face. Wear goggles or face shield when handling. Irritating to nose and breathing dust. Remove and wash clothing before reuse.

ENVIRONMENTAL HAZARD

Toxic to fish. Do not discharge into ponds, or public waters unless with an NPDES Permit. For guidance contact regional office of EPA.

PHYSICAL AND CHEMICAL HAZARDS

OXIDIZING AGENT

Water. Use clean dry utensils. Do not mix with any dispensing device contents of any other product. Such use may cause a reaction leading to fire or explosion. Do not mix with organic chemicals may start a chemical reaction. Possible generation of heat, liberation of gas, and possible generation of fire in case of contamination or decomposition of container. If possible isolate from air or well ventilated area. Flood with water, if necessary.

AGE

DISPOSAL

Store in tightly closed container when not in use in a cool dry, well ventilated area. Do not use near open flame. In case of decomposition, if possible, and flood with water to dissolve all material. Place in trash collection or approved landfill area, or bury in a hole.

Information on use and handling of this product is obtained from Sun chemical and is included in the Pool Care Guide.

©

Street
Pears, Can a 19135

© FMC Corporation
4157 20th P.A. 415715

BEST DOCUMENT AVAILABLE

SUN

A SOLID GERMICIDE AND ALGAEICIDE THAT DISSOLVES SLOWLY PROVIDING EFFECTIVE LONG LASTING TREATMENT

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

DO NOT HANDLE THIS PRODUCT WITH BARE HANDS. USE GLOVES OR THOROUGHLY CLEAN, DRY UTENSILS.

STARTUP

When starting up a reopened or freshly filled swimming pool, make sure the filtration system is clean and operating properly. Then adjust and maintain the pH in the range of 7.2-7.8 using Sun Rebalizer or Sun Alkalinity Controller. Superchlorinate by adding 2 lbs. of Sun Chlorinating Concentrate per 1,000 gallons. Repeat this treatment every two weeks. To expedite treatment, use a dose of 1 lb. per 500 gallons. Next day add Sun Chlor 1 lb. per 500 gallons to provide continuous disinfection. Stabilizer should be added to the pool water. Follow the instructions on the label for the stabilizer.

DAILY

Adjust the chlorine level by adding 1 lb. of Sun Chlor or 1 lb. of Sun Chlor 1 lb. per 500 gallons to provide 1.0-1.5 ppm of free chlorine. The dosage is determined by a reliable test kit. A suggested dosage is one stick per 30,000 gallons. This dosage may vary due to factors such as high water loads, wind, heavy rains and high temperatures. Check the pool water with a reliable test kit. The pH of the pool water should be maintained at 7.2-7.8 using Sun Rebalizer or Sun Alkalinity Controller. Superchlorinate by adding 2 lbs. of Sun Chlorinating Concentrate per 1,000 gallons. Repeat this treatment every two weeks. To expedite treatment, use a dose of 1 lb. per 500 gallons. Next day add Sun Chlor 1 lb. per 500 gallons to provide continuous disinfection. Stabilizer should be added to the pool water. Follow the instructions on the label for the stabilizer.

SUPERCHLORINATE USING SUN POOL CHLORINATING CONCENTRATE GRANULAR

Superchlorinate by adding 2 lbs. of Sun Chlorinating Concentrate Granular per 1,000 gallons. Repeat this treatment every two weeks. To expedite treatment, use a dose of 1 lb. per 500 gallons. Next day add Sun Chlor 1 lb. per 500 gallons to provide continuous disinfection. Stabilizer should be added to the pool water. Follow the instructions on the label for the stabilizer.

SUN

STICKS

STABILIZED POOL CHLORINATING CONCENTRATE

ACTIVE INGREDIENT:
TRICHLORO-S-TRIAZINETRIONE
INERT INGREDIENTS
MINIMUM AVAILABLE CHLORINE

99.5%
0.5%
89%

**KEEP OUT OF REACH OF CHILDREN
DANGER**

PRACTICAL TREATMENT

FIRST AID

If swallowed feed bread soaked in milk followed by water. If in contact with skin, brush off excess and wash with soap and water. If in contact with eyes, flush with cool water for at least 15 minutes. Get medical attention.

SEE ADDITIONAL PRECAUTIONS ON SIDE PANEL

NET WT. 10-LBS. (4.54 kg)