

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER

Highly corrosive. Causes skin and eye damage. May be fatal if swallowed. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Irritating to nose and throat. Avoid breathing dust. Remove and wash contaminated clothing before reuse.

ENVIRONMENTAL HAZARD

This product is toxic to fish. Do not discharge into streams, ponds or public waters unless in accordance with an NPDES permit. For further information contact the regional office of EPA.

PHYSICAL AND CHEMICAL HAZARDS

STRONG OXIDIZING AGENT

Mix only with water. Use clean dry utensils. Do not add this product to any dispensing device containing remnants of any other product. Such use may cause a violent reaction leading to fire or explosion. Corrosion with moisture, organic matter, or other chemicals may start a chemical reaction with generation of heat, liberation of hazardous gases, and possible generation of fire and explosion. In case of fire, tampering or decomposition, do not reuse container. If possible isolate container in open air or well ventilated area. Flood with large volume of water if necessary.

STORAGE AND DISPOSAL


Keep product dry in tightly closed container when not in use. Store in a cool dry, well ventilated area away from heat or open flame. In case of fire, position isolate container, if possible, and flood with large amounts of water. Dissolve in water before discarding. Place in trash collection or dispose in approved landfill area or bury in a safe place.

Additional information on use and handling of this product may be obtained from Sun chemicals dealers or The Sun Pool Care Guide.

FMC

FMC Corporation
2000 Market Street
Philadelphia, Pennsylvania 19104

© 1980 FMC Corporation
U.S. Patent 3,940,000



A SOLID GERMICIDE AND ALGAEICIDE THAT DISSOLVES SLOWLY PROVIDING EFFECTIVE LONG LASTING TREATMENT

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

DO NOT HANDLE THIS PRODUCT WITH BARE HANDS. USE GLOVES OR THOROUGHLY CLEAN, DRY UTENSILS.

STARTUP

When starting up a reopened or freshly filled swimming pool, make sure the filtration system is clean and operating properly. Then adjust and maintain the pH in the range of 7.2-7.8 using Sun Minus or Sun Plus as indicated by a Sun test kit. Adjust and maintain total alkalinity at 80-150 ppm based on the test kit results and the label directions on Sun Alkalinity Control. Superchlorinate by adding 2 oz. of Sun Pool Chlorinating Concentrate Granular per 1,000 gallons. Repeat this step if necessary to establish a positive free chlorine residual of 1.0-1.5 ppm. The next day add Sun Conditioner at 4 oz. per 1,000 gallons to provide a minimum of .30 ppm of stabilizer. Follow Sun Conditioner directions for methods of addition.

DAILY

Adjust the chlorine dispensing rate of the Sun floater or In-line feeder to provide 1.0-1.5 ppm of free chlorine residual as determined by a reliable test kit. A suggested dosage is one tablet per 1,800 gallons. This dosage may vary due to unusual conditions such as heavy bather loads, wind, heavy rains and high temperatures, therefore, frequent use of the test kit is recommended. Using the test kit as a guide, maintain the pH at 7.2-7.8 and total alkalinity at 80-150 ppm. Sun pool chlorinating concentrate tablets are intended for use in the Sun floater or In-line feeder only. Do not add these tablets directly to the pool or mix with any other chemicals. One tablet weighs 1/2 oz. (14 grams).

SUPERCHLORINATE USING SUN POOL CHLORINATING CONCENTRATE GRANULAR OR SUN BOOSTER

Use 2 oz. per 1,000 gallons on a weekly basis or if algae appears, eye burn or chlorine odors are noted, heavy rains, higher bather loads or high temperatures occur, or if a reliable test kit indicates presence of combined chlorine in excess of 0.2 ppm. Repeat this step if necessary to establish a positive free chlorine residual. Do not use the pool until the chlorine residual has dropped below 3 ppm.

TABLETS

STABILIZED POOL CHLORINATING CONCENTRATE

ACTIVE INGREDIENT: TRICHLORO S TRIAZINETRIONE 98.8%
INERT INGREDIENTS 1.2%
MINIMUM AVAILABLE CHLORINE 89%

KEEP OUT OF REACH OF CHILDREN
DANGER

PRACTICAL TREATMENT

FIRST AID

If swallowed, do not induce vomiting. If in eyes, flush with water. If on skin, wash with soap and water. If on clothing, remove clothing. If inhaled, move to fresh air. If symptoms persist, seek medical attention.

SEE ADDITIONAL PRECAUTIONS ON SIDE PANEL

NET WT. 10-LBS. (4.5 kg)

BEST DOCUMENT AVAILABLE