SPARKLING WATER FAST & EASY SEA/GRAN SANITIZER -21

EPA Est. No, 7152-NJ-1 EPA Reg. No. 7152-43

ACTIVE INGREDIENTS: Trichtoro-s-Triazinetrione INERT INGREDIENTS:.... 34% TOTAL 100% *Available Chlorine

KEEP OUT OF REACH OF CHILDREN DANGER

PRACTICAL TREATMENT (FIRST AID): If swallowed feed bread spaked in milk followed by olive oil or cooking oil. Call a physician immediately.
If on skin: Brush off excess chemical and flush skin with cold water for at least 15 minutes, if Irritation persists, get medical attention.
If in Eyes: Flush with cold water for at least 15 minutes, Get medical attention.

SEE ADDITIONAL PRECAUTIONS ON SIDE PANEL



SEABOARD INDUSTRIES

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: Highly corrosive. Causes skin and eye damage. May be fatal if swallowed. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Irritating to nose and throat. Avoid breathing dust. Remove and

wash contaminated clothing before reuse.

ENVIRONMENTAL HAZARDS: This product is toxic to fish. Do not discharge into lakes streams, ponds, or public waters unless in accordance with an INPDES Permit. For guidance contact the regional and the product of the regional and the region and the region

office of EPA.

PHYSICAL ALD CHEMICAL HAZARDS STRONG
OXIDIZING AGENT: Strong Oxidizing Agent. Mix only with water. Use clear utensils. Do not add this product to any dispensing flevice containing remnants. of any other product. Such use may cause a violent reaction leading to fire or explosion. Contamination with moisture, organic matter, or other chemicals may start a chemical reaction, with generation of heat start a chemical reaction, with generation of heat liberation of hazardous gases, and possible generation of fire and explosion. In heat of container, if possible decomposition, do not reseal container. If possible isolate container in open air or well ventilated area. If flood with large volumes of water, if necessary.

STORAGE AND DISPOSAL: Keep product dry in tightly closed container when not in use. Store in a scool dry, well ventilated area away from heat or open flame. In case of decomposition isolate container if accessible, and flood with large amounts of water to

possible, and fluod with large amounts of water to dissolve all material before discarding. Place in trash collection or dispose in approved landfill area, or bury a safe place.

ACCEPTED 7/52-4/3 APR 2 3 1981

Under the Federal Insecti: Fungi 14c. and Rodentici as and ided, for the pead, registered under EPA Rog. No.

ACCEPTED
7/57-34
APR 14 1981
Under the Federal Insection as

Under the Federal Insociation of the fields and Radactivities to make the positions and the positions are under

Herman Sin

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMAN AND DOMESTIC ANIMALS CAUTION

Harmful if swallowed. Also dibreathing vapors. Avoid contact with skin, eyes, or clothing.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Keep out of takes, streams, or ponds. Permits may be required for discharges containing this pesticide in the takes, streams, ponds or public water. For guidance contact the Regional Office of the Environmental Protection Agency

STORAGE AND DISPOSAL

Keep container closed w. "not in use. Do not contaminate water, food, or feed by storage, disposal, or cleaning of equipment. Do not reuse empty container. Triple rinse for equivalent) and dispose of container in an incinerator or in an approved land fill, or bury in a safe place. Water used for rinsing the containers cannot be used or reprocessed and should be disposed of in a land rill approved for pesticides or buried in a safe place away from water supplies. Open dumping is prohibited.

FMC

FMC Corporation 2000 Market Street Philadelphia Pennsylvania 19103

E.P.A. Reg. No. 9157-34 E.P.A. 241, 9157-MI-1



FOR CONTROL OF BLACK ALGAE AND OTHER HARDTO KILLTYPES

ACTIVE INGREDIENT
Poly (oxyethylene (dimethyliminio) ethylene-(dimethyliminio)

ethylene dichloride] 60.0% INERT INGREDIENT 40.0%

This product contains 5.76 lb. of active ingredient per gallon and weighs 9.6 lb. per gallon

CAUTION

STAYEMENT OF PRACTICAL TREATMENT

FIRST AID

Skin and eyes: In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes call a physician Ingestion: If swallowed drink milk, egg whites, gelatin solution, or, if these are not as lable, large quantities of water. Avoid alcohol. Call a physician. ADDITION: L PRECAUTIONS ON SIDE PANEL

T GALLON 13.79 IJ 45 CANADIAN GALLON

DIRECTIONS FOR USE

GENERAL CLASSIFICATION

it is a violation of Federal law to use this product in a manner inconsistent with its label.

Sun Heavy Duty Algistat is used to control the growth of a gae in swimming pools. For maximum effectiveness pools containing heavy growth of a gae should be cleaned prior to using Sun Heavy Duty A'g stat. For poo's having just visible algae growth add an in-trail dose of 11 to 17 fluid oz. of Sun Heavy Duty Algistat per 10,000 gallons of water and remove settled algae debris by cleaning or fittration. For treatment of freshly cleaned and filled pools add initially 6 to 11 fluid on of Sun Heavy Duty Algistat per 10,000 gallors of water. To maintain pools free of visit e algae growth subsequent additions of 2 to 4 fluid oz of Sun Heavy Duty Algistat per 10.000 gallons of water should be made every 5 to 7 days after the initial treatment. Pour the recommended dosage directly into the pool water at several locations around the per meter of the poor to assure uniform distribution. Sun Heavy Duty Algistat is compatible with those chemicals normally used to treat por s and effective in both acid and alkaline ph. Sun Heavy Duty Algistatican be used in posis treated with chlorine chemicals and may reduce the amount of these chemics a normally required. However, do not mix Sun Heavy Duty A a stat with concentrated dry or "quid chlorine products or any other pot ichemical in the undiluted form