USDA Reg No 9159-3

MIXING DIRECTIONS

Mix the formulation with water by agitation or by circulating the mix ture through the spray pump and back into tank. A proper mixture will have the appearance of a milky emulsion with no free oil on the surface. Agitate before use. If uniform emulsion is formed. For best control with ground equipment, apply recommended amount of insecticide in 5 to 7 gallons of water per acre on cotton using low pressure, low volume equipment.

DIRECTIONS FOR USE

READ PRECAUTIONS BEFORE USING

CAUTION [illegible] Methyl Parathion 4 E [illegible] amount of water for complete [illegible] Methyl Parathion [illegible] applied when first sign of insects appear [illegible] insecticide under control [illegible] recommended [illegible]

NOTICE

[illegible]

DANGER DO NOT USE OR STORE NEAR HEAT OR OPEN FLAME

SYMPTOMS OF POISONING [illegible]

KAISER AGRICULTURAL CHEMICALS

METHYL PARATHION 4E

EMULSIFIABLE CONCENTRATE CONTAINING [illegible] METHYL PARATHION PER GALLON

ACTIVE INGREDIENTS [illegible] 45.56

[illegible] 39.44

[illegible]

TOTAL [illegible]

DANGER: DECONTAMINATE AND DESTROY USED CONTAINERS

DANGER: KEEP OUT OF THE REACH OF CHILDREN

Not for use or storage in or around the home.

SEE OTHER WARNINGS AND ANTIDOTE ON SIDE PANELS

POISON

KAISER AGRICULTURAL CHEMICALS
DIVISION OF KAISER ALUMINUM & CHEMICAL CORP

ATROPINE IS ANTIDOTAL

[illegible] PHYSICIAN Enough atropine must be given at the shortest [illegible] constant [illegible] atropine may [illegible] Use artificial respiration [illegible]

DANGER: POISONOUS IF SWALLOWED INHALED OR ABSORBED THROUGH SKIN

[illegible]

ACCEPTED
2/2/71
[illegible] 9159-3
TO ATTACHED COMMENTS

9159-3